

Safed Musli Farming: New entries in Medicinal Plant Database by Pankaj Oudhia. 210.

List of Documents

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abelmoschus crinitus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abelmoschus esculentus (L.) MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abelmoschus ficulneus (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abelmoschus manihot (L.) MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abelmoschus moschatus MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abies densa W. Griff. ex.Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abies pindrow ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abies spectabilis (D.DON) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abies webbiana LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abrus fruticulosus WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abrus precatorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abrus pulchellus WALL. EX THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abutilon asiaticum (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abutilon avicennae GAETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abutilon glaucum SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abutilon

graveolens (ROXB. EX HORNEM.) WIGHT & ARN. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abutilon hirtum (LAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abutilon indicum (L.) SWEET guineense (SCHUMACH.) BORSSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abutilon indicum (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abutilon pannosum (G. FORST.) SCHLTDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abutilon persicum (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abutilon theophrasti MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia arabica SENSU BAKER vedia COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia arabica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia caesia (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia catechu (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia catechu (L.F.) WILLD. sundra (DC.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia chundra (ROXB. EX ROTTLER) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia concinna (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia dealbata LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia decurrens WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia eburnea (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia farnesiana (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia ferruginea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia indica DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia intsia WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia jacquemontii BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia leucophloea (ROXB.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia

melonoxydon R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia modesta WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia nilotica (L.) WILLD. EX DEL. indica (BENTH.) BRENNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia pennata (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia planifrons WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia polyacantha WILLD. polyacantha BRENNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia polyantha SPRENG EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia pseudo-eburnea DRUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia pycnantha BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia rugata (LAM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia senegal WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia sinuata (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia speciosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia suma (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia tomentosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia torta (ROXB) CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acalypha alnifolia* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acalypha betulina* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acalypha ciliata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acalypha fruticosa* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acalypha hispida* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acalypha indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acalypha paniculata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acalypha*

racemosa WALL. EX BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acampe carinata (GRIFF) PANIGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acampe papillosa (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acampe praemorsa (ROXB.) BLATT. & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acampe wightiana LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acanthopanax trifoliatum (LINN.) VOSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acanthospermum hispidum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acanthospermum hispidum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acanthus ilicifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acer caesium WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acer cappadocicum GLEDITSCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acer laevigatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acer mono MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acer oblongum WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acer pentapomicum STEWART.EX BRAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acer pictum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Achillea millefolium LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Achillea santolina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Achras zapota L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Achyranthes aquatica R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Achyranthes aspera L. rubrofusca HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Achyranthes bidentata BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Achyranthes lanata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Achyranthes

porphyristachya WALL. EX MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum atrox (BRUHL) MUK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum balfourii STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum bisma (HAM.) RAPAICS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum chasmanthum STAPF EX HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum deinorrhizum STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum elwesii STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum falconeri STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum ferox WALL. EX SERINGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum heterophyllum WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum kashmiricum STAPF EX COVENTRY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum laciniatum (BRUEHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum laeve ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum lethale GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum luridum HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum moschatum (BRUEHL) STAPF NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum napellus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum palmatum D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum rotundifolium KAR. & KIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum soonoricum STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum spicatum (BRUHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconitum violaceum JACQ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconogonum rumicifolium (ROYLE EX BAB.)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aconogonum

tortuosum (D.DON)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acorus calamus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acorus gramineus AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acrocarpus fraxinifolius WIGHT & ARNOLAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acrocephalus hispidus (L.) NICOLS. & SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acrocephalus indicus (BURM.F.) KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acronychia laurifolia BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acronychia pedunculata (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acroptilon repens* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acrostichum aureum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acrotrema arnottianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actaea racemosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actaea spicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actiniopteris australis* (L.F.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actiniopteris dichotoma* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actiniopteris radiata* (SW.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actinodaphne angustifolia* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actinodaphne dichotoma* FLORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actinodaphne hookeri* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actinodaphne obovata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adansonia digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adenanthera pavonina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adenema hyssopifolium* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adenia*

heterophylla (BLUME) KOORD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adenia hondala (GAERTN.) W.J.DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adenia nicobarica KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adenia palmata ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adenia penangiana (DON) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adenia wightiana (WALL. EX WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adenosma capitatum HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adenosma indianum (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adenosma indicum* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adenostemma lavenia* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adhatoda beddomei* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adhatoda vasica* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adhatoda zeylanica* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adiantum aethiopicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adiantum capillus-veneris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adiantum caudatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adiantum cuneipinnulum* NAIR & GHOSH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adiantum flabellulatum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adiantum incisum* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adiantum lunulatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adiantum melanacaulon* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adiantum pedatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adiantum peruvianum* A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adiantum*

philippense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adiantum tinctum MOORE F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adiantum trapiziforme L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adiantum venustum DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adina cordifolia BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adinobotrys atropurpureus DUNN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adonis aestivalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adonis chrysocyathus HOOK.F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adonis majus* GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adonis scrobiculata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adonis vernalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aegiceras corniculatum* (L.) BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aeginetia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aegle marmelos* (L.) CORREA EX. SCHULTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aerides crispum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aerides fieldingii* WILLMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aerides multiflorum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aerides odorata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aerides rosea* LINDL. & PAXT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aerides williamsii* WARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aerva javanica* (BURM.F.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aerva lanata* (L.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aerva monsonia* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aerva*

pseudotomentosa BLATT. & HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aerva sanguinolenta (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aerva tomentosa FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aerva wightii HOOK .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aeschynanthus hookerii CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aeschynanthus maculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aeschynomene aspera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aeschynomene indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aesculus assamica GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aesculus hippocastanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aesculus indica COLEBR. EX CAMBESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aframomum melegueta (ROSC.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aganosma calycina A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aganosma caryophyllata G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aganosma cymosa (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aganosma dichotoma (ROTH) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aganosma marginata G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aganosma wallichii G.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agapanthus africanus (L.)HOFFMANN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agathis robusta F.M.BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agati grandiflora (L.) DEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agave americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agave angustifolia HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agave cantala

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agave sisalana PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agave vera-cruz MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agave vivipara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ageratina adenophora (SPR.) KING & ROB., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ageratum conyzoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ageratum houstonianum MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aglaia diepenhorstii MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aglaia domestica (CORREA EMEND. JACK) PELLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aglaia elaeagoidea (JUSS.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aglaia lawii (WIGHT.) SALDANHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aglaia minutiflora BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aglaia odorata LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aglaia odoratissima BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aglaia roxburghiana MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agni-jwalamonia eupatoria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agni-jwalamonia pilosa LEDEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agropyron repens BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agrostemma githago L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agrostis linearis RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agrostistachys meeboldii PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ailanthus altissima SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ailanthus excelsa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ailanthus

glandulosa DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ailanthus malabarica DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ailanthus triphysa (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ainsliaea angustifolia HOOK.F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ainsliaea aptera DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ainsliaea pteropoda DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aisandra butyracea (ROXB.) BAEHNI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ajuga bracteosa WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ajuga macrocarpa WALL EX. BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ajuga macrosperma WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ajuga parviflora WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alangium begonifolium MARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alangium decapetalum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alangium hexapetalum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alangium kurzii CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alangium lamarekii THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alangium salvifolium (L.F.) WANG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Albizia amara (ROXB.) BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Albizia chinensis (OSBECK) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Albizia julibrissin DURASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Albizia lebbeck (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Albizia lucida BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Albizia lucidior (STEND.) NIELSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Albizia

marginata MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Albizia myriophylla BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Albizia odoratissima (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Albizia procera (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Albizia stipulata BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alchornea javensis MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alchornea rugosa (LOUR) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alcea rosea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alchornea tiliacea* folia MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alectra parasitica* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alectra parasitica* A.RICH. *chitrakutensis* RAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aleurites moluccana* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alhagi camelorum* FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alhagi maurorum* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alhagi pseudalhagi* (BIEB.) DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alisma plantago* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alisma plantago-aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alisma plantago-aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alkanna tinctoria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *AllamKalam cathartica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alliaria officinalis* ANDRZEJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alliaria petiolata* (BIEB.)CAVARA & GRANDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Allium ampeloprasum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Allium*

ascalonicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allium carolinianum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allium cepa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allium chinense DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allium consanguineum KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allium hookeri THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allium humile KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allium leptophyllum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allium macleani BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allium porrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allium rubellum M.BIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allium sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allium schoenoprasum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allium stracheyi BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allium tuberosum ROTTL. EX SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allium victorialis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allium wallichii KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allmania nodiflora (L.) R.BR. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allophylus cobbe (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allophylus rheedii (WIGHT.) RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allophylus serratus (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alloteropsis cimicina (L.) STAPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alnus nepalensis DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alnus nitida

ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alocasia cucullata SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alocasia denudata ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alocasia fornicata (ROXB.) SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alocasia indica (LOUR.) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alocasia macrorrhiza (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alocasia montana SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alocasia odora (ROXB.) C.KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aloe abyssinica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aloe barbadensis MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aloe ferox MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aloe indica (SCHOTT) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aloe littoralis KOEN. EX. BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aloe perryi BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aloe spicata L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aloe succotrina LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aloe variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aloe vera* L. *chinensis* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aloe vera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aloe vera* L. *littoralis* KOEING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aloe vera* (typica) (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aloysia triphylla* (L'HER.) BRITT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alphonsea veratricosa* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alpinia allhugas*

ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alpinia calcarata ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alpinia chinensis ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alpinia conchigera GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alpinia galanga (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alpinia khulanjan M. SHERIFF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alpinia malaccensis (BURM.F.) ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alpinia nigra (GAERTN.) BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alpinia nutans ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alpinia officinarum HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alpinia speciosa K.SCHWM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alpinia zerumbet BURTT & R.M. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alseodaphne semicarpifolia NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alstonia constricta F MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alstonia kurzii HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alstonia macrophylla WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alstonia scholaris* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alstonia spectabilis* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alstonia venenata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alternanthera ficoidea* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alternanthera philoxeroides* (MAR.) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alternanthera pungens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alternanthera sessilis* (L.) R.BR.EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alternanthera*

triandra LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Althaea ludwigii L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Althaea officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Althaea rosea (L.) CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Altingia excelsa NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alysicarpus bupleurifolius (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alysicarpus longifolius WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alysicarpus monilifer DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alysicarpus vaginalis (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alyxia reinwartii BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alyxia stellata ROEM. & SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus atropurpureus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus blitum L. oleracea DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus blitum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus campestris WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus caudatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus dubius E.H.L.KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus fasciatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus gangeticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus gangeticus LINN. tristis PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus gracilis DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus graecizans AUCT. HISP. EX CUT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus hybridus L. hybridus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus

hybridus L. paniculatus THELL. cruentus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus hypochondriacus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus lividus L. polygonoides (MIQ.) THELL. EX PROBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus lividus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus mangostanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus oleraceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus paniculatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus polygamus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus polygonoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus spinosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus tenuifolius ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus tricolor L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus tristis WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus viridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaryllis belladonna LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amberboa divaricata KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Amberboa hookeri* (HASSK.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Amberboa ramosa* (ROXB.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Amblyanthus glandulosus* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ambroma augusta* (L.) L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Amentotaxus assamica* D.K.Ferguson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Amischophacelus axillaris* ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Amischotolype hookeri* (HASSK.) HARA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ammannia*

auriculata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ammannia baccifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ammannia senegalensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ammannia vesicatoria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ammi majus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amomum aromaticum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amomum costatum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amomum dealbatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amomum fenzlii KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amomum granum-paradisi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amomum kepulaga SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amomum melegueta ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amomum racemosum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amomum subulatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amomum xanthioides WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amomum zingiber L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amoor cucullata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amoor rohituka (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amorpha fruticosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amorphophallus bulbifer BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amorphophallus campanulatus BLUME EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amorphophallus commutatus ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amorphophallus dubius BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amorphophallus

paeoniifolius (DENNST.) NICOLSON campanulatus (DECNE.) SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amorphophallus paeoniifolius (DENNST.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amorphophallus prainii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amorphophallus sylvaticus (ROXB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ampelocissus araneosa (DALZ. & CRIBBS.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ampelocissus arnottiana PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ampelocissus barbata (WALL.) PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ampelocissus indica (L.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ampelocissus latifolia (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ampelocissus tomentosa (ROTH.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amphicome emodi LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amphilophis odorata CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amphineuron extensus (BL.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amyris gileadensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anacardium occidentale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anacolosa densiflora BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anacyclus pyrethrum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anagallis arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anamirta cocculus (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ananas comosus (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ananas sativus SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis adnata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis brevifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis

cinnamomea C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis contorta HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis cuneifolia HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis neelgerriana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis nubigena DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis sarmentosa WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis semepervivoides JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis triplinervis CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anastatica hierochuntica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anchusa strigosa LABILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ancistrocladus heyneanus WALL. EX GRAHAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ancistrocladus tectorius (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andira araroba AGUIAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrachne cadishaw ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrachne cordifolia MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrographis atropurpurea (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrographis echiioides NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrographis lineata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrographis macrobotrys NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrographis paniculata (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrographis paniculata (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrographis paniculata (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrographis paniculata (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrographis

paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrographis paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis serpyllifolia* (ROTTL. EX VAHL) WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andropogon citratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andropogon contortus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andropogon halepensis* BROTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andropogon jwarancusa* JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andropogon laniger* DUTHIE NON DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andropogon martini* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andropogon muricatus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andropogon nardus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andropogon odoratus* DNA LISBOA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clerodendrum phlomidis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clerodendrum serratum* (L.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clerodendrum thomsonae* Balf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clerodendrum waiiichii* Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Duranta erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gmelina arborea*

Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gmelina asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gmelina philippensis* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holmskioldia sanguinea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lantana camara* L. var. *aculeata* (L.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lantana camara* L. var. *splendens* (Medic.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lantana indica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lantana trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lantana veronicifolia Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lippia citriodora H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lippia javanica (Burm.f.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Petrea volubilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyla nodiflora (L.) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna balakrishnanii Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna coriacea Clarke var. coriacea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna coriacea Clarke var. villosa (C. B. Clarke) Rajendran & Daniel and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Premna corymbosa* (Burm.f.) Rottl. & Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Premna glaberrima* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Premna herbacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Premna latifolia* Rozb. var. *latifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Premna latifolia* Roxb. var. *henryi* D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Premna latifolia* Rozb. var. *mollissima* (Roth) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Premna latifolia* Roxb. var. *viburnoides* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Premna*

mundanthuraiensis Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna paucinervis (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna serratifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna tomentosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna wightiana Schauert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Priva cordifolia (L.f.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stachytarpheta jamaicensis (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stachytarpheta mutabilis (Jacq.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stachytarpheta urticaefolia* (Salisb.) Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tectona grandis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Verbena bipinnatifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Verbena bonariensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Verbena x hybrida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Verbena rigida* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vitex altissima* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vitex leucoxydon* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vitex negundo* L. var. *negundo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vitex negundo* L. var. *purpurascens* Sivar. & Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vitex peduncularis* Wall. ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vitex pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vitex trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Congea tomentosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sphenodesme paniculata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symphorema*

involucratum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Avicennia alba Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Avicennia marina (Forssk.) Vierh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Avicennia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acrocephalus hispidus (L.) Nicolson & Sadasivan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acrocephalus palniensis Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anisochilus argenteus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anisochilus carnosus (L.f.) Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anisochilus dysophylloides* Benth. var. *dysophylloides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anisochilus dysophylloides* Benth. var. *purpureus* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anisochilus eriocephalus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anisochilus henryi* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anisochilus paniculatus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anisochilus robustus* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anisochilus scaber* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anisochilus sericeus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anisochilus suffruticosus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anisochilus wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anisomeles heyneana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anisomeles indica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anisomeles malabarica* (L.) R. Br. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Basilicum polystachyon* (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Becium filamentosum* (Forssk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clinopodium*

umbrosum (M. Bieb.) K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Colebrookea oppositifolia J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elsholtzia ciliata (Thunb.) Hyland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Endostemon viscosus (Roth) M. Ashby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eusteralis cruciata (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eusteralis deccanensis Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eusteralis quadrifolia (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geniosporum elongatum Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Geniosporum menthoides* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Geniosporum menthoides* (L.) Merr. var. *longiracemosum* (Ramam. & Sebastine) Press & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gomphostemma eriocarpon* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gomphostemma heyneanum* Wall. ex Benth. var. *heyneanum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gomphostemma heyneanum* Wall. ex Benth. var. *rottleri* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gomphostemma keralensis* Vivek., Gopalan & Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gomphostemma strobilinum* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hyptis suaveolens* (L.) Poit. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Isodon coetsa (D. Don) Kudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Isodon nigrescens (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Isodon nilgherricus (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Isodon walkeri (Arn.) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Isodon wightii (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lavendula angustifolia Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lavandula lawii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leonotis

leonurus R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leonotis nepetiifolia (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leonurus sibiricus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas anKalamraoana Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas angularis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas aspera (Willd.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas biflora (Vahl) R.Br. var. biflora and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas cephalotes (Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas chinensis (Retz.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas ciliata Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas diffusa Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas eriostoma Hook.f. var. eriostoma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas eriostoma Hook.f. var. lanata Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas eriostoma Hook.f. var. latifolia Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas flaccida R.Br. var. scaberula (Hook.f.) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas helianthemifolia Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas hirta (Heyne ex Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas indica (L.) R.Br. ex Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas lamifolia Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas lanata Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas lanceaefolia Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas marrubioides Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas martinicensis (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas montana

Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas nutans* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas prostrata* (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas rosmarinifolia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas stelligera* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas stricta* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas suffruticosa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas ternifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas urticaefolia* (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas vestita* Benth. var. *vestita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas vestita* Benth. var. *angustifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas vestita* Benth. var. *oblongifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas vestita* Benth. var. *sericostoma* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas wightiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas zeylanica* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha canadensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha x piperita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Meriandra bengalensis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Micromeria biflora (Buch.-Ham.ex D.Don.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Micromeria capitellata Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta hindostana (Roth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ocimum

americanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ocimum basilicum L. var. basilicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ocimum basilicum L. var. pilosum Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ocimum basilicum L. var. purpurascens Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ocimum basilicum L. var. thrysiflorum Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ocimum gratissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ocimum tenuiflorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Origanum hortensis Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orthosiphon aristatus (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orthosiphon comosus Wight ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orthosiphon pallidus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orthosiphon rubicundus (D.Don) Benth. var. rubicundus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orthosiphon rubicundus (D.Don) Benth. var. hohenackeri Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orthosiphon thymiflorus (Roth) Sleensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus amboinicus (Lour.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus barbatus Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus bishopianus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus bourneae Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus caninus Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus coleoides Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus deccanicus Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus malabaricus (Benth.) Willemse and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus mollis (Ait.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus

rivularis Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus rotundifolius (Poir.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus scutellarioides (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus stocksii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus subincisus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus urticifolius Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus vettiveroides (Jacob) Singh & Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pogostemon atropurpureus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon auricularius* (L.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon benghalensis* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon cablin* (Blanco) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon gardneri* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon hedgei* V.S. Kumar & B. Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon heyneanus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon mollis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon myosuroides* (Roth) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon nilagiricus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon paludosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon paniculatus* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon purpurascens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon rotundatus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon rugosus* (Hook.f.) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon*

speciosus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pogostemon wightii Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunella vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosmarinus officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia coccinea Buc'hoz ex Etlinger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia farinacea Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia grahamii Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia involucrata Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salvia leucantha* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salvia microphylla* Kunth var. *neurepia* (Fernald) Epling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salvia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salvia patens* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salvia rutilans* Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salvia splendens* Sell. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salvia uliginosa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salvia verbenacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Satureja umbrosa* (Bieb.) Scheele and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scutellaria colebrookiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scutellaria rivularis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scutellaria violacea* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scutellaria wightiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tetradenia riparia* (Hochst.) Codd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Teucrium fruticans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Teucrium*

plectranthoides Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Teucrium tomentosum Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Teucrium wightii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thymus vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago afra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago erosa Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago exigua Juss.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago lanceolata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Plantago ovata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commicarpus chinensis* (L.) Heimerl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Boerhavia crispa* Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wild Boerhavia diffusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Boerhavia erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Boerhavia helenae* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bougainvillea glabra* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bougainvillea spectabilis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mirabilis jalapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mirabilis longiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pisonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pisonia grandis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Achyranthes aspera* L. var. *aspera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Achyranthes aspera* L. var. *porphyristachya* (Wall. ex Moq.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Achyranthes aspera* L. var. *rubro-fusca* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Achyranthes*

bidentata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aerva lanata (L.) Juss. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aerva persica (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aerva sanguinolenta (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aerva wightii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Allmania nodiflora (L.) R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alternanthera paronychioides A.St. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alternanthera philoxeroides (C. Martiu) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alternanthera pungens* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alternanthera sessilis* (L.) R.Br. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alternanthera tenella* Colla. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alternanthera tenella* Colla. var. *bettzickiana* (Regel) Veldkamp and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Amaranthus blitum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Amaranthus caudatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Amaranthus graecizans* subsp. *thelProstateianus* (Nevski) Gusev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Amaranthus hybridus* L. subsp. *cruentus* (L.) Thell. var. *paniculatus* (L.) Thell. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus spinosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus tricolor L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amaranthus viridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Celosia argentea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Celosia cristata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Celosia polygonoides Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Celosia pulchella Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyathula

prostrata (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Digera muricata (L.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gomphrena globosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gomphrena serrata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indobanalia thyrsoflora (Moq.) Henry & Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Iresine herbstii Hook.f. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nothosaerva brachiata (L.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psilotrichum elliotii Baker & Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psilotrichum nudum* (Heyne ex Wall.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pupalia lappacea* (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichuriella monsoniae* (L.f.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arthrocnemum glaucum* (Del.) Ung.-Sternb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arthrocnemum indicum* (Willd.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Atriplex repens* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Atriplex stockesii* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Beta vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chenopodium album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chenopodium ambrosioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chenopodium carinatum* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chenopodium giganteum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chenopodium murale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chenopodium pumilo* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Haloxylon recurvum* (Moq.) Bunge and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kochia indica*

Wight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salicornia brachiata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spinacia oleracea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Suaeda maritima (L.) Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Suaeda monoica Forssk. ex Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Suaeda vermiculata Forssk. ex J.F.Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Basella rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ercilla spicata Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Petiveria alliacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phytolacca dioica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phytolacca octandra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rivina humilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antigonon leptopus Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coccoloba uvifera (L.) L. Syst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Emex spinosus (L.) Campdera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fagopyrum esculentum Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Muehlenbeckia gracillima* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Muehlenbeckia platyclada* (F.v. Muell. ex Hook.) Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Persicaria attenuata* (R.Br.) Sojak subsp. *pulchra* (Blume) K.L.Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Persicaria barbata* (L.) Hara var. *gracilis* (Danser) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Persicaria barbata* (L.) Hara var. *stagnina* (Buch.-Ham. ex Meisn.) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Persicaria capitata* (Buch.-Ham. ex D.Don) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Persicaria chinensis* (L.) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Persicaria dichotoma* (Blume) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Persicaria hydropiper* (L.) Spach var. *hydropiper* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Persicaria hydropiper* (L.) Spach subsp. *flaccida* (Meisn.) Munshi & Javeid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Persicaria lapathifolia* (L.) Gray var. *lanigera* (R.Br.) Chantar. & Tubtimtong and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Persicaria nepalensis* (Meisn.) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Persicaria peduncularis* (Meissner) Nemato and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygonum dichotomum* Blume var. *angustissima* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygonum dichotomum* Blume var. *nilagirica* (Hook.f.) Chandrasekaran and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygonum dichotomum* Blume var. *robusta* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygonum glabrum* Willd. var. *glabrum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygonum glabrum* Willd. var. *scabrinervis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygonum minus* Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygonum molle* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygonum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygonum plebeium* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygonum*

sphaerocephalum Wall.ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rheum rhaponticumL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rumex acetosella L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rumex crispus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rumex maritimus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rumex nepalensis Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rumex vesicarius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalzellia zeylanica (Gard.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Farmeria indica* Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indotristicha ramosissima* (Wight) Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indotristicha tirunelveliana* Sharma, Karthik. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Podostemon barberi* Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Podostemon subulatus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polypleurum dichotomum* (Gard.) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polypleurum stylosum* (Wight) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Willisia selaginoides* (Bedd.) Warm. ex Willis and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Zeylanidium lichenoides* (Kurz) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Zeylanidium olivaceum* (Gard.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aristolochia bracteolata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aristolochia cymbifera* Mart. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aristolochia grandiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aristolochia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aristolochia ringens* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aristolochia*

tagala Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thottea barberi (Gamble) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thottea siliquosa (Lam.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepianthes umbellata (L.) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peperomia blKalam (Jacq.) Kunth var. floribunda (Miq.) Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peperomia heyneana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peperomia pellucida (L.) H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peperomia candolleana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peperomia tetraphylla (Forst.f.) Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peperomia pseudo - rhombi C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peperomia wightiana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper argyrophyllum Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper betle L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper galeatum C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper glaberrhache C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper hapnium Buch.-Ham. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper hymenophyllum Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper longum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper mullesua Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper obtusistigmum C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper ootacamunbense C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper

opacilimum C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper ovatostemon C.DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper pykrahense C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper schmidtii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper trichostachyon (Miq.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper trioicum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper wightii Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sarcandra chloranthoides Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Knema attenuata* (Wall. ex Hook.f.& Thoms.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myristica dactyloides* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myristica fatua* Houtt. var. *magnifica* (Bedd.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myristica fragrans* Houtt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actinodaphne bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actinodaphne bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actinodaphne campanulata* Hook.f. var. *campanulata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actinodaphne campanulata* Hook.f. var. *obtusata* Gamble and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actinodaphne lanata* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actinodaphne lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actinodaphne maderaspatana* Bedd. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actinodaphne malabarica* Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actinodaphne salicina* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actinodaphne tadulingamii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alseodaphne semecarpifolia* Nees var. *semecarpifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alseodaphne*

semecarpifolia Nees var. *angustifolia* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alseodaphne semecarpifolia* Nees var. *parvifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Apollonias arnottii* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Beilschmiedia bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Beilschmiedia gammieana* King ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Beilschmiedia wightii* (Nees) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassytha capillaris* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassytha filiformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cinnamomum bejolghota* (Buch. - Ham.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cinnamomum camphora* (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cinnamomum filipedicellatum* Kosterm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cinnamomum keralaense* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cinnamomum macrocarpum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cinnamomum malabattrum* (Burm.f.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cinnamomum multiflorum* (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cinnamomum nitidum* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cinnamomum perrottetii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cinnamomum riparium* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cinnamomum sulphuratum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cinnamomum travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cinnamomum verum* Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cinnamomum walaiwarensense* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cinnamomum wightii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cryptocarya*

anamalayana Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cryptocarya beddomei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cryptocarya bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cryptocarya lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cryptocarya neilgherrensis Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cryptocarya stocksii Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Laurus nobilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea beddomei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea coriacea (Heyne ex Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea deccanensis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea floribunda (Blume) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea glabrata (Wall. ex Nees) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea glutinosa (Lour.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea hookeriana Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea insignis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Litsea laevigata* (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Litsea monopetala* (Roxb.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Litsea nigrescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Litsea oleoides* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Litsea quinqueflora* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Litsea stocksii* (Meisner) Hook.f. var. *stocksii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Litsea stocksii* (Meisner) Hook.f. var. *glabrescens* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Litsea*

travancorica Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea venulosa (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea wightiana (Nees) Hook.f. var. wightiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea wightiana (Nees) Hook.f. var. tomentosa (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Neolitsea cassia (L.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Neolitsea fischeri Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Neolitsea foliosa (Nees) Gamble var. caesia (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Neolitsea scrobiculata (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Persea americana* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Persea macrantha* (Nees) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phoebe lanceolata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phoebe paniculata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phoebe wightii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gyrocarpus asiaticus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Banksia marginata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grevillea banksii* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grevillea bipinnatifida* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grevillea hilliana* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grevillea punicea* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grevillea robusta* A. Cunn. ex R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hakea laurina* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hakea salicifolia* (Vent.) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hakea sericea* Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helicia nilagirica*

Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Helicia robusta (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucadendron argenteum (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macadamia ternifolia F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Petrophile pulchella R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stenocarpus salignus R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gnidia glauca (Fresen.) Gilg var. glauca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gnidia glauca (Fresen.) Gilg var. sisparensis (Gard.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gyrinops walla Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ovidia humboldtia Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wikstroemia indica (L.) C. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeagnus conferta Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeagnus indica Servettaz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeagnus kologa Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrophthoe falcata (L.f.) Etting. var. falcata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrophthoe falcata (L.f.) Etting. var. pubescens (Hook.f.) Chandrasekaran and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dendrophthoe memecylifolia* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dendrophthoe neelgherrensis* (Wight & Arn.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dendrophthoe sarcophylla* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dendrophthoe trigona* (Wight & Arn.) Danser ex Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helicanthus elastica* (Desr.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helixanthera hookeriana* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helixanthera intermedia* (Wight) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helixanthera*

lepidophylla (Walp.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Helixanthera obtusata (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Helixanthera wallichiana (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macrosolen capitellatus (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macrosolen parasiticus (L.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scurrula cordifolia (Wall.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scurrula parasitica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Taxillus courtallensis (Gamble) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Taxillus cuneatus* (Heyne ex Roth) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Taxillus heyneanus* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Taxillus recurvus* (Wall. ex DC.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Taxillus sclerophyllus* (Thw.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Taxillus tomentosus* (Heyne ex Roth) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Korthalsella japonica* (Thunb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viscum angulatum* Heyne ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viscum articulatum* Burm.f. var. *articulatum* and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viscum articulatum* Burm.f. var. *dichotomum* Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viscum articulatum* Burm.f. var. *thelocarpum* (Danser) R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viscum capitellatum* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viscum heyneanum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viscum monoicum* Roxb.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viscum orientale* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viscum ramosissimum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viscum*

trilobatum Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Osyris quadripartita Salzm. ex Decne. var. quadripartita and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Osyris quadripartita Salzm. ex Decne. var. puberula (Hook.f.) Kumari

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Santalum album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scleropyrum pentandrum (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thesium wightianum Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Balanophora fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var. indica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Balanophora fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var. minor (Eichl.) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Balanophora

fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var. agastyamalayana Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Balanophora fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var. tirunelveliense Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acalypha alnifolia Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acalypha brachystachya Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acalypha ciliata Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acalypha fruticosa Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acalypha hispida Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acalypha indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acalypha lanceolata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acalypha malabarica* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acalypha racemosa* Heyne ex Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acalypha amentacea* Roxb. subsp. *wilkesiana* (Muell.Arg.) Fosberg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Actephila excelsa* (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Agrostistachys borneensis* Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Agrostistachys indica* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aleurites*

moluccana (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antidesma acidum Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antidesma alexiteria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antidesma buniis (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antidesma ghaesembilla Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antidesma menasu (Tul.) Miq. ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antidesma walkeri (Tul.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aporosa acuminata Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aporosa fusiformis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aporosa lindleyana* (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Baccaurea courtallensis* (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Baliospermum montanum* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bischofia javanica* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blachia calycina* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blachia reflexa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blachia umbellata* (Willd.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Breynia retusa* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Breynia vitis-idaea* (Burm.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bridelia cinerascens* Gehrm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bridelia crenulata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bridelia retusa* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bridelia scandens* (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrozophora prostrata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrozophora*

rottleri (Geiseler) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Claoxylon anomalum Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Claoxylon wightii Hook.f. var. angustatum Susila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Claoxylon wightii Hook.f. var. hirsutum (Hook.f.) Sushila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cleidion spiciflorum (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cleistanthus collinus (Roxb.) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cleistanthus patulus (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cleistanthus travancorensis Jablonszky and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Codiaeum variegatum* (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coelodepas calycinum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Croton bonplandianum* Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Croton caudatus* Geiseler var. *caudatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Croton caudatus* Geiseler var. *obovoideus* Balakr. & Chakrab. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Croton hirtus* L'Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Croton klotzchianus* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Croton laccifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Croton malabaricus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Croton oblongifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Croton tiglium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Croton zeylanicus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dalechampia indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dalechampia scandens* L. var. *velutina* (Wight) Mull. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dimorphocalyx beddomei* (Benth.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dimorphocalyx*

glabellus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dimorphocalyx lawianus (Muell.-Arg.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Drypetes elata (Bedd.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Drypetes longifolia (Blume) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Drypetes malabarica (Bedd.) Airy Shaw

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Drypetes porteri (Gamble) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Drypetes roxburghii (Wall.) Hurusawa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Drypetes sepriaria (Wight & Arn.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Drypetes venusta (Wight) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drypetes wightii* (Hook.f.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Epiprinus mallotiformis* (Muell.-Arg.) Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia agowensis* Hochst. ex Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia antiquorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia balakrishnanii* Binojk. & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia barnhartii* Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia chamaesyce* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia*

corrigioloides Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia cotinifolia L. subsp. cotinoides (Miq.) Christenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia cristata Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia cyathophora Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia dracunculoides Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia heterophylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia helioscopia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia heyneana Spreng. subsp. heyneana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia heyneana* Spreng. subsp. *nilagirica* (Miq.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia hirta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia indica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia laciniata* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia longistyla* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia neriifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia milii* Des and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia nivulia* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia pulcherrima* Willd.ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia pycnostegia* Boiss. var. *zornii* (Boiss.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia rosea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia rothiana* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia santapaui* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia serpens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia thymifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia*

tirucalli L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia trigona Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia tortilis Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia vajravelui Binojk. & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Excoecaria agallocha L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Excoecaria cochinchinensis Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Excoecaria crenulata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Excoecaria robusta Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fahrenheitia zeylanica* (Thw.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flueggea leucopyrus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flueggea virosa* (Willd) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Givotia rottleriformis* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glochidion arboreum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glochidion balakrishnanii* G.J. Jothi, V.S. Manickam, V. Sundaresan & M. Josphine Mary and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glochidion bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glochidion candolleianum* (Wight & Arn.) Chakrab. & Gangop and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glochidion ellipticum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glochidion fagifolium* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glochidion malabaricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glochidion neilgherrense* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glochidion pauciflorum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glochidion tomentosum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glochidion velutinum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glochidion*

zeylanicum (Gaertn.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hevea brasiliensis (Willd. ex Juss.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Homonoia retusa (Graham ex Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Homonoia riparia Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hura crepitans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jatropha curcas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jatropha glandulifera Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jatropha gossypifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jatropha heynei* Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jatropha integerrima* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jatropha maheshwarii* Subram. & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jatropha multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jatropha tanjorensis* Ellis & Saroja and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jatropha villosa* Wight var. *villosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jatropha villosa* Wight var. *ramnadensis* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Macaranga flexuosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Macaranga indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Macaranga peltata* (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mallotus atrovirens* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mallotus aureopunctatus* (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mallotus beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mallotus distans* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mallotus philippensis* (Lam.) Muell.-Arg. var. *philippensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mallotus*

philippensis (Lam.) Muell.-Arg. var. tomentosus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mallotus repandus (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mallotus resinusus (Blanco) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mallotus rhamnifolius Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mallotus stenanthus Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mallotus subramanyamii Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mallotus tetracoccus (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Manihot esculenta Crantz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Manihot glaziovii* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Margaritaria indica* (Dalz.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Meineckia longipes* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Meineckia parvifolia* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Micrococca beddomei* (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Micrococca mercurialis* (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Micrococca wightii* (Hook.f.) prain var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Micrococca wightii* (Hook.f.) prain var. *hirsutum* (Hook.f.) Prain and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mischodon zeylanicus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Paracroton integrifolius* (Airy Shaw) Balakr. & Chakrab and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pedilanthus tithymaloides* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus acidus* (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus amarus* Schum. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus baillonianus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus beddomei* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus*

chandraboisei Govaerts & Radcl. - Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus debilis Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus emblica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus fimbriatus (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus gageana (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus gardnerianus (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus indofischeri Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus kozhikodianus Sivar. & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus lawii* Graham ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus leschenaultii* Muell. Arg., and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus longiflorus* Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus macraei* Muell.-Arg. var. *macraei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus macraei* Muell.-Arg. var. *hispidus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus macrocalyx* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus maderaspatensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus megacarpa* (Gamble) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus myrtifolius* Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus pinnatus* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus polyphyllus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus reticulatus* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus rotundifolius* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus singampattiana* (Sebastine & Henry) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus*

speciosus Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus urinaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus virgatus Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pseudoglochidion anamalayanum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ricinus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sapium insigne (Royle) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sapium sebiferum (Michaux) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sauropus androgynus (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sauropus bacciformis* (L.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sauropus quadrangularis* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sebastiania chamaelea* (L.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Suregada lanceolata* (Willd.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Synadenium grantii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tragia bicolor* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tragia involucrata* L. var. *involucrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tragia involucrata* L. var. *angustifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tragia muelleriana* Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tragia plukenetii* R. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trewia nudiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trewia polycarpa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trigonostemon nemoralis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vernicia montana* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Daphniphyllum neilgherrense* (Wight) K. Rosenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Buxus*

sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sarcococca brevifolia* (Muell.-Arg.) Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sarcococca saligna* (D. Don.) Muell. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Boehmeria glomerulifera* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Boehmeria macrophylla* Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Boehmeria nivea* (L.) Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chamaedorea cuspidata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Debregeasia ceylanica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Debregeasia longifolia* (Burm.f.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Debregeasia wallichiana* (Wedd.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dendrocnide sinuata* (Blume) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Droguetia iners* (Forssk.) Schweinf. subsp. *urticoides* (Wight) Friis & Wilmot- Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elatostema acuminatum* (Poir.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elatostema cuneatum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elatostema lineolatum* Wight var. *lineolatum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elatostema lineolatum* Wight var. *falcigera* Thw. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elatostema lineolatum* Wight var. *linearis* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elatostema lineolatum* Wight var. *setosum* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elatostema sessile* Forst. var. *sessile* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elatostema sessile* Forst. var. *cuspidata* (Wight) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elatostema sessile* Forst. var. *pubescens* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elatostema surculosum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elatostema wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Girardinia*

diversifolia (Link) Friis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Laportea bulbifera (Sieb. & Zucc.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Laportea interrupta (L.) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lecanthus peduncularis (Wall. ex Royle) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oreocnide frutescens (Thunb.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oreocnide integrifolia (Gaudich.) Miq. var. integrifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oreocnide integrifolia (Gaudich.) Miq. var. sylvatica (Hassk.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parietaria micrantha Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pellionia heyneana* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pilea angulata* (Blume) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pilea kingii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pilea melastomoides* (Poir.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pilea microphylla* (L.) Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pilea wightii* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pouzolzia auriculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *bennettiana* and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *acuta* (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *gardneri* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *macrophylla* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *mysorensis* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *ovalifolia* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *quadralata* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *tomentosa* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pouzolzia*

cymosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pouzolzia hirta (Blume) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pouzolzia pentandra (Roxb.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pouzolzia wightii Benn. var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pouzolzia wightii Benn. var. caudata (Benn.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pouzolzia wightii Benn. var. lawsoniana Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pouzolzia wightii Benn. var. nilghirensis (Wight) Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pouzolzia wightii Benn. var. scabra (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *wallichiana* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pouzolzia zeylanica* (L.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Procris crenata* Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Urtica hyperborea* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Urtica parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aphananthe cuspidata* (Blume) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Celtis australis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Celtis philippensis* Blanco var. *wightii* (Planch.) Soep. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Celtis tetrandra* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Celtis timorensis* Spanoghe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holoptelea integrifolia* (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trema orientalis* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cannabis sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Antiaris toxicaria* (Pers.) Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artocarpus incisus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artocarpus*

gomezianus Wall. ex Trec. subsp. zeylanicus Jarrett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artocarpus heterophyllus Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artocarpus hirsutus Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Broussonetia papyrifera Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cudrania cochinchinensis (Lour.) Kudo & Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dorstenia indica Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus albipila (Miq.) King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus amplissima J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus amplocarpa Govindarajulu & Masilamoney and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus angladei Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus arnottiana (Miq.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus auriculata Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus beddomei King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus benghalensis L. var. benghalensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus benghalensis L. var. krishnae C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus benjamina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus callosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus carica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus dalhousiae Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus drupacea Thunb. var. pubescens (Roth) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus elastica Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus exasperata Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus glaberrima Blume var. bracteata Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus guttata

(Wight) Kurz ex King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus heterophylla L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus hispida L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus hookeriana Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus laevis Blume var. macrocarpa (Miq.) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus microcarpa L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus mollis Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus nervosa Heyne ex Roth var. nervosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus nervosa Roth var. minor King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus palmata Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus pumila L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus racemosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus religiosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus talbotii King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus tinctoria Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus tsjahela Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ficus virens* Ait. var. *virens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ficus virens* Ait. var. *lambertiana* (Miq.) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ficus virens* Ait. var. *wightiana* (Miq.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Morus alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Morus australis* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Morus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Plecosperrum spinosum* Trec. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Streblus asper*

Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Streblus taxoides* (Heyne ex Roth) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Platanus orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Juglans regia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Casuarina glauca* Sieber. ex A.Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Casuarina equisetifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Casuarina junghuhniana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Casuarina stricta* Dryand. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Casuarina suberosa* Otto & Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Casuarina torulosa* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alnus nepalensis* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Betula alnoides* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Castanea crenata* Sieb. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Castanea sativa* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Castanopsis indica* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Castanopsis roxburghiana* S.N. Biswas and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fagus sylvatica* L. var. *sylvatica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fagus sylvatica* L. var. *cuprea* Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Quercus baloot* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Quercus coccifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Quercus leucotrichophora* A. Camus ex Bahadur and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Quercus robur* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Quercus serrata* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salix babylonica*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salix tetrasperma* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ceratophyllum demersum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blyxa aubertii* Rich. var. *echinosperma* (Clarke) Cook & Luond and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blyxa octandra* (Roxb.) Planch ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Enhalus acoroides* (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Halophila beccarii* Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Halophila decipiens* Ostenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Halophila ovalis* (R. Br.) Hook.f. subsp. *ovalis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Halophila ovalis* (R. Br.) Hook.f. subsp. *ramamurthiana* Ravikumar & Ganesan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Halophila ovata* Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Halophila stipulacea* (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hydrilla verticillata* (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nechamandra alternifolia* (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ottelia alismoides* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thalassia hemprichii* (Ehrenb.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vallisneria natans* (Lour.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Burmannia candelabrum* Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Burmannia coelestis* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Burmannia wallichii* (Miers) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acampe praemorsa* (Roxb.) Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acanthephippium bicolor* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aenhenrya rotundifolia* (Blatter) Sathish & Rasmussen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aerides*

crispa Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aerides maculosum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aerides ringens (Lindl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anoectochilus elatus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anoectochilus rotundifolius (Blatter) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aphyllorchis montana Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arundina graminifolia (D. Don) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brachycorythis iantha (Wight) Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brachycorythis splendida* Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bulbophyllum acutiflorum* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bulbophyllum albidum* (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bulbophyllum aureum* (Hook. f.) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bulbophyllum elegantulum* (Rolfe) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bulbophyllum fischeri* Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bulbophyllum fuscopurpureum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bulbophyllum kaitiense* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bulbophyllum sterile* (Lam) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bulbophyllum tremulum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bulbophyllum xylophyllum* Par. & Reichb. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calanthe sylvatica* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calanthe triplicata* (Willem.) Ames and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calanthe vestita* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cheirostylis flabellata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cheirostylis*

parvifolia Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chiloschista fasciata (F. Muell.) Seidenf. & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chrysoglossum hallbergii Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chrysoglossum maculatum (Thw.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coelogyne breviscapa Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coelogyne glandulosa Lindl. var. glandulosa Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coelogyne glandulosa Lindl. var. bournei Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coelogyne glandulosa Lindl. var. sathyanarayanae Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coelogyne mossiae Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coelogyne nervosa A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coelogyne odoratissima Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coelogyne ovalis Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coelogyne prolifera Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coelogyne uniflora Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corymborkis veratrifolia (Reinw.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cottonia peduncularis (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crepidium purpureum* (Lindl.) Szlach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbidium aloifolium* (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbidium bicolor* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbidium ensifolium* (L.) Sw. var. *haematodes* (Lindley) D. Du Put & P. Cribb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dendrobium anamalayanum* Chandrabose, Chandrasekaran & N. C. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dendrobium aqueum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dendrobium barbatulum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dendrobium*

diodon Reichb.f. subsp. kodayarensis Gopalan & A.N. Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium haemoglossum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium herbaceum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium heterocarpum Wall. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium heyneanum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium macrostachyum Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium microbulbon A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium nanum Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dendrobium nutantiflorum* Hawkes & Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dendrobium wightii* A. Hawkers & A. H. Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dendrobium panduratum* Lindl. subsp. *villosum* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Didymoplexis pallens* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diplocentrum congestum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diplocentrum recurvum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Disperis neilgherrensis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Epidendrum radicans* Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Epipactis veratrifolia* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Epipogium roseum* (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eria albiflora* Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eria dalzellii* (Hook. ex Dalz) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eria microchilos* (Dalz.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eria mysorensis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eria nana* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eria pauciflora*

Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eria polystachya A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eria pseudoclavicaulis Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eria reticosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eulophia cullenii (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eulophia epidendrea (Koen.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eulophia graminea Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eulophia pulchra (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eulophia pratensis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eulophia spectabilis* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flickingeria nodosa* (Dalz.) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gastrochilus acaulis* (Lindl.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gastrochilus calceolaris* (Buch.- Ham. ex J. E. Smith) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Geodorum densiflorum* (Lam.) Schlte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Goodyera fumata* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Goodyera procera* (Ker-Gawl) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Habenaria acuminata* (Thw.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Habenaria barnesii* Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Habenaria cephalotes* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Habenaria crassifolia* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Habenaria crinifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Habenaria decipens* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Habenaria denticulata* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Habenaria*

digitata Lindl. var. digitata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria digitata Lindl. var. foliosa (A. Rich) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria digitata Lindl. var. travancorica (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria elliptica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria elwesii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria furcifera Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria grandifloriformis Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria heyneana Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria hollandiana Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria longicorniculata Granham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria longicornu Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria macrostachya Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria marginata Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria multicaudata Sedgw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria ovalifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria pallideviridis Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Habenaria perrottetiana* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Habenaria plantaginea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Habenaria polyodon* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Habenaria rariflora* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Habenaria richardiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Habenaria roxburghii* Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Habenaria virens* (Lindl.) Abeyw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Habenaria*

viridiflora (Rottl. Ex Sw.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hetaeria ovalifolia Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kingidium deliciosum (Reichb.f.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Liparis atropurpurea Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Liparis beddomei Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Liparis biloba Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Liparis caespitosa (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Liparis duthiei Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Liparis elliptica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Liparis nervosa (Sw.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Liparis platyphylla Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Liparis prazeri King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Liparis resupinata Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Liparis viridiflora (Blume) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Liparis walkeriae Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Liparis wightiana Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Luisia birchea* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Luisia zeylanica* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Malleola gracilis* (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nervilia aragoana* Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nervilia carinata* (Roxb.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nervilia plicata* (Andr.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nervilia prainiana* (Ling & Prantl) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oberonia*

anamalayana Joseph and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oberonia balakrishnanii R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oberonia brunoniana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oberonia ensiformis (J. E. Smith) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oberonia iridifolia Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oberonia platycaulon Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oberonia proudlockii King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oberonia santapaui Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oberonia sebastiania* Shetty & Vivek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oberonia seidenfadeniana* Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oberonia tenuis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oberonia verticillata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oberonia wightiana* Lindl. var. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oberonia wightiana* Lindl. var. *arnottiana* (Wight) R. Ansari N. C. Nair & V. J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oberonia wightiana* Lindl. var. *nilgirienis* R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oberonia zeylanica* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pachystoma senile (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paphiopedilum druryi (Bedd.) Pfitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Papilionanthe cylindrica (Lindl.) Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pecteilis gigantea (J. E. Smith) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peristylus aristatus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peristylus brachyphyllus A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peristylus densus (Lindl.) Sant. & Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peristylus

goodyeriodes (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peristylus lawii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peristylus plantagineus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peristylus secundus (Lindl.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peristylus spiralis A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peristylus stocksii (Hook. f.) Kraenzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pholidota pallida Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Podochilus falcatus Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polystachya concreta (Jacq.) Garay & Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Porpax jerdoniana (Wight) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Porpax reticulata Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Proteroceras leopardianum (Par. Reichb.f.) Seidenf. & Smitin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchosstylis retusa (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhytionanthos nodosus (Rolfe) Garay Hamer & Siegerist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Robiquetia josephiana Manilal & Satish Kumar and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Satyrium nepalense* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schoenorchis jerdoniana* (Wight) Garay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Seidenfadeniella filiformis* (Richb.f.) E.A.Christ & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Seidenfia densiflora* (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Seidenfia intermedia* (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Seidenfia rheedii* (Sw.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Seidenfia versicolor* (Lindley) Marg. & Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sirhookera*

lanceolata (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sirhookera latifolia (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Smithsonia maculata (Dalz.) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spathoglottis plicata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spiranthes sinensis (Pers.) Ames var. sinensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spiranthes sinensis (Pers.) Ames var. wightiana Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Taeniophyllum alwisii Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tainia bicornis (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thelasis pygmaea* (Griff.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thrixspermum muscaeformum* A. S. Rao & Joseph var. *nilagiricum* Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trias stocksii* Benth ex Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichoglottis tenera* (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tropidia angulosa* (Lindl.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tropidia curculigoides* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *VKalam spathulata* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *VKalam tessellata* (Roxb.) Hook ex. G. Don and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *VKalam testaceae* (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *VKalam wightii* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vanilla planifolia* Andrews and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vanilla walkeriae* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vanilla wightiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Zeuxine affinis* (Lindl.) Benth.ex. Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Zeuxine gracilis* (Breda) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Zeuxine*

longilabris (Lindl.) Benth ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alpinia abundiflora Burt & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alpinia calcarata Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alpinia galanga Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alpinia malaccensis (Burm.f.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alpinia nigra (Gaertn.) B. L. Brutt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alpinia zerumbet (Pers.) B. L. Burt & R. M.Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amomum cannicarpum (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Amomum hypoleucum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Amomum masticatorium* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Amomum muricatum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Amomum pterocarpum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curcuma amada* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curcuma aromatica* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curcuma longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curcuma montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Curcuma neilgherrensis Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Curcuma pseudomontana Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Curcuma zedoaria (Christm.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elettaria cardamomum (L.) Maton var. cardamomum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elettaria cardamomum (L.) Maton var. major Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Globba marantina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Globba ophioglossa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedychium

coronarium Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedychium flavescens Carey ex Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedychium spicatum Hamilton ex Smith var. acuminatum (Roscoe) Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedychium venustum Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kaempferia galanga L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber montanum (K. D. Koenig) Link ex Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber nimmonii (J. Graham) Dalzell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber officinale Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber roseum (Roxb.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber wightianum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber zerumbet (L.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Costus pictus D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Costus speciosus (Koen.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Maranta arundinacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phrynium pubinerve Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schumannianthus virgatus (Roxb.) Rolfe and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ensete superbum* (Roxb.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ensete ventricosum* (Welw.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heliconia psittacorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Musa acuminata* Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Musa balbisiana* Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Musa parasidiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ravenala madagascarensis* Sonner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strelitzia reginae*

Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canna indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ananas comosus (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anigozanthos flavidus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Disporum leschenaultianum D. Don var. leschenaultianum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Disporum leschenaultianum D. Don var. angustifolium Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lilium trigrinum Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lilium wallichianum Schultes & Schultes f. var. neilgherrense (Wight) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiopogon intermedius* D. Don var. *intermedius* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiopogon intermedius* D. Don var. *gracilipes* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiopogon intermedius* D. Don var. *pauciflorus* Hook. f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Peliosanthes tetra* Andr. subsp. *humilis* (Andr.) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aristea ecklonii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Babiana stricta* (Aiton) Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Babiana villosa* Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crocasmia x crocosmiiflora* (E. Morren) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crocasmia pottsii* (Baker) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dierama pulcherrima* (Hook. F.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eleutherine palmifolia* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Freesia refracta* Klatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gladiolus natalensis* (Eckl.) Reinw. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gladiolus primulinus* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Iris germanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Iris japonica*

Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Iris unguicularis* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Moraea iridioides* L. Mant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Watsonia borbonica* (Pourr.) Goldblatt subsp. *ardernei* (Sander) Goldblatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Watsonia rosea* Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Amaryllis belladonna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crinum asiaticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crinum viviparum* (Lam.) R. Ansari & V.J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crinum latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crinum moorei* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucharis x grandiflora* Planch. & Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eurycles sylvestris* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Haemanthus coccineus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Haemanthus matalensis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hippeastrum x johnsonii* (Hort.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hippeastrum reginae* Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hippeastrum vittatum* (L'Her.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hymenocallis littoralis* (Jacq.) Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucojum aestivum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucojum pulchellum* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Narcissus pseudo-narcissus* L. subsp. *moschatus* (L.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Narcissus tazetta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nerine flexuosa* (Jacq.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nerine undulata*

Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pancratium triflorum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phaedranassa dubia (Kunth) J. F. Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sprekelia formosissima Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stenomeson coccineum Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zephyranthes carinata Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zephyranthes grandiflora Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zephyranthes tubispatha Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Agave americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Agave angustifolia* Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Agave sisalana* Perrine ex Engelm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Agave vera-cruz* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cordyline australis* (Forst. F.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Furcraea foetida* (L.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polianthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Yucca gloriosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dianella ensifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phormium tenax* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dracaena fruticosa* (L.) A. Chev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dracaena terniflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sansevieria roxburghiana* Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sansevieria trifasciata* Hort. ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sansevieria thyridiflora* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sansevieria*

varians N.E.Br and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sansevieria zeylanica (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alstroemeria aurea Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bomarea caldasiana Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bomarea oligantha Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Curculigo orchioides Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypoxis aurea Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Molineria trichocarpa (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tacca leontopetaloides* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea belophylla* Voigt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea bulbifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea esculenta* (Lour.) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea hamiltonii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea hispida* Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea kalkapershadii* Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea oppositifolia* L. var. *oppositifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea oppositifolia* L. var. *dukhmensis* Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea spicata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea tomentosa* Koen ex Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea wallichii* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea wightii* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichopus*

zeylanicus Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stemona tuberosa Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dipcadi montanum (Dalz.) Baker var. madrasicum (Barnes & Fischer) Deb & Dasgupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucomis autumnalis (Miller) Chitt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucomis punctata L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ornithogalum arabicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ornithogalum conicum Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scilla hyacinthina (Roth) Mecbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Urginea congesta Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Urginea indica (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Urginea polyantha Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asphodelus tenuifolius Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aloe vera (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kniphofia uvaria (L.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asparagus asiaticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asparagus fersonii Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Asparagus gonoclados* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Asparagus laevis* Steud. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Asparagus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Asparagus setaceus* (Kunth) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Asparagus racemosus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chlorophytum acaule* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chlorophytum arundinaceum* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chlorophytum*

attenuatum (Wight) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chlorophytum heynei Rottl. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chlorophytum laxum R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chlorophytum malabaricum Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chlorophytum nimmonii (Graham) Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chlorophytum tuberosum (Roxb.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gloriosa rothschildiana O'Brien and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gloriosa superba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Iphigenia indica* (L.) A. Gray ex Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Iphigenia magnifica* Ansari & R. S. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hemerocallis aurantiaca* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Agapanthus praecox* Willd. var. *orientalis* (F. Leight.) F. Leight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Agapanthus praecox* Willd. var. *albus* Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Allium cepa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Allium porrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Allium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ruscus aculeatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Smilax aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Smilax perfoliata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Smilax wightii* A. DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Smilax zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eichhornia crassipes* (Mart.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Monochoria hastata* (L.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Monochoria*

vaginalis (Burm. F.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xyris capensis Thunb. var. schoenoides (Mart) Nilsson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xyris pauciflora Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aclisia secundiflora (Blume) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aneilema montana (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aneilema ovalifolia (Wight) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Belosynapsis kewensis Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Belosynapsis vivipara (Dalz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commelina attenuata* Koen var. Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commelina benghalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commelina clavata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commelina diffusa* Burm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commelina ensifolia* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commelina erecta* L. var. *erecta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commelina erecta* L. var. *glochidea* (Koen.ex Clarke) Bhargavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commelina forskalaei* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commelina hirsuta* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commelina imberbis* Ehrenb. ex Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commelina indehiscens* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commelina longifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commelina paleata* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commelina paludosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commelina subulata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commelina*

tricolor Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commelina wightii R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyanotis adscendens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyanotis arachnoidea Clarke var. arachnoidea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyanotis arachnoidea Clarke var. thwaitesii (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyanotis arcotensis R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyanotis axillaris (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyanotis burmanniana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyanotis concanensis* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyanotis cristata* (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyanotis cucullata* (Roth) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyanotis fasciculata* (Heyne ex Roth) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyanotis obtusa* Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyanotis papilionacea* (L.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyanotis pilosa* Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyanotis tuberosa* (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyanotis villosa* (Spreng.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyanotis wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dictyospermum scaberrimum* (Blumes) Morton ex Hara et al. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Floscopa scandens* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murdannia dimorpha* (Dalz.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murdannia edulis* (Stokes) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murdannia esculenta* (Wall ex Clarke) Raizada ex R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mudannia*

gigantea (Vahl.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murdannia glauca* (Thw. ex Clarke) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murdannia japonica* (Thunb.) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murdannia juncoides* (Wight) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murdannia lanceolata* (Wight) Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murdannia lanuginosa* (Wall ex Clarke) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murdannia loriformis* (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murdannia nudiflora* (L.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murdannia pauciflora* Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murdannia semiteres* (Dalz.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murdannia simplex* (Vahl.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murdannia spirata* (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murdannia vaginata* (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murdannia zeylanica* (Clarke) Brueckner var. *longiscapa* (Clarke) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhoeo discolor* Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Setcreasea purpurea* Boom and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zebrina pendula Schnitzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flagellaria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Juncus bufonius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Juncus effusus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Juncus inflexus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Juncus leschenaultii J. Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Luzula indica Kirschner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Areca catechu L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arenga wightii* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bentinckia condapanna* Berry ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Borassus flabellifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calamus brandisii* Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calamus gamblei* Beccari ex Becari & Hook. var. *gamblei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calamus gamblei* Beccari ex Beccari & Hook. var. *sphaerocarpa* Beccari ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calamus huegelianus* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calamus pseudo-tenuis* Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calamus rheedii* Griff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calamus rotang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calamus travancoricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Caryota urens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Corypha umbraculifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Corypha macropoda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Livistona chinensis* (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Livistona rotundifolia* (Lam.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phoenix canariensis* Hort ex Chabaud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phoenix loureirii* Kunth var. *loureirii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phoenix loureirii* Kunth var. *humilis* (Becc.) S.C. Barrow and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phoenix pusilla* Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phoenix rupicola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phoenix*

sylvestris (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pinanga dicksonii (Roxb.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhapis excelsa (Thunb.) A. Henry ex Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Roystonea regia (Kunth) O. F. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sabal mauritiiformis (Karsten) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trachycarpus fortunei (Hook.) Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Washingtonia robusta Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), PKalamnus amaryllifolius Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *PKalamnus canaranus* Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *PKalamnus odoratissimus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *PKalamnus tectorius* Parkinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *PKalamnus thwaitesii* Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Typha angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acorus calamus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alocasia indica* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Amorphophallus paeoniifolius* (Dennst.) Nicolson var. *campanulatus* (Blume ex Decne) Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amorphophallus sylvaticus (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphyllum beddomei Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphyllum wightii Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anthurium spathiphyllum N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arisaema auriculatum Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arisaema barnesii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arisaema leschenaultii Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arisaema

murrayi (Graham) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arisaema tortuosum (Wall.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arisaema translucens Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arisaema tuberculatum Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arisaema tylophorum Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arisaema wightii Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caladium bicolor (Ait.) Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Colocasia esculenta (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cryptocoryne ciliata* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cryptocoryne consobrina* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cryptocoryne retorspiralis* (Roxb.) Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cryptocoryne spiralis* (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Epipremnum pinnatum* cv aureum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lagenandra meeboldii* (Engler) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lagenandra toxicaria* Dalz. var. *barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Monstera deliciosa* Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pistia stratiotes L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plesmonium margaritifera (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pothos armatus Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pothos scandens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pothos thomsonianus Schott. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Remusatia vivipara (Lodd.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhipidophora pertusa (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Theriophonum

fischeri Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Theriophonum minutum (Willd.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Theriophonum sivaganganum (Ramam. & Sebastine) Bogner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xanthosoma sagittifolium (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zantedeschia aethiopica (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lemna gibba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lemna perpusilla Torrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spirodela polyrhiza (L.) Schleiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wolffia globosa* (Roxb.) Hartog & Vander Plas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hyalisma janthina* Champ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Caldesia parnassiifolia* (L.) Parl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Limnophyton obtusifolium* (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sagittaria guayanensis* H.B.K. subsp *lappula* (D Don) Bogin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sagittaria sagittifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Najas graminea* Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Najas indica* (Willd.) Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Najas malesiana* Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Najas marina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Najas minor* All. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ruppia maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aponogeton appendiculatus* Bruggen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aponogeton echinatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aponogeton natans* (L.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aponogeton*

undulatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cymodocea rotundata Ehrenb. & Hempr. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cymodocea serrulata (R. Br.) Asch. & Magnus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Halodule pinifolia (Miki) Hartog and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Halodule uninervis (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Halodule wrightii Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potamogeton crispus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potamogeton nodosus Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potamogeton pectinatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potamogeton perfoliatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syringodium isoetifolium (Asch.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon brownianum Martius ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon cinereum R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon conica (Fyson) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon elenorae Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon ensiforme Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon leucomelas Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon longicuspis Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon nairii Chandrabose & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon nepalense Prescott ex Bongard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon odoratum Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon panagudianum Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon pectinatum Ruhl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon

quinquangulare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon ramnadense Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon richardianum (Fyson) Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon ritchieanum Ruchl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon robusto-brownianum Ruhland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon robustum Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon talbotii Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriocaulon thwaitesii Koern. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eriocaulon truncatum* Buch. - Ham. ex Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eriocaulon xeranthemum* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ascopholis gamblei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bulbostylis barbata* (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bulbostylis densa* (Wall.) Hand.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *puberula* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *gracilis* C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carex baccans* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex breviculmis R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex brunnea Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex christii Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex eluta Nelmes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex foliosa D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex filicina Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex glauca Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex hebecarpa

C. Meyer var. ligulata (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex lateralis Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex lenta D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex leucantha Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex lindleyana Nees var. lindleyana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex lindleyana Nees var. mercarensis (Hochst. ex Steud.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex longicruris Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex longipes D. Don var. longipes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carex longipes* D. Don var. *dissitiflora* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carex maculata* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carex myosurus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carex nubigena* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carex phacota* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carex pseudoaperta* Boeckeler ex Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carex raphidocarpa* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carex rara* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carex speciosa* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carex vicinalis* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carex walkeri* Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carex wallichiana* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carex wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyperus alopecuroides* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyperus alternifolius* L. subsp. *flabelliformis* (Rottboell) Kukenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyperus*

arenarius Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus articulatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus bulbosus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus castaneus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus cephalotes Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus conglomeratus Rottb. subsp. pachyrrhizus (Nees ex Boeck.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus compressus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus corymbosus Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyperus curvibracteatus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyperus cuspidatus* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyperus difformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyperus diffusus* Vahl. var. *diffusus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyperus diffusus* Vahl. var. *macrostachyus* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyperus digitatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyperus distans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyperus distans* L. var. *pseudonutans* Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus elatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus esculentus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus exaltatus Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus halpan L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus imbricatus Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus iria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus laevigatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus

latovaginata Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus lurida Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus michelianus (L.) Link. subsp. pygmaeus (Rottb.) Asch. & Graebn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus nutans Vahl var. nutans and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus natans Vahl var. eleusinoides (Kunth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus pangorei Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus pilosus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus platyphyllus Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus platystylis R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus plumbeonucea Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus polyanthelus Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus procerus Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus pygmaeus Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus rotundus L. subsp. rotundus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus rotundus L. subsp. tuberosus (Rottb.) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus rubicundus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus rubriglomosus Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus sesquiflorus (Torr.) Mattf. & Kuek. var. cylindricus (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus sphacelatus Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus stoloniferous Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus strictulmis Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus sulcinus Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus tenuiculmis Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus

tenuispica Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eleocharis acutangula* (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eleocharis atropurpurea* (Retz.) Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eleocharis congesta* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eleocharis dulcis* (Burm.f.) Henschel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eleocharis geniculata* (L.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eleocharis retroflexa* (Poir.) Urban subsp. *chaetaria* (Roem. & Schult.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eleocharis spiralis* (Rottb.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eleocharis tetraquetra* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis aestivalis* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis aggregata* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis amplocarpa* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis aphylla* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis argentea* (Rottb.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis bisumbellata* (Forssk.) Bubani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis cinnamometorum* (Vahl) Kunth and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis complanata* (Retz.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis consanguinea* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis contorta* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis crystallina* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis cymosa* R. Br. subsp. *spathacea* (Roth) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis dichotoma* (L.) Vahl subsp. *dichotoma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis dichotoma* (L.) Vahl subsp. *podocarpa* (Nees & Meyen) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis*

dichotoma (L.) Vahl subsp. glauca (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis dipsacea (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis eragrostis (Nees & Meyen ex Nees) Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis falcata (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis ferruginea (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis kingii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis latiglumifera Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis latinucifera Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis longistigmata* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis miliacea* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis monospicula* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis monticola* Hochst. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis narayanii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis nutans* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis ovata* (Burm. F.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis paupercula* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis pentaptera* (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis pierotii* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis polytrichoides* (Retz.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis pustulosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis quinquangularis* (Vahl) Kunth var. *crassa* C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis rectifolia* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis rigidiuscula* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis*

rugosa Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis salbundia (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis scabrisquama Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis schoenoides (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis semidisticha Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis sieberiana Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis squarrosa Vahl var. esquarrosa Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis strigosa Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis tenera* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis tetragona* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis tortifolia* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis triflora* (L.) Schum. ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis tristachya* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis uliginosa* Hochst. ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis woodrowii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fuirena ciliaris* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fuirena pubescens* (Lam.) Kunth var. *pergamentacea* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fuirena trilobites* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fuirena umbellata* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fuirena uncinata* (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fuirena wallichiana* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hypolytrum nemorum* (Vahl) Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kylinga brevifolius* Rottboell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kylinga bulbosa*

P. Beavu. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kylingia hyalina (Vahl) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kyllingia nemoralis (J. R. & G. Forst.) Dandy ex Hutchinson & Dalziel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kyllingia malanosperma Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lipocarpha chinensis (Osbeck.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lipocarpha raynaleana Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lipocarpha sphacelata (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mariscus clarkei (Cooke) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mariscus compactus (Retz.) Bolding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mariscus cyperinus (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mariscus dubius (Rottboell) Kukenth ex C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mariscus paniceus (Rottboell.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mariscus squarrosus (L.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mariscus sumaterensis (Retz.) A. Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pycnus flavescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pycnus flavidus (Retz.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pycnus polystachyos* (Rottboell) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pycnus pumilus* (L.) Nees ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pycnus puncticulatus* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pycnus sanguinolentus* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pycnus stramineus* (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pycnus unioides* (R. Br.) Urb. var. *angulatus* (Nees) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhynchospora corymbosa* (L.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhynchospora*

gracillima Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchospora rubra (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchospora rugosa (Vahl.) Gale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rikliella squarrosus (L.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schoenoplectus articulatus (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schoenoplectus grossus (L. f.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schoenoplectus juncooides (Roxb) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schoenoplectus littoralis (Schrader) Palla subsp. subulatus (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schoenoplectus mucronatus* (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schoenoplectus senegalensis* (Steud.) Palla ex Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schoenoplectus supinus* (L.) Palla subsp. *lateriflorus* (Gmel.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scirpus fluitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scirpus maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scirpus subcapitatus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scleria caricnia* (R. Br.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scleria corymbosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scleria lithosperma* (L.) Sw. var. *lithosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scleria lithosperma* (L.) Sw. var. *linearis* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scleria lithosperma* (L.) Sw. var. *multispiculata* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scleria levis* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scleria mikawana* Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scleria parvula* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scleria terrestris* (L.) Fassett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acrachne*

henrardiana (Bor) Phillips and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acrachne racemosa (Heyne ex Roth) Ohwi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acrachne sundararajii Umamahesw. et al and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aeluropus lagopoides (L.) Trin ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agrostis micrantha Stue. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agrostis peninsularis Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agrostis pilosula Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agrostis schmidii (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Agrostis stolonifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Agrostis zenkeri* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alloteropsis cimicina* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andropogon hallii* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andropogon lividus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andropogon longipes* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andropogon polytychus* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andropogon pumilus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anthoxanthum borii* Jain & Pal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anthoxanthum odoratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Apluda mutica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Apocopsis courtallumensis* (Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Apocopsis vaginata* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aristida adscensionis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aristida funiculata* Trin & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aristida hystrix*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aristida mutabilis Trin. & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aristida setacea Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arthraxon castratus (Griff.) Narayanaswami ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arthraxon depressus Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arthraxon lanceolatus (Roxb.) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arthraxon micans (Nees) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arthraxon prionodes (Steud.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arthraxon quartianus* (A. Rich) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arundinaria walkeriana* Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arundinaria wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arundinella ciliata* (Roxb.) Nees ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arundinella hookeri* Munro ex Keng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arundinella leptochloa* (Nees ex Steud.) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arundinella mesophylla* Nees ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arundinella nepalensis* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arundinella nervosa* (Roxb.) Nees ex Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arundinella pumila* (Hochst. ex A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arundinella purpurea* Hochst. ex Steud var. *purpurea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arundinella purpurea* Hochst. ex Steud. var. *laxa* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arundinella setosa* Trin. var. *setosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arundinella setosa* Trin. var. *nilagiriana* Subbarao & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arundinella vaginata* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arundo*

conspicua Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arundo donax L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Avena byzantina K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Avena fatua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Avena sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Avena sterilis L. var. ludoviciana (Durieu) Gill & Magne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Axonopus compressus (Sw.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bambusa bambos Voss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bothriochloa bladhii* (Retz.) S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bothriochloa foulkesii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bothriochloa insculpta* (Hochst. ex A. Rich.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bothriochloa kuntzeana* (Hack.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bothriochloa pertusa* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bothriochloa pseudoischaemum* (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brachiaria distachya* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brachiaria eruciformis* (J. E. Smith) Griseb. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brachiaria kurzii* (Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brachiaria miliiformis* (J. S. Presl) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brachiaria muna* Basappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brachiaria mutica* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brachiaria nilagirica* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brachiaria ramosa* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brachiaria remota* (Retz.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brachiaria*

reptans (L.) Gard. & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brachiaria Semiundulata (Hochst. ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brachiaria Semiverticillata (Rottl.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brachiaria setigera (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brachypodium distachyon (L.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brachypodium sylvaticum (Huds.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Briza maxima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Briza media L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Briza minor L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bromus arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bromus catharticus Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bromus diandrus Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bromus ramosus Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capillipedium filiculme (Hook. f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capillipedium huegelii (Hack.) Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capillipedium parviflorum (R. Br.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cenchrus biflorus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cenchrus ciliaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cenchrus glaucus* Mudaliar & Sundararaj and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cenchrus pennisetiformis* Hochst. & Steud. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cenchrus setigerus* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Centotheca lappacea* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chionachne koenigii* (Spreng.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chionachne*

Semiteres (Benth. ex Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chloris barbata Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chloris bournei Rang. & Tidl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chloris dolichostachya Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chloris gayana Kunth ex Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chloris montana Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chloris pycnothrix Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chloris roxburghiana Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chloris virgata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chloris wightiana* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrysopogon aciculatus* (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrysopogon asper* (Heyne ex Hook. f.) Blatter & Mc Can and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrysopogon copei* Mohanan et Ravi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrysopogon fulvus* (Spreng) Choiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrysopogon hackelii* (Hook.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrysopogon orientalis* (Desv.) A. Camus and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrysopogon zeylanicus* (Nees ex Steud.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *perpusilla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *nilagirica* Ved Prakash & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coelachne simpliciuscula* (Wight & Arn. ex Steud) Munro ex Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coelachyopsis lagopoides* (Burm.f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coix aquatica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coix gigantea* Koen. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coix lacryma-*

jobi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cortaderia selloana* (Schultes) Asch. & Graebn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbopogon caesius* (Nees ex Hook. & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbopogon citratus* (DC.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbopogon coloratus* (Hook. f.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbopogon flexuosus* (Nees ex Steud.) Wats var. *flexuosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbopogon flexuosus* (Nees ex Steud) Wats var. *coimbatorensis* Gupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbopogon gidarba* (Ham. ex Steud.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbopogon jwarancusa* (Jones) Schultes subsp. *olivieri* (Boiss.) Soenarko and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbopogon martinii* (Roxb.) Wats. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbopogon nardus* (L.) Rendle var. *nardus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbopogon nardus* (L.) Rendle var. *confertiflorus* (Steud.) Stapf ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbopogon polyneuros* (Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbopogon travancorensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cynodon arcuatus* J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cynodon barberi* Rang & Tad. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynodon dactylon (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynodon plectostachyus (Schum ex Engler) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyrtococcum deccanense Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyrtococcum longipes (Wight & Arn. ex Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyrtococcum muricatum (Retz.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyrtococcum oxyphyllum (Steud.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyrtococcum patens (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyrtococcum

sparsicomum (Nees ex Steud.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyrtococcum trigonum (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dactylis glomerata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dactyloctenium aegyptium (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrocalamus strictus (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmostachya bipinnata (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dichanthium annulatum (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dichanthium aristatum (Poir) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dichanthium caricosum (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dichanthium foveolatum (Del.) Roberty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dichanthium oliganthum (Hochst.ex Steud.) Cope and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dichanthium pallidum (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dichetaria wightii Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Digitaria abludens (Roem. & Schultes) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Digitaria bicornis (Lam.) Roem. & Schultes ex Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Digitaria ciliaris (Retz.) Koeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Digitaria duthieana Henr. ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Digitaria griffithii (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Digitaria longiflora (Retz.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Digitaria microbachne (Presl) Henr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Digitaria radicata (Presl) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Digitaria setigera Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Digitaria stricta Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Digitaria ternata

(A. Rich) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Digitaria tomentosa (Koen ex Willd.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Digitaria violascens Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Digitaria wallichiana (Wight & Arn. ex Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dimeria acutipes Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dimeria avenacea (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dimeria balakrishnania K.Ravik., P.V. Sreek. & V. Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dimeria fuscescens Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dimeria kollimalayana* Mohanan & Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dimeria lehmanii* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dimeria orissae* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dimeria ornithopoda* Trin. var. *ornithopoda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dimeria ornithopoda* Trin. var. *khasiana* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dinebra retroflexa* (Vahl) Panzer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diplachne malabarica* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Echinochloa colona* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Echinochloa crus-galli* (L.) P. Beauv var. *crus-galli* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Echinochloa crus-galli* (L.) P. Beauv var. *brevisetata* (Doll) Neill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Echinochloa frumentacea* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Echinochloa oryzoides* (Ard.) Fritsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Echinochloa picta* (J. Koen) Michael and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Echinochloa stagnina* (Retz.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ehrharta abyssinica* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eleusine*

coracana (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eleusine indica (L.) Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elytrophorus spicatus (Willd.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Enneapogon schimperanus (Hochst. Ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Enteropogon coimbatorensis K K. N. Nair Jain & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Enteropogon monostachyos (Vahl) Schum ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eragrostiella bifaria (Vahl) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eragrostiella brachyphylla (Stapf.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis aspera* (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis atrovirens* (Desf.) Trin. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis cilianensis* (Al.) Vign. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis ciliaris* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis ciliata* (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis coarctata* Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis curvula* (Schrader) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis dayanKalamnii* P. Ravichandran S.Krishnan N.P. Samson and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis deccanensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis gangetica* (Roxb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis japonica* (Thunb.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis kiwuensis* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis macilenta* (A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis maderaspatana* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis minor* Host and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis nigra*

Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eragrostis nutans (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eragrostis pilosa P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eragrostis riparia (Willd.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eragrostis rottleri Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eragrostis schweinfurthii Chioe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eragrostis superba Peyr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eragrostis tef (Zucc.) Trotter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis tenella* (L.) P. Beauv. ex Roem. & Schultes var. *tenella* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis tenella* (L.) P. Beauv. ex Roem. & Schultes var. *insularis* Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis tenuifolia* (A. Rich) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis tremula* (Lam.) Hochst. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis unioides* (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eragrostis viscosa* (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eremochloa muricata* (Retz.) Hack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eremopogon foveolatus* (Del.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eriochloa procera* (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eriochrysis rangacharii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euchlaena mexicana* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eulalia phaeothrix* (Hack.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eulalia trispicata* (Schultes) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eulalia wightii* (Hook. f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eulaliopsis binata* (Retz.) C.E. Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Festuca ovina* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Festuca undata* Stapf var. *aristata* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Garnotia arundinacea* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Garnotia courtallensis* (Arn. & Nees) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Garnotia elata* (Arn. Ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Garnotia exaristata* Gould and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Garnotia fergusonii* Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Garnotia schmidii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Garnotia tenella* (Arn. ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glyceria spicata* Guss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Halopyrum mucronatum* (L.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helictotrichon polyneuron* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helictotrichon schmidii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helictotrichon virescens* (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hemarthria compressa* (L.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heteropogon contortus* (L.) P Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heteropogon fischerianus* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heteropogon polystachyos* (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holcolemma canaliculatum* (Nees ex Steud.) Stapf & Hunnard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hordeum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hygroryza aristata* (Retz.) Nees ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hymenachne acutigluma* (Steud.) Gilliland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ichnanthus vicinus* (Bailey) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Imperata*

cylindrica (L.)Raeusch. var. *major* (Nees) Hubbard ex Hubbard & Vaughan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Isachne angladei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Isachne bourneorum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Isachne deccanensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Isachne dispar* Trin. var. *dispar* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Isachne dispar* Trin. var. *villosa* C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Isachne elegans* Dalz ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Isachne globosa* (Thunb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Isachne kunthiana (Wight & Arn. ex Steud.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Isachne miliacea Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Isachne oreades (Domin) Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Isachne pulchella Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Isachne walkeri (Arn. ex Steud.) Wight & Arn. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ischaemum commutatum Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ischaemum flumineum Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ischaemum indicum (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ischaemum koenigii* (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ischaemum nilagiricum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ischaemum pilosum* (Klein ex Willd.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ischaemum rangacharianum* Ficher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ischaemum rugosum* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ischaemum tadulingamii* Nair & Sreekumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ischaemum timorense* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ischaemum*

zeylanicum Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Iseilema antheophoroides Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Iseilema jainiana Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Iseilema laxum Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Iseilema prostratum (L.) Andersson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jansenella griffithiana (C. Muell.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leersia hexandra Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leptochloa chinensis (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leptochloa neesii (Thw.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leptochloa obtusiflora Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leptochloa panicea (Retz.) Ohwl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leptochloa uniflora Hochst ex A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lolium perenne L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lolium temulentum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lophatherum gracile Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lopholepis ornithocephala (Hook.) Steud. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lophopogon tridentatus* (Roxb.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Manisuris myuros* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melanocenchris jacquemontii* Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melanocenchris monoica* (Rottl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melica scaberrima* (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Microchloa indica* (L.f.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Microchloa kunthii* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Microchloa*

kunthii Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microstegium ciliatum (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microstegium nudum (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Miscanthus nepalensis (Trin.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mnesithea granularis (L.) de Koning & Sosef and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mnesithea laevis (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Myriostachya wightiana (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oclandra beddomei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ochlandra scriptoria* (Dennst.) Fischer var. *sivagiriana* (Gamble) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ochlandra setigera* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ochlandra travancorica* Benth ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiuros bombaiensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiuros exaltatus* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oplismenus burmannii* (Retz.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oplismenus compositus* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oplismenus undulatifolius* (Ard.) P. Beauv ex Roem. & Schultes and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oropetium thomaeum* (L.f.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oryza barthii* A. Chevali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oryza meyeriana* (Zoll. & Mor.) Baill. var. *granulata* (Nees & Arn. ex Wall) Duist. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oryza minuta* J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oryza officinalis* Wall ex Watt subsp. *malampuzhaensis* (Krishnaswami & and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Chandrasekaran) Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oryza rufipogon* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oryza sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ottochloa nodosa (Kunth) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oxytenanthera monadelphica (Thw.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oxytenanthera ritcheyi (Munro) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum antidotale Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum brevifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum fischeri Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum gardneri Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum

maximum Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum miliaceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum notatum Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum paludosum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum psilopodium Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum sparsicomum Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum sumatrense Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum trypheron Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paspalidium flavidum (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paspalidium geminatum (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paspalidium punctatum (Burm.f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paspalum canarae (Steud.) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paspalum conjugatum Berg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paspalum dilatatum Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paspalum distichum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Paspalum longifolium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Paspalum scrobiculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Paspalum vaginatum* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pennisetum americanum* (L.) Leeke. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pennisetum clandestinum* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pennisetum hohenackeri* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pennisetum pedicellatum* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pennisetum*

polystachyon (L.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pennisetum purpureum Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pennisetum villosum R. Br. ex Fresen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Perotis indica (L.) Kuntze var. indica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Perotis indica (L.) Kuntze var. keelakaraiensis Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phalaris aquatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phalaris arundinacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phalaris minor Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phragmites karka* (Retz.) Trin ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Poa annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Poa gamblei* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Poa trivialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogonatherum crinitum* (Thunb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogonatherum paniceum* (Lam.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polypogon fugax* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pommereulla cornucopiae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pseudanthistiria heteroclita* (Roxb.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pseudanthistiria umbellata* (Hack.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pseudechinolaena polystachya* (H.B.K.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pseudobrachiaria deflexa* (Schum.) Launert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pseudoraphis spinescens* (R. Br.) Veickery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pseudosorghum fasciculare* (Roxb.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhynchelytrum repens* (Willd.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rottboellia*

cochinchinensis (Lour.) Clayton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saccharum arundinaceum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saccharum narenga* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saccharum officinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saccharum spontaneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sacciolepis curvata* (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sacciolepis indica* (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sacciolepis interrupta* (Willd.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sacciolepis myosuroides* (R. Br.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schizachyrium brevifolium* (Sw.) Nees ex Buese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sehima nervosum* (Rottl.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sehima sulcatum* (Hack.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Setaria homonyma* (Steud.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Setaria intermedia* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Setaria italica* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Setaria palmifolia* (Koen.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Setaria plicata* (Lam.) Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Setaria poiretiana* (Schultes) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Setaria pumila* (Poir.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Setaria sphacelata* (Schum.) Stapf & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Setaria verticillata* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sinarundinaria wightiana* (Nees) C.S.Chao & Renvoize and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sorghum arundinaceum* (Desv.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sorghum bicolor*

(L.) Moench. Meth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sorghum cernuum Host var. orbiculatum Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sorghum cernuum Host var. truchmenorum (C.Koch) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sorghum conspicuum Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sorghum coriaceum Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sorghum dimidiatum Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sorghum dochna (Forssk.) Snowden var. irungu (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sorghum dochna (Forssk.) Snowden var. obovatum (Hack.) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sorghum durra* (Forssk.) Stapf var. *coimbotoricum* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sorghum durra* (Forssk.) Stapf var. *mediocre* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sorghum guineense* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sorghum halepense* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sorghum laxiflorum* F.M. Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sorghum nitidum* (Vahl.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sorghum roxburghii* Stapf var. *hians* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *subglabrescens* and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *compactum* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *irungiforme* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *oviforme* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *rubidum* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sorghum versicolor* Anderss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spinifex littoreus* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spodiopogon rhizophorus* (Steud.) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sporobolus capillaris* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sporobolus coromandelianus* (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sporobolus hajrae* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sporobolus indicus* (L.) R. Br. var. *diander* (Retz.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sporobolus indicus* (L.) R. Br. var. *fertilis* (Steudd.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sporobolus maderaspatanus* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sporobolus piliferus* (Trin.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sporobolus spicatus* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sporobolus tenuissimus* (Schränk) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sporobolus tremulus* (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sporobolus virginicus* (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sporobolus wallichii* Munro ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stenotaphrum dimidiatum* (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Teinostachyum wightii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Themeda cymbaria* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Themeda*

quadrivalvis (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Themeda tremula (Nees ex Steud.) hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Themeda triandra Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thysanolaena maxima (Roxb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trachys muricata (L.) Pers ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tragus roxburghii Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tripogon bromoides Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tripogon jacquemontii Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tripogon lisboae Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tripogon pungens Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tripogon wightii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tripsacum laxum Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triticum aestivum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triticum dicoccum Schubler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Urochloa panicoides P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vetiveria lawsonii (Hook. f.) Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vetiveria zizanioides* (L.) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vulpia bromoides* (L.) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vulpia megalura* (Nutt.) Rydb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vulpia myuros* (L.) Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Zea mays* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Zenkeria elegans* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Zenkeria sebastinei* Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Zenkeria stapfii*

Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zoysia matrella (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zoysia pungens Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andropogon schoenanthus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andropogon sorghum BROT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andropogon squarrosus L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Androsace rotundifolia HARDW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aneilema conspicuum KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aneilema lineolatum KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aneilema nudiflorum BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aneilema scapiflorum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aneilema tuberosum HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anemarrhena asphodeloides BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anemone falconeri THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anemone narcissiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anemone obtusiloba D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anemone rivularis* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anemone rupicola* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anemone tetrasepala* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anemone vitifolia* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aneseia martinicensis* (JACQ.) CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anethum foeniculum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anethum graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anethum sowa*

KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Angelica archangelica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Angelica archangelica L. himalayana (C.B.CLARKE)BADHWAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Angelica glauca EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Angelica polymorpha MAXIM. SINENSIS OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Angelonia salicariaefolia HUMB. & BONPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Angiopteris evecta (FORST.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aniseia martinicensis (JACQ.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anisochilus carnosus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anisochilus carnosus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anisochilus eriocephalus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anisomeles indica (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anisomeles malabarica R.BR. EX SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anisomeles ovata R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anisonema multiflorum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Annona cherimola MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Annona muricata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Annona reticulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Annona squamosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anodendron paniculatum A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anoectochilus regalis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anoectochilus roxburghii BL. REGALIS (BL.) PRADHAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anoectochilus setaceus (BLUME) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anogeissus

acuminata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anogeissus latifolia WALL. EX. GUILL. & PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anogeissus pendula EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anotis foetida (DALZ.) BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anplectrum assamicum CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anthemis cotula L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anthemis gayana BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anthemis nobilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anthemis odontostephana BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anthemis pyrethrum GOUAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anthocephalus cadamba MIQ.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anthocephalus chinensis (LAM.) A.RICH. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anthocephalus indicus A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anthoxanthum odoratum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anthriscus cerefolium (L.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anthriscus sylvestris HOFFM and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anthyrium filix-femina (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antiaris innoxia BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antiaris saccidora DALZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antiaris toxicaria (PERS.) LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anticharis glandulosa ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antidesma acidum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antidesma buniis (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antidesma

diandrum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antidesma ghaesembilla GAERTN. FRUCT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antidesma menasu (TULASNE) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antidesma zeylanicum LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antirrhinum cymbalaria GUELLENST EX LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antirrhinum majus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antirrhinum orantium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Apama siliquosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Apama tomentosa* (BL.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aphanamixis polystachya* (WALL.) PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aphananthe cuspidata* (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Apium graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Apium leptophyllum* F.MUELL. EX.BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aplotaxis auriculata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Apluda mutica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Apluda varia* HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Apocynum foetidum BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Apollonias arnottii NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aponogeton monostachyon L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aponogeton natans (L.) ENGL. & KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aporosa dioica (ROXB.) MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aporosa lindleyana BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aporosa octandra (BUCH.- HAM. EX D. DON) VICK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aquilaria

agallocha ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aquilaria malaccensis LAM., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aquilaria ovata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aquilegia fragrans BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aquilegia vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arabidopsis thaliana (L.) HEYNH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arabidopsis wallichii (HOOK.F.&T.) N. BUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arabis chinensis ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arabis recta MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arabis tribetica HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arachis hypogaea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arachne cordifolia (DECNE) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aralia armata SEEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aralia cachemirica DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aralia pseudoginseng BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aralia quinquefolia DECNE. & PLANCH. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aralia racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arbutus unedo* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arceuthobium minutissimum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Archangelica himalaica* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Archangelica officinalis* HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Archidendron clypearia* (JACK) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Archidendron monadelphum* (ROXB.) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arctium lappa* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arctostaphylos uva ursi SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ardisia colorata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ardisia humilis VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ardisia odontophylla WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ardisia oxyphylla WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ardisia solanacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Areca catechu L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Areca concinna THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Areca nagensis GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Areca triandra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arenaria serpyllifolia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arenga obtusifolia MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arenga pinnata MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arenga saccharifera LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arenga wightii GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argemone alba LESTIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argemone mexicana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia aggregata (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia argentea ARN. EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia cuneata KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia daltonii CLARKE IN HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia fulgens CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia

imbricata (ROTH) SANT. & PATEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia involucrata C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia kleiniana (ROEM.&SCHULT.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia malabarica CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia nervosa (BURM.F.) BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia petaloidea CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia pomacea (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia sericea Dalz. & Gib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Argyreia setosa* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Argyreia speciosa* SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aricennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arikuryroba schizophylla* BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arisaema alba* N. E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arisaema curvatum* KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arisaema decipiens* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arisaema flavum* (FORSK.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arisaema jacquemontii BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arisaema leschenaultii BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arisaema murrayi (GRAHAM) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arisaema speciosum (WALL.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arisaema tortuosum SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arisaema triphyllum SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arisaema wallichianum HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aristida

adscensionis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aristida depressa RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aristida humilis VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aristida setacea RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aristolochia bracteata RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aristolochia bracteolata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aristolochia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aristolochia labiosa KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aristolochia longa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aristolochia reticulata NUTTAL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aristolochia rotunda L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aristolochia roxburghiana KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aristolochia saccata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aristolochia serpentaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aristolochia tagala CHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Armoracia rusticana GAERTN. MEY. & SCHERB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arnebia benthamii (WALL. EX G.DON) JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arnebia euchroma (ROYLE) JOHN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arnebia guttata BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arnica montana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artabotrys hexapetalus (L.F.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artabotrys odoratissimus R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artabotrys suaveolens BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artanema

longifolia (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artanema longifolium (L.) VATAKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artanema sesamoides (VAHL) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artemisia abrotanum SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artemisia absinthium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artemisia annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artemisia austriaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artemisia biennis WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia brevifolia* WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia capillaris* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia cina* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia dracunculus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia gmelinii* WEBER EX. STECHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia indica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia japonica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia macrocephala* JACQ. EX BESS. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia maderaspatana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia moorcroftiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia nilagirica* (CLARKE) PAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia pallens* WALL. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia parviflora* BUCH. HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia persica* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia*

roxburghiana BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artemisia sacrorum LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artemisia scoparia WALDST.& KIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artemisia sieversiana EHRH. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artemisia vestita WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artemisia vulgaris AUCT.NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arthraxon nudus (STEUD.) HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arthrocnemum indicum MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arthrophyllum blumeum ZOLL. & MOR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artocarpus chaplasha ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artocarpus communis J. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artocarpus gomezianus WALL. EX TREC. zeylanicus JANET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artocarpus heterophyllus LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artocarpus hirsutus LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artocarpus integra (THUNB.) MERRILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artocarpus integrifolia L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artocarpus lakoocha ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arum campanulatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arum colocasia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arum macrorrhizon L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arum numphaeifolium ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aruncus dioicus (WALTER) FERNALD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arundina graminifolia (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arundinella

nepalensis TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arundo donax L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arundo karka RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asagraea officinalis LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asarum europaeum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asclepias asthmatica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asclepias curassavica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asclepias gigantea WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asclepias lactifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asclepias prolifera ROTTLER EX W. AINSLIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asclepias volubilis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asclepias vomitoria KOEN. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asechynanthus gracilis PARISH EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aspalathus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aspalathus linearis (BURM.F.) R. DAHLGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asparagus adscendens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asparagus curillus BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asparagus filicinus BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asparagus gonoclados BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asparagus laevisimus STEND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asparagus officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asparagus punjabensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asparagus racemosus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asparagus

rottleri BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asparagus sarmentosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asperugo procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asphodelus fistulosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asphodelus tenuifolius CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aspidium polymorphum (WALL.); BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asplenium adiantoides (L.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asplenium adiantum-nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asplenium alternans WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asplenium ceterach L. ceterach Khullar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asplenium dalhousiae HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asplenium falcatum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asplenium furcatum THUMB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asplenium laciniatum D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asplenium nidus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asplenium parasiticum WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Asplenium polyodon* G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Asplenium rutamuraria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Asplenium septentrionale* HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Asplenium trichomanes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Asplenium viride* HUDSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aster amellus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aster asteroides* (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aster falconeri*

HUTCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aster indamellus GRIERSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aster tibeticus HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aster trinervius ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asteracantha longifolia (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asteriastigma macrocarpa BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Astilbe rivularis BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Astraeus hygrometricus (PERS.) MORG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Astragalus aegacanthoides* PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Astragalus candolleanus* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Astragalus ciliolatus* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Astragalus graveolens* BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Astragalus hamosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Astragalus heratensis* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Astragalus himalayanus* KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Astragalus jacquemontii* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Astragalus multiceps BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Astragalus munori BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Astragalus nivalis KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Astragalus polyacanthus ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Astragalus psilocentrus FISCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Astragalus rhizanthus ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Astragalus sarcocola DYMOCK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Astragalus

strobiliferus ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Astragalus tribuloides DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Astragalus verus OSKIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asystasia coromandeliana NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asystasia dalzelliana SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asystasia gangetica (L.) T. ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asystasia violacea DALZ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Atalantia monophylla CORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Atalantia racemosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Athyrium filix-femina* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Athyrium hohenackerianum* BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Athyrium puncticaule* (BL.) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Athyrium schimperi* (FEE) MOUG. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Atriplex hortensis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Atropa acuminata* ROYLE EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Atropa belladonna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Atylosia barbata (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Atylosia candollei WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Atylosia goensis DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Atylosia lineata WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Atylosia mollis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Atylosia platycarpa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Atylosia scarabeoides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Atylosia

volubilis GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Auricularia sambucina MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Avena fatua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Avena sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Averrhoa acida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Averrhoa bilimbi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Averrhoa carambola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Avicennia alba BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Avicennia marina (FORSK.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Avicennia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Avicennia tomentosa JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Azanza lampas (CAV.) ALEF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Azima tetracantha LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Baccaurea ramiflora LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Balanites aegyptiaca (L.) DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Balanites roxburghii PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Balanocarpus utilis BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Balanophora dioica R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Balanophora fungosa J.R. & G. FORST. indica (ARN.) Hans. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Balanophora involucrata Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Balanophora polyandra GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Baliospermum axillare BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Baliospermum calycinum MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Baliospermum

montanum (WILLD.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Baliospermum sinuatum MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Baliospermum solanifolium (J.BURM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Balsamodendron agallocha WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Balsamodendron katarf KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Balsamodendron mukul HOOK. EX STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Balsamodendron myrrha N.& E. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Balsamodendron stocksiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bambusa arundinacea WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bambusa balcooa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bambusa bambos DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bambusa nana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bambusa nutans WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bambusa oSkiniana GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bambusa tulda ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bambusa vulgaris SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barbarea vulgaris* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria acanthoides* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria acuminata* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria buxifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria courtallica* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria cuspidata* HEYNE EX. NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria*

dichotoma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barleria involucrata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barleria longiflora L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barleria longifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barleria lupulina LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barleria montana NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barleria mysorensis ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barleria noctiflora LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barleria prattensis SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barleria prionitis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barleria strigosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barringtonia acutangula (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barringtonia asiatica (L.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barringtonia racemosa (L.) K.SPENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barringtonia speciosa FORST. CHAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Basella alba L. rubra (L.) STEWART and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Basella alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Basella cordifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Basella rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Basilicum polystachyon (L.) MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bassia butyracea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bassia latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bassia longifolia KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bassia

malabarica BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia acuminata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia candida WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia diphylla BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia macrostachya WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia malabarica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia phenica WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia phoenicea HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia purpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia racemosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia retusa HAM. EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia roxburghiana VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia rufescens LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia scandens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia tenuiflora WATT EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia tomentosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia vahlii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia variegata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia wallichii MACBRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Begonia cathartii J.D. HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Begonia hatacoa BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Begonia inflata C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Begonia josephii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Begonia laciniata

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Begonia luxurians SCHEIDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Begonia malabarica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Begonia palmata DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Begonia picta SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Begonia rex PUTZEYS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Begonia roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Begonia rubro-venia HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Begonia thomsonii DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), NripatimcKalam chinensis (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Benincasa cerifera SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Benincasa hispida (THUNB.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Benkara malabarica (LAM.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bentinckia condapanna BERRY EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berberis aristata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berberis asiatica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berberis chitria EDWARDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berberis insignis HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berberis jaeschkeana SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berberis kashmiriana AHRENDT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berberis kumaoensis SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berberis lamberti PARKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berberis lycium ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berberis

nepalensis SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berberis pachyacantha JAFRI zabeliana JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berberis petiolaris WALL. EX G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berberis pseudumbellata PARKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berberis tinctoria LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berberis ulicina HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berberis umbellata WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berberis vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berberis wallichiana DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Berchemia lineata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bergenia ciliata (HOW.)STERN. fa ligulata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bergenia ciliata (HOW.) STERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bergenia ligulata SENSU BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bergenia purpurascens (HOOK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bergenia stracheyi (HOOK.F.& THOMS.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bergera koenigii L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bergia capensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bergia odorata EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bergia suffruticosa (DEL.) FENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Beta benghalensis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Beta maritima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Beta vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Betula alnoides BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Betula bhojpattria

WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Betula utilis DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bidens biternata (LOUR.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bidens cernua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bidens pilosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bidens tripartita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Biebersteinia odora STEPH. EX FISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bignonia chelonoides L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bignonia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bigonia longifolia (WILLD.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Biophytum apodisciac TUREZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Biophytum candolleanum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Biophytum nervifolium THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Biophytum petersianum KLOTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Biophytum reinwardtii (ZUCC.) KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Biophytum sensitivum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bischofia javanica* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bistorta amplexicaulis* GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bixa orellana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blastania garcini* COG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blechnum orientale* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blechnum spicant* (L.) WITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blepharis boerhaviifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blepharis edulis*

PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blepharis linariaefolia PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blepharis maderaspatensis (L.) ROTH. maderaspatensis NAPPER maderaspatensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blepharis persica (BURM.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blepharispermum subsessile DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blepharistemma serratum (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blighia sapida KOEN. & SIMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumea aurita DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumea balsamifera DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumea densiflora DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumea erientha DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumea fistulosa (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumea hieracifolia HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumea lacera DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumea laciniata (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumea lanceolaria (ROXB.) DRUCE. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea membranacea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea mollis* (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea myriocephala* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea obliqua* DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea oxyodonta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea pubigeru* (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea riparia* (BLUME) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea*

sessiliflora DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumea wightiana DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumeopsis falcata (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumeopsis flava (DC.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blyxa octandra (ROXB.) PLANCH.EX.THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bocagea dalzellii HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Boehmeria macrophylla HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Boehmeria nivea (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Boehmeria repens* NEES & MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Boenninghauseni albiflora* (HK.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Boenninghausenia albiflora* (HOOK. F.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Boerhavia chinensis* (L.) ASCH. & SCHW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Boerhavia diffusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Boerhavia erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Boerhavia repKalam* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Boerhavia repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Boerhavia verticillata ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Boesenbergia rotunda (L.) MANSF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bolbitis subcrenata (HOOK. & GREV.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Boletus crocatus BATSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bombax ceiba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bombax cibaricum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bombax insigne WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bombax

malabaricum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bombax pentandrum JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bongardia chrysogonum (L.) SPACH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bongardia rauwolfii C.A.MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bonnaya oppositifolia SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bonnaya reptans SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Borago officinalis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Borassus flabellifer L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Borassus flabelliformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Borreria articularis* (L.F.) WILLIAMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Borreria hispida* (L.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Borreria pusilla* (WALL) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bosea amherstiana* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Boswellia carteri* BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Boswellia frereana* BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Boswellia glabra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Boswellia ovalifoliolata BAL & HENRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Boswellia serrata ROXB. glabra (ROXB.) BENNETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Boswellia serrata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Boswellia thurifera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bothriochloa odorata (LISBOA) A. CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Botrychium lunaria (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Botrychium ternatum (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Botrychium

virginianum SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Boucerosia aucheriana DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bougainvillaea spectabilis WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brachiaria eruciformis (J.E.SMITH) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brachiaria ramosa STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brachiaria reptans (L.) C.A. GARDNER & C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brachyactis roylei WEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bragantia tomentosa BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bragantia wallichii R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brasenia schreberi J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brasenia schreberi J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassaiopsis glomerulata BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica alba (L.) RABENH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica campestris L. dichotoma (ROXB.) WATT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica campestris L. glauca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica campestris L. rapa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica campestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica cernua (THUNB.) FORBES & HEMSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica integrifolia (WEST) SCHULZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica juncea (L.) CZERN. integrifolia (WEST) SINSKAJA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica juncea (L.) CZERN. SSP. JUNCEA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica napus L. dichotoma (ROXB.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica napus L. glauca (ROXB.) SCHULZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica nigra

(L.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica nigra (L.) KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica oleracea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica oleracea L. capitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica oleracea L. gongylodes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica rapa L. campestris (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica tournefortii GOUAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Broomrape (L.) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bremekampia verticillata* (ROXB.) SREEMADHAVAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Breynia patens* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Breynia retusa* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Breynia rhamnoides* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Breynia vitis-idaea* (BURM.F.) FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bridelia crenulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bridelia montana* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bridelia retusa* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bridelia scandens (ROXB.) WILLD, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bridelia squamosa (LAM.) GEHRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bridelia stipularis BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bridelia tomentosa BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bromelia ananas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bromus unioloides H.B.N.NOV. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Broussonetia papyrifera (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brucea javanica

(L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brucea mollis WALL. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brugiera cylindrica (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brugiera gymnorrhiza (L.) SOVIGY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brunfelsia americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brunfelsia calycina BENTH. MACRANTHA RAFFILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bruxanellia indica DENNST. EX KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bryonia epigoea ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bryonia grandis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bryonia laciniola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bryonia rostrata ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bryonia scaber L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bryonia umbellata KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bryonopsis laciniola NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bryophyllum calycinum SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bryophyllum pinnatum (LAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bryum bicolor DICKSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Buchanania angustifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Buchanania axillaris (DESR.) RAMAMOORTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Buchanania angustifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Buchanania latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Buddleja asiatica LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Buddleja davidii FRANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Buddleja

macrostachys BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Buddleja neemda HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Buettneria herbacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bulbophyllum congestum HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bulbophyllum neilgherrense WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bulbophyllum sterile (LAM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bulbostylis barbata (ROTTB.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bunium persicum (BOISS.) FEDT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bupleurum falcatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bupleurum jucundum KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bupleurum lanceolatum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bupleurum longicaule WALL. EX DC. himalayense (KL.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bupleurum setaceum FENZL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bupleurum thompsoni CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bursera serrata COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Butea buteiformis (VOIGT) GRIERSON & LONG and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Butea frondosa ROXB. ET KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Butea monosperma (LAM.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Butea parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Butea superba ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Butia yatay (MART.) BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Buxus sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Buxus wallichiana BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bytineria

Kalammanensis KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Byttneria herbacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Byttneria pilosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cacalia kleinia HERB. MADR. EX. C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cacalia pentaloba HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cacalia sonchifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caccinia crassifolia O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cachrys pabularia (LINDL.) HERRNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cactus ficus-indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cadaba farinosa FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cadaba fruticosa (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cadaba indica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cadaba trifoliata WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia bonduc (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia bonducella (L.) FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia coriaria WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia crista L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia cuculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia decapetala (ROTH) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia digyna ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia jayabo NAZA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia mimosoides LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia nuga AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia

paniculata DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia pulcherrima (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia sappan L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia sepiaria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia spicata DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesulia axillaris ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cajanus bicolor DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cajanus cajan (L.) MILLSP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cajanus indicus SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calacanthus grandiflorus (DALZ.) RADLK.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caladium bicolor VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caladium sagittaeifolium SUBER. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calamintha clinopodium BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calamintha umbrosa FISH. & MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calamus draco WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calamus erectus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calamus extensus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calamus huegelianus MART, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calamus latifolius ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calamus rheedei GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calamus rotang L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calamus tenuis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calamus thwaitesii BECC. canaranus Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calamus

travancoricus BEDD. EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calamus viminalis WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calanthe masuca (D.DON) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calanthe sylvatica (THOU.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calanthe triplicata (WILLEM.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calanthe veratrifolia (WILLD.) KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calendula arvensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calendula officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Callicarpa arborea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Callicarpa cana L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Callicarpa lanata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Callicarpa longifolia LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Callicarpa macrophylla VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Callicarpa psilocalyx CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Callicarpa rubella LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Callicarpa tomentosa (L.) MURRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calligonum polygonoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Callistemon lanceolatus DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Callitris inophyllum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calonyction bona-nox BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calonyction muricatum G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calophyllum apetalum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calophyllum calaba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calophyllum

elatum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calophyllum inophyllum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calosanthus indica BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calotropis gigantea (L.) R.BR. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calotropis gigantea (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calotropis procera R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caltha alba CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caltha palustris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calvatia cyathiformis* (BOSC.) MORGAN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calycopteris floribunda* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calyptanthes caryophyllifolia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calyptanthes jambolana* MOON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Camellia kissi* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Camellia sinensis* (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Camellia thea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Campanula colorata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Camphora officinarum NEES. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Campsis grandiflora (THUNB.)SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Campsis radicans (LINN.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cananga odorata HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canarium odoratum BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canarium bengalense ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canarium commune L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canarium

euphyllum KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canarium resiniferum BRUCE EX KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canarium strictum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canarium vulgare LEENH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canavalia ensiformis SENSU BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canavalia gladiata (JACQ.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canavalia lineata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canavalia rosea (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canavalia virosa* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canella alba* Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canella winterana* (L.) GAERTNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canna coccinea* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canna indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canna orientalis* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cannabis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cannabis sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canscora andrographioides* GRIFF. EX C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canscora decussata* SCHULTES & SCHULTES.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canscora diffusa* (VAHL) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canscora perfoliata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cansjera rheedii* J.F. GMELIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canthium angustifolium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canthium coromandelicum* (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canthium*

dicoccum (GAERTN.) TEIJSM. & BINN. dicoccum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canthium parviflorum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canthium rheedei DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canthium umbellatum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caoxylon indicum (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis aphylla ROTH. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis assamica HK. F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis bisperma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis corundas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis decidua (FORSK.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis diffusa RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis divaricata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis grandis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis heyneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis horrida L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis micrantha DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis moonii WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis olacifolia HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis pedunculosa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis rheedii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis sepiaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis spinosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis

zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capsella bursa-pastoris MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capsella thomsoni HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capsicum annum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capsicum festigiatum BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capsicum frutescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capsicum grossum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capsicum minimum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Caragana crassicaulis* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Caragana cuneata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Caragana pygmaea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carallia brachiata* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carallia integerrima* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Caralluma adscendens* (ROXB.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Caralluma attenuata* WT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Caralluma edulis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caralluma tuberculata BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caralluma umbellata HAW. SYN. PL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carapa granatum (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carapa gromatum (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carapa moluccensis LAM. EXCYCL. METH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carapa obovata BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cardamine impatiens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cardamine

loxostemonoides O.E. SCHULZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cardamine pratensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cardamine scutata THUNB. flexuosa (WITH.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cardanthera uliginosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cardaria draba (L.) DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cardiospermum giganteum (WALL.) MAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cardiospermum canescens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cardiospermum halicacabum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carduus edelbergii RECH.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carduus gigas UCRIA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carduus nutans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex atrata L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex cernua BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex nivalis BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex notha KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carex nubigena D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Careya arborea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Careya herbacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carica cKalammarcensis HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carica papaya L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carissa carKalams L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carissa congesta WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carissa opaca STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carissa

paucinervia A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carissa spinarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carmona microphylla (LAM.) G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carmona retusa (VAHL) MASAMUNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carpesium abrotanoides L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carpesium cernuum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carpopogon pruriens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carthamus lanatus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carthamus oxyacantha BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carthamus tinctorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carum bulbocastanum Auct. Non Koch:C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carum carvi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carum copticum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carum roxburghianum KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carum strictocarpum C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caryophyllus aromaticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caryopteris odorata ROBIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caryota mitis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caryota urens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), CascaNripathi thevetia (L.) LIPPOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Casearia elliptica WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Casearia esculenta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Casearia esculentta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Casearia

graveolens DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Casearia grewiaefolia VENT. deglabrata KOORD. & VAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Casearia ovata (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Casearia tomentosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Casearia vareca ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Casearia zeylanica (GAERTN.) RHW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia absus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia acutifolia DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia alata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia angustifolia VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia arborea MACFAD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia auriculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia didymobotrya FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia elongata LEMAIRE - LIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia fistula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia fistula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassia glauca* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassia hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassia italica* (MILL.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassia javanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassia kleinii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassia laevigata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassia lanceolata* COLLAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassia marginata*

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia mimosoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia montana HEYNE EX. ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia obovata COLLOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia obtusifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia occidentalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia pumila LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia senna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia siamea LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia sophera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia surattensis BRUN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia tora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassia uniflora Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassine glauca (ROTTB.) O.KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cassiope fastigiata DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassytha filiformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Castanea sativa* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Castanopsis indica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Castanopsis tribuloides* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Castanospermum australe* A. CUNN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Casuarina equisetifolia* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Catha edulis* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Catharanthus*

pusillus (MURR.) G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Catharanthus roseus (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Catimbium malaccense (BURM.F.) HOLTTUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Catimbium speciosum (WENDL.) HOLTTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Catunaregam rugulosa (THW.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Catunaregam uliginosa (RETZ.) SIVARAJAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Catunaregam spinosa (THUNB.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caulophyllum thalictroides MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cayratia auriculata (ROXB.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cayratia carnososa (WALL.) GAGNEP. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cayratia mollissima (WALL.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cayratia pedata (LAM.) JUSS. EX GAGNEP. glabra GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cayratia pedata JUSS. EX GAGNEPAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cayratia trifolia (L.) DOMIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cedrela serrata ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cedrela toona ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cedrus deodara (ROXB.) LOUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cedrus libani BARREL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cedrus libani BARREL deodara HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceiba pentandra (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Celastrus paniculatus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Celosia argentea L. cristata (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Celosia argentea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Celosia cristata

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Celosia cristata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Celsia coromandeliana VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Celtis australis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Celtis cinnamomea LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Celtis orientalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Celtis philippensis BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Celtis tetrandra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Celtis timorensis SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Celtis wightii PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cenchrus barbatus SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cenchrus biflorus ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cenchrus ciliaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Centaurea behen L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Centaurea calcitrapa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Centaurea cyanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Centaurea iberica* TREV. EX SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Centaurea picris* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Centaurea solstitialis* ASSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Centaurea centaurioides* (ROXB.) ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Centaurea roxburghii* (G.DON) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Centella asiatica* (L.) URBAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Centipeda minima* (L.) A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Centipeda*

orbicularis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Centranthera grandiflora BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Centranthera indica (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Centrathurum anthelminticum (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Centrosema pubescens BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Centrostachys aquatica (R.Br.) WALL. EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cepa alba RENAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cepa flava MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cephaelis ipecacuanha* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cephalandra indica* NAUDIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cephalanthera ensifolia* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cephalanthera longifolia* (L.) FRITZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cephalostachyum capitatum* MUNRO NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cephalostachyum pergracile* MUNRO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cephalotaxus griffithii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cerastium cerastoides* (L.) BRITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cerastium fontanum BAUMG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cerastium glomeratum THUILL.FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cerastium indicum THUILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cerastium thomsoni HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cerastium vulgatum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cerasus hexagonus MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceratocephalus falcatus (L.) PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceratonia siliqua

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceratophyllum demersum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceratopteris siliquosa COPELAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceratopteris thalictroides (L.) BRONGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cerbera manghas L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cerbera odollam GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cereus grandiflorus MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceriops candolleana ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceriops roxburghiana ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceriops tagal C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceriscoides turgida (ROXB.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceropegia bulbosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceropegia candelabrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceropegia hirsuta Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceropegia juncea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceropegia tuberosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cestrum diurnum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cestrum nocturnum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cestrum parqui* L'HERIT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ceterach officinarum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chaerophyllum acuminatum* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chaerophyllum villosum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chamaemelum nobile* (L.) ALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chamaerops*

ritchieana GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Champereia griffithii PLANCH. EX KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Champereia manillana (BL.) MORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chasallia chartacea CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chassalia chartacea CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chassalia chartacea CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chassalia curviflora (WALL. EX KURZ) THW. ophioxylodes (WALL.) DEB & KRISHNA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chassalia ophioxylodes (WALL.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chavica betle* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chavica roxburghii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cheilanthes albomarginata* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cheilanthes farinosa* (FORST.) KAULF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cheilanthes fragrans* (L.F.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cheilanthes rufa* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cheilanthes tenuifolia* (N.BURM.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cheiranthus cheiri* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chenopodium album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chenopodium ambrosioides BERT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chenopodium blitum HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chenopodium botrys L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chenopodium murale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chesneya nubigena (D.DON)ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chrysanthemum segetum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cichorium

endivia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cichorium intybus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cirsium wallichii DC. var. wightii (Hook.f.) Vivek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissampelopsis ansteadii (Tad. & Jacob) C. Jeffrey & Y.L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissampelopsis corymbosa (DC.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissampelopsis walkeri (Arn.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Conyza aegyptiaca (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Conyza bonariensis (L.) Cronquist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Conyza japonica* (Thunb.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Conyza leucantha* (D. Don) Ludlow & Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Conyza stricta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coreopsis grandiflora* Nutt. ex Chapm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coreopsis tinctoria* Nutt var. *tinctoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coreopsis tinctoria* Nutt var. *atkinsoniana* (Douglas) H. M. Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cosmos caudatus* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cosmos sulphureus* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cotula australis* (Sieb. ex Spreng.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crassocephalum crepidioides* (Benth.) S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyathocline purpurea* (Ham. ex D.Don) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dahlia coccinea* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dahlia imperialis* Rozelex E. Ortgies and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dendranthema grandiflorum* (Ramat.) Kitam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dichrocephala chrysanthemifolia* (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dichrocephala*

integrifolia (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dicoma tomentosa Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Echinops echinatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eclipta prostrata (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elephantopus scaber L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Emilia coccinea (Sims) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Emilia javanica (Burm.f.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Emilia ramulosa Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Emilia scabra* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Emilia sonchifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Emilia zeylanica* Clarke var. *zeylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Emilia zeylanica* Clarke var. *paludosa* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Epilates divaricata* (L.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Epilates pygmaea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erigeron alpinus* L. var. *wightii* (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erigeron canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erigeron karvinskianus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erigeron multiradiatus* (DC.) C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erigeron sublyratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eupatorium ianthinum* Hemsl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eupatorium repandum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Filago arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flaveria contrayerba* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flaveria trinervia*

(Spreng.) C. Mohr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gaillardia pulchella Foug. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Galinsoga parviflora Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Galinsoga quadriradiata Ruiz. & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gamochaeta coarctata (Willd.) M. Kerguelen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gamochaeta pensylvanica (Willd.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gamochaeta purpurea (L.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gazania linearis (Thunb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gerbera jamesonii Bolus ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glossocardia bosvallea (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glossogyne bidens (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gnaphalium hypoleucum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gnaphalium luteo-album L. subsp. luteo-album and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gnaphalium luteo-album L. subsp. affine (D. Don.) Koster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gnaphalium polycaulon Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Goniocaulon indicum (Klein ex Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grangea maderaspatana* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Guizotia abyssinica* (L.f.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gynura aurantiaca* (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gynura bicolor* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gynura lycopersicifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gynura nitida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gynura pseudo-china* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gynura*

travancorica W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Helianthus annuus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Helianthus debilis Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Helianthus tuberosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Helichrysum buddleioides DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Helichrysum perlanigerum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Helichrysum wightii Clarke ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Helipterum citrinum Harv. & Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helipterum roseum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hypochoeris glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hypochoeris radicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kleinia grandiflora* (Wall. ex DC.) Rani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lactuca hastata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lactuca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lagascea mollis* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lagdera crispata* (Vahl) Hepper & Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Launaea acaulis* (Roxb.) Bab. ex Kerr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Launaea intybacea* (Jacq.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Launaea procumbens* (Roxb.) Ramayya & Rajagopal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Launaea sarmentosa* (Willd.) Sch.-Bip. ex Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucanthemum x superbum* (J.W. Ingram) D. H. Kent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Montanoa bipinnatifida* C. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Moonia heterophylla* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myriactis wightii*

DC. var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Myriactis wightii DC. var. bellidioides Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Notonia shevaroyensis Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Notonia walkeri (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Olearia cassiniae F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oligochaeta ramosa (Roxb.) Wagenitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Osteospermum ecklonis (DC.) Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Osteospermum moniliferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parthenium hysterophorus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pentanema cernuum (Dalzell) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pentanema indicum (L.) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllocephalum courtallense (Wight) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllocephalum indicum (Less.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllocephalum phyllolaenum (DC.) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllocephalum rangacharii (Gamble) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllocephalum scabridum (DC.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllocephalum sengaltherianum* (Narayana) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Picris hieracioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pluchea tomentosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Proustia pyrifolia* Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psiadia ceylanica* (Arn.) Grierson var. *ceylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psiadia ceylanica* (Arn.) Grierson var. *beddomei* (Gamble) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pulicaria angustifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pulicaria*

wightiana (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rudbeckia maxima Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Santolina chamaecyparissus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sclerocarpus africanus Jacq.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio ansteadii Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio articulatus (Haw.) Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio calcadensis Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio candicans DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio cineraria DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio confusus Elmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio edgeworthii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio hohenackeri Hook.f. var. hohenackeri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio hohenackeri Hook.f. var. rupestris (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio intermedius Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio kundaicus Fishcher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio lavandulaefolius DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio lessingianus (Wight & Arn.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio ludens Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio neelgherryanus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio polycephalus (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio tenuifolius Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio wightii

(DC.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Senecio zeylanicus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sigesbeckia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Silybum marianum* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solidago canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solidago gigantea* Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solidago microglossa* Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solidago nemoralis* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solidago virgaurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sonchus asper (L.) Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sonchus jainii Chandrabose, Chandrasekaran & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sonchus oleraceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sonchus wightianus DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sphaeranthus africanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sphaeranthus amaranthoides Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sphaeranthus indicus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spilanthes calva* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spilanthes radicans* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spilanthes uliginosa* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stokesia laevis* (Hill) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Struchium sparganophorum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Synedrella nodiflora* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tagetes erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tagetes lucida*

Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tagetus minuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tagetus patula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tanacetum parthenium (L.) Sch. bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Taraxacum javanicum Soest and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Taraxacum officinale Weber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tanacetum cinerariaefolium Sch.Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tithonia diversifolia (Hemsl.) A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tricholepis radicans* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tridax procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Verbesina encelioides* (Cav.) Benth. & Hook.f. ex A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vernonia albicans* Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vernonia anomallica* Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vernonia anthelmintica* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vernonia arborea* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vernonia bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vernonia bourneana* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vernonia cinerascens* Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vernonia cinerea* (L.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vernonia comorinensis* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vernonia conyzoides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vernonia dalzelliana* Drumm. & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vernonia divergens* (Roxb.) Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vernonia*

elaegnifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia fysonii Calder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia gossypina Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia heynei Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia indica Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia malabarica Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia membranacea Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia monosis Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia pectiniformis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia peninsularis (Clarke) Clarke ex Hook.f. var. peninsularis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia peninsularis (Clarke) Clarke ex Hook.f. var. kodayarensis Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia pothigaiana Chelladurai & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia ramoswamii Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia recurva Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia saligna DC. var. nilghirensis Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia salvifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vernonia setigera* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vernonia shevaroyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vernonia travancorica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vittadinia australis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wedelia chinensis* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wedelia trilobata* (L.) A. Hitchc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wedelia urticaefolia* (Blume) DC. var. *urticaefolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wedelia*

urticaefolia (Blume) DC. var. wightii DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xanthium indicum Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Youngia fuscipappa Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Youngia japonica (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Youngia nilgiriensis Bab. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zinnia elegans Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scaevola plumieri (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scaevola sericea Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Asyneuma fulgens* (Wall.) Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Campanula alphonisii* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Campanula benthamii* Wall. ex Kitam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Campanula drabifolia* Sibth. & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Campanula latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Campanula medium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Campanula ramulosa* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Campanula rapunculoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Campanula wightii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Laurentia longiflora* (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wahlenbergia erecta* (Roth ex Schultes) Tuyn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wahlenbergia flexuosa* (Hook.f. & Thoms.) Thulin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wahlenbergia marginata* (Thunb.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lobelia alsinoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lobelia angulata* Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lobelia chinensis*

Lour and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lobelia courtallensis K.K.N.Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lobelia heyneana Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lobelia leschenaultiana (Presl) Skottsb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lobelia nicotianifolia Roth ex Schultes var. nicotianifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lobelia nicotianifolia Roth ex Schultes var. trichandra (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sphenoclea zeylanica Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vaccinium leschenaultii Wight var. leschenaultii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vaccinium leschenaultii* Wight var. *pubescens* S.M. Rajendran, S.C. Agarwal & H.N. Verma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vaccinium leschenaultii* Wight var. *rotundifolia* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vaccinium leschenaultii* Wight var. *zeylanica* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vaccinium neilgherrense* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arbutus unedo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calluna vulgaris* (L.) Hull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erica arborea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erica vagans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gaultheria fragrantissima* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhododendron arboreum* J.E. Smith subsp. *nilagirium* (Zenk.) Tagg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhododendron indicum* (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhododendron mucronatum* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhododendron ponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhododendron simsii* Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clethra arborea* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Limonium*

sinuatum (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plumbago auriculata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plumbago indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plumbago zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anagallis arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anagallis pumila Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lysimachia candida Lindl. subsp. obovata (Buch.-Ham.ex Hook.f.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lysimachia leschenaultii Duby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lysimachia procumbens* Baudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aegiceras corniculatus* (L.) Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Antistrophe serratifolia* (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ardisia amplexicaulis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ardisia blatterii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ardisia littoralis* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ardisia missionis* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ardisia paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ardisia pauciflora Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ardisia rhomboidea Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ardisia solanacea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ardisia sonchifolia Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Embelia adnata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Embelia basaal (Roem. & Schultes) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Embelia gardneriana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Embelia ribes

Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Embelia tsjeriam-cottam (Roem. & Schultes) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Maesa indica (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Myrsine wightiana Wall. ex. A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rapanea capitellata (Wall.) Mez var. capitellata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rapanea capitellata (Wall.) Mez var. sessilis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rapanea daphnoides Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rapanea thwaitesii Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jacquinia barbasco (Loefl.) Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jacquinia aculeata Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chrysophyllum cainito L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chrysophyllum roxburghii G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Isonandra lanceolata Wight forma lanceolata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Isonandra lanceolata Wight forma anfractuosa (Clarke) Jeuken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Isonandra montana (Thw.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Isonandra perrottetiana A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Isonandra stocksii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Madhuca indica* J. F. Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Madhuca longifolia* (Koen.) Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Madhuca neriifolia* (Moon) H.J. Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Manilkara hexandra* (Roxb.) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Manilkara roxburghiana* (Wight) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Manilkara zapota* (L.) P. Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mimusops elengi*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Palaquium bourdillonii Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Palaquium ellipticum (Dalz.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xantolis tomentosa (Roxb.) Rafin. var. tomentosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xantolis tomentosa (Roxb.) Rafin. var. elengioides (A.DC.) Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros affinis Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros assimilis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros barberi Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros bourdillonii Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros buxifolia (Blume) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros candolleana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros chloroxylon Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros cordifolia Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros ebenum Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros ferrea (Willd.) Bakh. var. buxifolia (Rottb.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros ferrea (Willd.) Bakh. var. neilgherrensis (Wight) Bakh. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diospyros foliolosa* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diospyros humilis* Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diospyros insignis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diospyros malabarica* (Desr.) Kostel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diospyros melanoxylon* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diospyros montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diospyros nigresens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diospyros*

nilgirica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros oocarpa Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros ovalifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros paniculata Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros pruriens Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros racemosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros sylvatica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros walkeri (Wight) Guerke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos anamallayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos aethilingomii* Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos cochinchinensis* (Lour.) Moore subsp. *laurina* (Retz.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos foliosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos macrocarpa* Wight ex Clarke subsp. *macrocarpa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos macrocarpa* Wight ex Clarke subsp. *kanarana* (Talbot) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos macrophylla* Wall. ex A.DC. subsp. *macrophylla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos macrophylla* Wall. ex A.DC. subsp. *microphylla* (Wight) Nooteb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos macrophylla* Wall. ex A.DC. subsp. *rosea* (Bedd.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos monantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos nairii* Henry, Gopalan & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos obtusa* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos oligandra* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos pendula* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos pulchra* Wight subsp. *pulchra* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos*

pulchra Wight subsp. coriacea Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Symplocos racemosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Symplocos wynadense (Kuntze) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chionanthus leprocarpa Thw. var. courtallensis (Bedd.) K.K.N. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chionanthus linocieroides (Wight) Bennet & Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chionanthus macrophylla Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chionanthus mala-elengi (Dennst.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chionanthus ramiflorus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chionanthus zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum angustifolium* (L.) Willd. var. *angustifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum angustifolium* (L.) Willd. var. *sessiliflorum* (Vahl) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum arborescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum auriculatum* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum azoricum* L. var. *azoricum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum azoricum* L. var. *travancorensis* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum bignoniaceum* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum breviloebum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum calophyllum* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum cordifolium* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum cuspidatum* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum grandiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum malabaricum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum mesnyi* Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum*

multiflorum (Burm.f.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum polyanthum Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum ritchiei Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum rottlerianum Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum sambac (L.) Ait. var. sambac and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum sambac (L.) Ait. var. heyneanum Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum scandens Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum trichotomum* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ligustrum decaisnei* Clarke var. *decaisnei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ligustrum decaisnei* Clarke var. *microphylla* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ligustrum gamblei* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ligustrum lucidum* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ligustrum perrottetii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ligustrum robustum* (Roxb.) Blume subsp. *walkerii* (Decne.) P.S. Green and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ligustrum travancoricum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Myxopyrum serratum A.W. Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Olea dioica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Olea paniculata R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Olea polygama Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schrebera swietenoides Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nyctanthes arbor-tristis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Azima

tetracantha Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvadora persica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adenium obesum Roem & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aganosma cymosa (Roxb.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aganosma dichotoma (Roth) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), AllamKalam cathartica L. var. nobilis Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), AllamKalam violacea Gardn. & Field and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alstonia scholaris (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alstonia venenata R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anodendron paniculatum A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Beaumontia grandiflora Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Beaumontia jerdoniana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carissa carKalam L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carissa congesta Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carissa grandiflora A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carissa hirsuta Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carissa inermis* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carissa paucinervia* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carissa salicina* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carissa spinarum* L. var. *spinarum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Catharanthus pusillus* (Murr.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Catharanthus roseus* (L.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cerbera odollam* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chonemorpha*

fragrans (Moon) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ellertonia rheedii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Funtumia africana (Benth.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Holarrhena pubescens (Buch. - Ham) Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hunteria zeylanica (Retz.) Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ichnocarpus frutescens (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kopsia fruticosa (Ker-Gawl.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mandevilla laxa (Ruiz & Pavon) Woodson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nerium oleander L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parsonsia alboflavescens (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plumeria obtusa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plumeria rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rauvolfia hookeri Srinivasan & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rauvolfia micrantha Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rauvolfia serpentina (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rauvolfia tetraphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rauvolfia verticillata* (Lour.) Baill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strophanthus wightianus* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tabernaemontana divaricata* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tabernaemontana gamblei* Subram. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tabernaemontana heyneana* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thevetia peruviana* K.Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vallisneria spiralis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vinca major* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Voacanga grandiflora* (Miq.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wrightia arborea* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wrightia indica* Ngan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wrightia tinctoria* (Roxb.) R.Br. var. *tinctoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wrightia tinctoria* (Roxb.) R.Br. var. *rothii* (G.Don) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Asclepias curassavica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brachystelma bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brachystelma brevitybulatum* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brachystelma maculatum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brachystelma rangacharii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calotropis gigantea* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calotropis procera* (Ait.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Caralluma adscendens* (Roxb.) Haw. var. *adscendens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Caralluma adscendens* (Roxb.) Haw. var. *attenuata* (Wight) Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Caralluma bhupinderana* Sarkaria and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caralluma diffusa (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caralluma indica (Wight & Arn.) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caralluma nilagiriana Kumari & Subba Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caralluma pauciflora (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caralluma procumbens Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caralluma stalagmifera Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caralluma umbellata Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceropegia

barnesii Bruce & Chatterjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceropegia bulbosa Roxb. var. bulbosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceropegia bulbosa Roxb. var. lushii (Graham) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceropegia candelabrum L. var. candelabrum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceropegia candelabrum L. var. biflora (L.) M.Y. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceropegia ciliata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceropegia decaisneana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceropegia elegans Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ceropegia ensifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ceropegia fimbriifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ceropegia hirsuta* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ceropegia intermedia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ceropegia juncea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ceropegia maculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ceropegia mannanana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ceropegia metziana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ceropegia oculata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ceropegia omissa* Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ceropegia pusilla* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ceropegia spiralis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ceropegia thwaitesii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cosmostigma racemosum* (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cynanchum alatum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cynanchum*

callialatum Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynanchum tunicatum (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gomphocarpus fruticosus (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gomphocarpus physocarpus E. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnema alterniflorum (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnema elegans Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnema hirsutum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnema lactiferum (L.) R. Br. ex. Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gymnema montanum* (Roxb.) Hook.f. var. *montanum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gymnema montanum* (Roxb.) Hook.f. var. *beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gymnema montanum* (Roxb.) Hook.f. var. *pubiflora* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gymnema sylvestre* (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gymnema tingens* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heterostemma tanjorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holastemma adakodien* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hoya alexicaca* (Jacq.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hoya kanyakumariana* Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hoya ovalifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hoya pauciflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hoya wightii* Hook.f.subsp. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hoya wightii* Hook.f. subsp. *palniensis* K .T. Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leptadenia reticulata* (Retz.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Marsdenia brunoniana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Marsdenia*

tenacissima (Roxb.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Marsdenia tirunelvelica Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pentatropis capensis (L.f.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pergularia daemia (Forrsk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Raphionacme purpurea Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sarcostemma acidum (Roxb.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sarcostemma brunonianum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sarcostemma intermedium Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sarcostemma secamone (L.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Secamone emetica (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stapelia gigantea N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stapelia grandiflora Masson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Telosma minor (Andr.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Telosma pallida (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Toxocarpus beddomei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Toxocarpus kleinii Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Toxocarpus palghatensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tylophora capparidifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tylophora fasciculata* Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tylophora indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tylophora macrantha* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tylophora mollissima* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tylophora multiflora* (Wight & Arn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tylophora*

pauciflora Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tylophora rotundifolia Buch.-Ham. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tylophora subramanii Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tylophora tertrapetala (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tylophora zeylanica Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wattakaka volubilis (L.f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bacolepis nervosa (Wight & Arn.) Decne. ex Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cryptolepis buchananii Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cryptolepis grandiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cryptostegia grandiflora* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Decalepis hamiltonii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hemidesmus indicus* (L.) R.Br. var. *indicus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hemidesmus indicus* (L.) R.Br. var. *pubescens* (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Decalepis arayalpathra* Joseph & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Uleria salicifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fagraea ceilanica*

Thub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gardneria ovata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mitrasacme indica Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spigelia anthelmia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strychnos lenticellata Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strychnos minor Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strychnos nux-vomica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strychnos potatorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strychnos vanprukii* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strychnos wallichiana* Steud. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Buddleja asiatica* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Buddleja davidii* Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Buddleja madagascariensis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Buddleja volubilis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canscora decurrens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canscora decussata* (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canscora diffusa* (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canscora heteroclita* (L.) Gilg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canscora perfoliata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canscora roxburghii* Arn. ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Enicostema axillare* (Lam.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Exacum anamallayanam* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Exacum atropurpureum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Exacum*

courtallense Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Exacum grande Klack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Exacum lawii Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Exacum pedunculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Exacum petiolare Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Exacum pumilum Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Exacum sessile L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Exacum tetragonum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Exacum travancoricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Exacum wightianum* Arn. var. *wightianum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Exacum wightianum* Arn. var. *uniflorum* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gentiana pedicellata* Griseb. var. *wightii* Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gentiana quadrifaria* Blume var. *zeylanica* (Griseb.) Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Halenia perrottetii* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hoppea dichotoma* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hoppea fastigiata* (Griseb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia angustifolia* Buch.-Ham. var. *pulchella* (Buch.-Ham.ex D.Don) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia beddomei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *corymbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *grisebachiana* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia densifolia* (Griseb.) Kashyapa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia minor* (Griseb.) Knobl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia trichotoma* (Wight & Arn. ex Wight) Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nymphoides*

aurantiacum (Dalz.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphoides hydrophylla (Lour.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphoides indicum (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydrolea zeylanica (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wigandia canacasana H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phlox drummondii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carmona retusa (Vahl) Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coldenia procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia alba Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia diffusa Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia domestica Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia evolutior (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia gharaf (Forssk.) Ehrenb. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia macleodii (Griff.) Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia monoica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia obliqua Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cordia wallichii* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cordia sebestena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cordia subcordata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cynoglossum zeylanicum* (Vahl ex Hornem.) Thunb. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Echium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ehretia aspera* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ehretia canarensis* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ehretia laevis*

Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ehretia ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ehretia pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ehretia wightiana* Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heliotropium arborescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heliotropium bracteatum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heliotropium curassavicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heliotropium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heliotropium marifolium* Retz. subsp. *marifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heliotropium marifolium* Retz. subsp. *wallichii* (Clarke) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heliotropium ovalifolium* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heliotropium peruvianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heliotropium rottleri* Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heliotropium strigosum* Willd. subsp. *brevifolium* (Wall.) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heliotropium subulatum* (Hochst.ex DC.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heliotropium supinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heliotropium zeylanicum* (Burm.f.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rotula aquatica* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symphytum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tournefortia argentea* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tournefortia heyneana* Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tournefortia reticosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tournefortia wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichodesma*

indicum (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichodesma inaequale* Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichodesma zeylanicum* (Burm.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aniseia martinicensis* (Jacq.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Argyreia argentea* Choisy var. *venusta* (Choisy) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Argyreia coonoorensis* W.W. Smith & Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Argyreia cuneata* (Willd.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Argyreia cymosa* (Roxb.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Argyreia daltonii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Argyreia elliptica* (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Argyreia fulgens* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Argyreia hirsuta* Wight & Arn. var. *hirsuta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Argyreia imbricata* (Roth) Sant. & Patel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Argyreia involucrata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Argyreia kleiniana* (Roem. & Schultes) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Argyreia*

nellygherya Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia nervosa (Burm.f.) Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia osyensis (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia pilosa Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia pomacea (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia populifolia Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia sericea Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyreia setosa (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bonamia evolvuloides* (Choisy) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bonamia Semidigyna* (Roxb.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Convolvulus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Convolvulus flavus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Convolvulus rottlerianus* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cressa cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cuscuta campestris* Decne. ex Engelm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cuscuta chinensis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cuscuta hyalina* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cuscuta reflexa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erycibe paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Evolvulus alsinoides* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Evolvulus nummularius* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hewittia sublobata* (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea aquatica*

Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea asarifolia* (Desr.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea barlerioides* (Choisy) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea batatas* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea cairica* (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea campanulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea carnea* Jacq. subsp. *carnea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea carnea* Jacq. subsp. *fistulosa* (Mart. ex Choisy) D.F. Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea coptica* (L.) Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea deccana* Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea dichroa* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea diversifolia* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea eriocarpa* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea hederifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea involucreata* Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea marginata* (Desr.) Verdc . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea mauritiana* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea nil* (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea obscura* (L.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea pes-caprae* (L.) R.Br. var. *pes-caprae* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea pes-caprae* (L.) R. Br. var. *perunkulamensis* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea pes-tigridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea pileata*

Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea purpurea* (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea quamoclit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea rumicifolia* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea sepiaria* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea sinensis* (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea staphylina* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea tuberculata* Ker - Gawl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea turbinata Lag. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea violacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea wightii (Wall.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jacquemontia caerulea Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jacquemontia paniculata (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jacquemontia pentantha (Jacq.) D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepistemon leiocalyx Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia aegyptia (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia dissecta (Jacq.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia emarginata (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia hederacea (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia quinata (R.Br.) Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia quinquefolia (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia tridentata (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia umbellata (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia

umbellata (L.) Hall.f. subsp. *Orientalis* Hall.f. Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Merremia vitifolia* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Operculina turpethum* (L.) Silva Manso and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Porana paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Porana racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rivea hypocrateriformis* (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rivea ornata* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stictocardia tiliifolia* (Desr.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Browallia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Browallia speciosa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Browallia viscosa* Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brugmansia arborea* (L.) Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brugmansia suaveolens* (Humb. & Bonpl. ex Willd.) Bercht. & Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brugmansia versicolor* Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brunfelsia undulata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Capsicum annum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Capsicum frutescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cestrum aurantiacum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cestrum corymbosum* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cestrum diurnum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cestrum elegans* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cestrum fasciculatum* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cestrum nocturnum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cestrum parqui*

L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyphomandra betacea (Cav.) Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Datura cornigera Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Datura innoxia Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Datura metal L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Datura ferox L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Datura sanguinea Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Datura stramonium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Iochroma coccinea* Scheid. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lycium barbatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *laevis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *bigeminata* (Nees) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb var. *gouakai* (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lycopersicon esculentum* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nicandra physalodes* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nicotiana alata* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nicotiana glauca* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nicotiana glutinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nicotiana plumbaginifolia* Viv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nicotiana repKalam* Willd. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nicotiana tabacum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nierembergia gracilis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Petunia axillaris*

(Lam.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Petunia x hybrida Vilm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Physalis ixocarpa Brot. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Physalis angulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Physalis lagascae Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Physalis pruinosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Physalis peruviana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schizanthus pinnatus Ruiz & Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schizanthus wisetonensis* Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solandra grandiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solanum americanum* Mill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solanum anguivi* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solanum ariculari* G. Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solanum barbisetum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solanum capsicastrum* Link & Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solanum capsicoides* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum clavatum Rusby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum convolvulus Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum elaeagnifolium Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum erianthum D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum giganteum Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum grandiflorum Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum hispidum Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum

jasminoides Paxt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum kurzii Brace ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum macrocarpon L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum macrophyllum Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum marginatum L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum mauritianum Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum melongena L. var. melongena and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum insanum J.B.Fisch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum lasiocarpum Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum pseudo-capsicum L.var. pseudo-capsicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum pseudo-capsicum L. difflorum (Vell.) Bitter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum pubescens Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum robustum H. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum seaforthianum Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum sisymbriifolium Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum stramonifolium Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solanum torvum* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solanum trilobatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solanum tuberosum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solanum vagum* Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solanum viarum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solanum violaceum* Ortega Subsp. *violaceum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solanum violaceum* Ortega Subsp. *multiflorum* (C. B. Clarke) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solanum*

virginianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum wendlandii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum wrightii Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Streptosolon jamesonii (Benth.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Withania somnifera (L.) Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adenosma indianum (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Angelonia biflora Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antirrhinum majus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antirrhinum orontium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Antirrhinum purpureum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artanema longifolia (L.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bacopa floribunda (R.Br.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bacopa hamiltoniana (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bacopa monnieri (L.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Buchnera hispida Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calceolaria gracilis Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Celsia arcturus* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Centranthera indica* (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Centranthera tranquebarica* (Spreng.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbalaria muralis* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Digitalis purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dopatrium junceum* (Roxb.) Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dopatrium lobelioides* (Retz.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dopatrium*

nudicaule (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glossostigma diandrum (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hebe speciosa (A.Cunn) Andersen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hebe andersonii Cockayne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kickxia ramosissima (Wall.) Janchen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Limnophila aromatica (Lam.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Limnophila chinensis (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Limnophila connata (Buch.-Ham. ex D.Don) Handb.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Limnophila heterophylla* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Limnophila indica* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Limnophila polystachya* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Limnophila repens* (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Limnophila rugosa* (Roth) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lindenbergia indica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lindernia anagallis* (Burm.f.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lindernia antipoda* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lindernia caespitosa* (Blume) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lindernia ciliata* (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lindernia crustacea* (L.) F.v.Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lindernia hyssopioides* (L.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lindernia minima* (Benth.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lindernia nummulariifolia* (D.Don) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lindernia oppositifolia* (Retz.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lindernia*

parviflora (Roxb.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia procumbens (Krock.) Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia rotundifolia (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia ruellioides (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia srilankana Cramer & Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia sessiliflora (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia tenuifolia (Colsm.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia viscosa (Hornem.) Boldingh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Maurandya barclaiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Maurandya erubescens* (D. Don) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Maurandya lophospermum* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Maurandya semperflorens* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mazus pumilus* (Burm.f.) Steenis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mecardonia procumbens* (Mill.) Small and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Micrargeria wightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Microcarpaea minima* (Koen.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Paulownia tomentosa* (Thunb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pedicularis perrottetti* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pedicularis zeylanica* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Penstemon azureus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Penstemon campanulatus* (Cav.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Peplidium maritimum* (L.f.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Russelia equisetiformis* Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scoparia dulcis*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sopubia delphiniifolia* (L.) G.Don var. *delphiniifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sopubia delphiniifolia* (L.) G.Don var. *parviflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sopubia stricta* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sopubia trifida* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stemodia viscosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Striga angustifolia* (D.Don) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Striga asiatica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Striga densiflora* (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Striga gesnerioides* (Willd.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Striga masuria* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sutera dissecta* (Del.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Torenia bicolor* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Torenia cordifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Torenia courtallensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Torenia fournieri* Linden ex Fourn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Torenia hirsuta Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Torenia travancorica Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Torenia vagans Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Verbascum chinense (L.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Verbascum thapsus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Verbascum virgatum Stokes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Veronica arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Veronica

javanica Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Veronica polita Fries and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Veronica speciosa R.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Veronica persica Poir.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aeginetia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aeginetia pedunculata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Christisonia bicolor Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Christisonia neilgherrica Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Christisonia saulierei* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Christisonia subacaulis* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Christisonia tubulosa* (Wight) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Orobancha cernua* Loeffl. var. *nepalensis* Reut. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Utricularia aurea* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Utricularia australis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Utricularia bifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Utricularia caerulea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utricularia exoleta R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utricularia graminifolia Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utricularia hirta Klein ex Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utricularia minutissima Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utricularia nayarii Jana. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utricularia polygaloides Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utricularia reticulata J.E.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utricularia roseo-

purpurea Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utricularia scandens Benj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utricularia smithiana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utricularia stellaris L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utricularia striatula J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utricularia uliginosa Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utricularia wightiana Taylor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aeschynanthus ceylanica Gard. var. pinguis Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aeschynanthus perrottetii A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Didymocarpus fischeri Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Didymocarpus gambleanus Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Didymocarpus humboldtianus Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Didymocarpus innominatus Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Didymocarpus lyrata Wight var. lyrata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Didymocarpus lyrata Wight var. prostrata Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Didymocarpus meeboldii W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Didymocarpus missionis* Wall. ex R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Didymocarpus ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Didymocarpus repens* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Didymocarpus tomentosus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Didymocarpus wightii* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Epithema carnosum* (G.Don) Benth. var. *hispida* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gesneria cardinalis* Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jerdonia indica*

Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhynchoglossum notonianum* (Wall) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhynchoglossum obliquum* Blume var. *parviflora* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhynchotechum permolle* (Nees) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arrabidaea magnifica* Sprague ex Steenis Bull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bignonia megapotamica* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Campsis radicans* (L.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Catalpa bignonioides* Walter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clytostoma callistegioides* (Cham.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clytostoma purpureum* (Lodd. ex Sweet) Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Parmentiera alata* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crescentia cujeta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dolichandrone arcuata* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dolichandrone atrovirens* (Heyne ex Roth) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dolichandrone falcata* (Wall. ex DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Haplophragma adenophyllum* (DC.) Dop and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jacar Kalam mimosifolia* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kigelia africana* (Lam.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Macfadynea unguis-cati* (L.) A. Gentry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Markhamia stipulata* Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Millingtonia hortensis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nyctalos cuspidata* (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oroxylum indicum* (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pandorea*

jasminoides (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phaedranthus buccinatorius (DC.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllarthron bojerianum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pleonotoma jasminifolia (H.B.K.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Podranea ricasoliana (Tranf.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pyrostegia venusta (Ker-Gawl.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Radermachera xylocarpa (Roxb.) K.Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spathodea campanulata Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabberley var. *colais* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabberley var. *angustifolium* (Haines) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tabebuia rosea* (Bertol.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tabebuia arjentea* Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tabebuia pallida* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tabebuia palmeri* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tecoma stans* (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tecomaria capensis* (Thunb.) Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cobaea scandens* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pedaliium murex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sesamum alatum* Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sesamum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sesamum laciniatum* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sesamum prostratum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sesamum radiatum* Schumach. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Martynia annua*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acanthus ilicifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acanthus mollis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis affinis* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis alata* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis atropurpurea* (Dennst.) A. Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis ceylanica* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis echiioides* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis elongata* (Vahl) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis explicata* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis lineata* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis lobelioides* Wight var. *lobelioides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis lobelioides* Wight var. *composita* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis longipedunculata* (Sreemadh.) L.H. Cramer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis macrobotrys* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis neesiana* Wight var. *neesiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis neesiana* Wight var. *producta* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis neesiana* Wight var. *rotundifolia* Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis ovata* (T. And. ex Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis paniculata* (Burm.f.) Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis rothii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis serpyllifolia* (Rottl. ex Vahl) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Andrographis*

stellulata Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrographis stenophylla Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Andrographis viscosula Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aphelandra deppeana Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asystasia chelonoides Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asystasia crispata Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asystasia dalzelliana Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Asystasia gangetica (L.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Asystasia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria acuminata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria buxifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria courtallica* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria cuspidata* Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria gibsonii* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria involucreata* Nees var. *elata* (Dalz.) Clarke and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria longiflora* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria montana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria mysorensis* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria nitida* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria noctiflora* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria paniculata* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria pilosa* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Barleria*

prattensis Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barleria prionitis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barleria strigosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barleria tomentosa Roth var. tomentosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barleria tomentosa Roth var. glandulosa Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barleria vestita T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blepharis maderaspatensis (L.) Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blepharis repens (Vahl) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clinacanthus nutans (Burm.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crossandra infundibuliformis (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dicliptera cuneata Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dicliptera foetida (Forssk.) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dicliptera verticillata (Forssk.) Christensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diotacanthus albiflorus (Bedd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diotacanthus grandis (Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dipteracanthus beddomei (C. B. Clarke) Santapau and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dipteracanthus patulus* (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dipteracanthus prostratus* (Poir.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dyschoriste madurensis* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dyschoriste nagchana* (Nees) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dyschoriste vagans* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ecbolium ligustrinum* (Vahl) Vollesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ecbolium viride* (Forssk.) Alston var. *viride* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ecbolium viride*

(Forssk.) Alston var. dentata (Klein ex Link) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ecbolium viride (Forssk.) Alston var. rotundifolia (Nees) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elytraria acaulis (L.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eranthemum capense L. var. capense and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eranthemum capense L. var. concanensis (T.And.ex Clarke) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eranthemum nervosum (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eranthemum purpurascens Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eranthemum roseum (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Graptophyllum hortense* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gymnostachyum canescens* (Nees) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gymnostachyum ceylanicum* Arn. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gymnostachyum latifolium* (Dalz.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Haplanthodes neilgherryensis* (Wight) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Haplanthodes verticillatus* (Roxb.) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hemigraphis latebrosa* (Heyne ex Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hygrophila balsamica* (L.f.) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hygrophila heinei* Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hygrophila quadrivalvis* (Buch.-Ham.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hygrophila salicifolia* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hygrophila schulli* (Hamilt.) M.R.Almeida & S.M. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jacobinia carnea* (Lindl.) G. Nicholson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Justicia adhatoda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Justicia beddomei* (Clarke) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Justicia betonica*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia diffusa Willd. var. diffusa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia diffusa Willd. var. hedyotidifolia (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia diffusa Willd. var. orbiculata (Wall. ex T.And.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia gendarussa Burm.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia glabra Koen.ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia glauca Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia japonica Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia latispica (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia neesii Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia nilgherrensis (Nees) Wall. ex T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia prostrata (Roxb. ex Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia salsoloides T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia santapau Benet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia simplex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Justicia tranquebariensis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Justicia trinervia* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Justicia vahlii* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Justicia wynaadensis* (Nees) Heyne ex T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lepidagathis barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lepidagathis cristata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lepidagathis cuspidata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lepidagathis*

diffusa Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidagathis fasciculata (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidagathis incurva Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidagathis mitis Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidagathis pungens Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidagathis scariosa Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidagathis spinosa Wight ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidagathis subarmata (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leptostachya wallichii* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Meyenia hawtayneana* (Wall.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Monothecium aristatum* (Wall. ex Nees) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neuracanthus neesianus* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Peristrophe montana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Peristrophe paniculata* (Forssk.) Brummitt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Petalidium barlerioides* (Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phaulopsis imbricata* (Forssk.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pseuderanthemum malabaricum* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhinacanthus nasutus* (L.) Kurz var. *nasutus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhinacanthus nasutus* (L.) Kurz var. *montana* (Clarke) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ruellia colorata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ruellia tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rungia apiculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rungia crenata* T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rungia laeta*

Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rungia latior Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rungia parviflora (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rungia pectinata (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rungia repens (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rungia sisparensis T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rungia wightiana Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sanchezia nobilis Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sanchezia parvibracteata* Sprague & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Santapaua madurensis* Balakr. & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Staurogyne glauca* (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Staurogyne zeylanica* (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stenosiphonium confertum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stenosiphonium cordifolium* (Vahl) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stenosiphonium parviflorum* T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stenosiphonium russellianum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stenosiphonium wightii* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes asperimus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes amabilis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes anamallai* J. R. I. Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes andersonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes barbatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes bolampattiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes*

ciliatus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes consanguineus (Nees) T. Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes cuspidatus (Benth.) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes decurrens Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes foliosus (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes gracilis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes heyneanus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes hamiltoniana (Steud.) Bosser & Heine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes heteromallus* T. Anderson ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes homotropus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes humilis* (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes isophylla* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes ixiocephala* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes kunthianum* (Nees) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes lanatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes lupulinus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes luridus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes matthewiana* R. W. Scotland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes micranthes* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes microstachya* Benth. ex Hohen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes neoasper* Venu & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes neilgherrensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes*

papillosus T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes perrottetianus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes pulneyensis C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes rubicundus (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes sessilis Nees var. sessilis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes sessilis Nees var. sessiloides (Wight) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes sexennis Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes tristis (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes urceolaris* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes violaceus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes wightianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes wightianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strobilanthes zenkerianus* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thunbergia alata* Boj. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thunbergia bicolor* (Wight) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thunbergia erecta* (Benth.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thunbergia fragrans* Roxb. var. *fragrans* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thunbergia fragrans* Roxb. var. *vestita* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thunbergia grandiflora* (Roxb. ex Rottl.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thunbergia mysorensis* (Wight) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thunbergia tomentosa* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aloysia triphylla*

(L'Herit.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bouchea hyderabadense Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Callicarpa arborea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Callicarpa tomentosa (L.) Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citharexylum fruticosum L. forma subserratum (Sw.) Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum aculeatum Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum cordatum D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum indicum (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum inerme (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum infortunatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum neriifolium Wall.ex Schauers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum paniculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum philippinum Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chionachne koenigii (SPRENG.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chionanthus macrophylla BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chionanthus mala-elengi (DENNST.) GREEN and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chlondrus crispus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chloranthus elatior L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chloranthus glaber (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chloranthus inconspicuus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chloranthus officinalis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chloris barbata SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chloris virgata SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chlorophora

excelsa BENTH. & HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chlorophytum arundinaceum BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chlorophytum attenuatum BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chlorophytum laxum R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chlorophytum tuberosum BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chloroxylon dupada BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chloroxylon swietenia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chondrus crispus STACKH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chonemorpha fragrans* (MOON) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chonemorpha macrophylla* (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chorchorus trilocularis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Christella arida* (DON) HOLT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Christella contiguum* (ROSENT) HOLTTUM F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Christella crinipes* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Christella parasitica* (L.) LEV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Christella subpubescens* (BL.) HOLTTUM NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chromolaena odorata* (L.) R.M. KING & H. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrozophora plicata* A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrozophora prostrata* DALZ . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrozophora rotleri* (GEIS.) A.JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrozophora tinctoria* A.JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrysanthellum americanum* (L.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrysanthellum indicum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrysanthemum*

cinerariifolium (TREV.) VIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chrysanthemum coccineum WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chrysanthemum coronarium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chrysanthemum indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chrysanthemum purethroides (KAR. & KIR.) FEDT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chrysanthemum roxburghii DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chrysobalanus icaco L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chrysophyllum cainito L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrysophyllum roxburghii* DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrysopogon aciculatus* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrysopogon fulvus* (SPRENG.) CHIOV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chukrasia tabularis* A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cibotium barometz* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cicca acida* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cicca disticha* L.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cicer arietinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cicer microphyllum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cichorium endivia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cichorium intybus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cichorium noeanum* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cicuta virosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cimicifuga foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cimicifuga racemosa* NUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cinchona*

calisaya WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinchona calisaya WEDD. ledgeriana HOWARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinchona excelsa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinchona ledgeriana MOENS EX TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinchona officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinchona robusta HOWARD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinchona succirubra PAV. EX KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum aromaticum NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum bejolghota (BUCH.-HAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum camphora (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum cassia BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum cecidodaphne MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum glanduliferum MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum glaucescens (NEES) HAND-MEZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum impressinervium MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum iners REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum javanicum BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum macrocarpum HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum malabathrum BATKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum obtusifolium NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum parthenoxylon MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum pauciflorum NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum sulphuratum NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum

tamala NEES & EBERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum travancoricum GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum verum PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum wightii C.F.W.MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinnamomum zeylanicum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cipadessa baccifera (ROTH.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Circaea alpina L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Circaea cordata ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cirrhopteris suturense (ROLFE) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cirsium argyranthemum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cirsium arvense (L.) SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cirsium sinense CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cirsium verutum (DON) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cirsium wallichii DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissampelos pareira L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissus acida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissus adnata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissus discolor BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissus javanica DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissus lanceolata MALME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissus latifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissus pallida (WIGHT & ARN.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissus pedata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissus

quadrangularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissus repKalam VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissus repens LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissus setosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissus trilobata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissus vitiginea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cistanche tubulosa WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cistus creticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citharexylum suberratum SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrullus colocynthis (L.) SCHRADER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrullus lanatus (THUNB.) MATSUMURA & NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrullus lanatus (THUNB.) MATSUMURA & NAKAI fistulosus (STOCKS) CHAKRAVARTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrullus vulgaris SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrullus vulgaris SCHRAD. fistulosus STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus acida PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus aurantifolia (CHRISTM.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus aurantium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus aurantium L. bergamia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus bergamia RISSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus bigaradia LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus decumana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus grandis (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus hystrix DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus jambhiri

LUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus karna RAFIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus latipes (SWINGLE) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus limetta RISSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus limon (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus limonum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus macroptera Montr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus madurensis LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus maxima MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus medica L. medica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus medica L. limetta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus medica L. limonum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus medica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus paradisi MACF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus pyxidata (LINN.) FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus reticulata BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus sinensis (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cladonia alpestris (L.) RABH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Claoxylon indicum HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Claoxylon polot (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clausena dentata (WILLD.) ROEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clausena excavata BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clausena heptaphylla WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clausena lansium

(LOUR.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clausena pentaphylla (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clausena wampi BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clausena willdenowii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Claviceps purpurea (FR.) TUL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Claxylon indicum (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cleidion nitidum KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cleisostoma tenuifolium (L.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cleisostoma williamsonii* (RCHB.F.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cleistanthus collinus* (ROXB.) BENTH. & HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clematis barbellata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clematis buchananiana* DC. *vitifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clematis connata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clematis gouriana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clematis grata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clematis graveolens* LINDL. IN JOURN. HORT. SOC. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clematis hedysarifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clematis montana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clematis napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clematis orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clematis smilacifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clematis triloba* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clematis wightiana* WALL. EX WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cleome*

brachycarpa VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cleome burmanni WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cleome chelidonii L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cleome felina L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cleome gynandra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cleome heptaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cleome icosandra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cleome monophylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cleome pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cleome vahliana FAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cleome viscosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum colebrookianum WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum indicum (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum inerme (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum infortunatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum kaempferi (JACQ.) SIEB. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum multiflorum (Burm.f.)Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum nutans WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum paniculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum philippinum SCHAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum phlomides L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum serratum (L.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum siphonanthus R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum

splendens G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum viscosum H.W. MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clerodendrum wallichii MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clinogyne dichotoma SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clinogyne grandis BENTH. HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clinopodium umbrosum (BIEB.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clinopodium vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clitoria mariana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clitoria ternatea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coccinia cordifolia COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coccinia glauca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coccinia grandis (L.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coccinia indica WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coccoloba uvifera L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cocculus cordifolius (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cocculus hirsutus (L.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cocculus laurifolius DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cocculus leaeba DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cocculus macrocarpus W. & A. PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cocculus pendulus (JR. & G. FORST) DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cocculus suberosus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cocculus villosus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cochlearia armoracia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cochlearia

cochlearioides (ROTH) SANTAPAU & MAHESHWARI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cochlospermum gossypium DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cochlospermum religiosum (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cocos nucifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cocos nucifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cocos schizophylla MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Codiaeum variegatum (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Codonacanthus pauciflorus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Codonopsis clematidea (SCHR.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Codonopsis ovata BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coelodepas calycinum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coelogyne cristata LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coelogyne ovalis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coelogyne punctulata LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coelogyne stricta (DON) SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coffea arabica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coffea bengalensis* HEYNE EX ROEM. & SCHULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coffea travancorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coix gigantea* KOENIG EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coix lachryma* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coix lacryma-jobi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cola nitida* (VENT.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Colchicum autumnale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Colchicum*

luteum BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Colchicum variegatum BIVONA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coldenia procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Colebrookea oppositifolia SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coleus ambonicus LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coleus aromaticus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coleus barbatus (ANDR.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coleus forskohlii (POIR.) BRIQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coleus osmirrhizon W.ELLIOT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coleus rotundifolius (POIR.) A. CHEV. & PERROT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coleus scutellarioides (L.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coleus vettiveroides K.C. JACOB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coleus zeylanicus (BENTH.) CRAMEV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Colocasia antiquorum SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Colocasia esculenta (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Colocasia macrorrhiza SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Colocasia virosa* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Colophospermum mopane* KIRK EX LEON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Colubrina asiatica* (L.) BRONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Colutea arborescens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Colutea nepalensis* SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Combretum acuminatum* (ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Combretum decandrum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Combretum*

extensum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Combretum latifolium BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Combretum nanum DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Combretum pilosum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Combretum roxburghii SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commelina benghalensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commelina communis EUGELM. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commelina diffusa BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commelina longifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commelina nudiflora (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commelina obliqua BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commelina paludosa BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commelina salcifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commelina suffruticosa BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commicarpus chinensis (L.) HEIMERL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commicarpus helenae (J.A.SCHULTES) MEIKLE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commicarpus verticillatus STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commiphora abyssinica ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commiphora agallocha ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commiphora berryi (ARN.) ENGLR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commiphora caudata (WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commiphora molmol ENGL. EX. TSCHIRAH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commiphora mukul (HOOK. EX. STOCKS) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commiphora

myrrha ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commiphora opobalsamum (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commiphora playfairii HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commiphora roxburghii ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commiphora schimperi ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commiphora stocksiana ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Commiphora wightii (A.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Conium maculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Connarus monocarpus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Conocarpus latifolia ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Conocephalus suaveolens BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Consolida ajacis (L.) SCHUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Consolida ambigua (L.) BALL. & HEYWOOD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Consolida regalis S.F. GRAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Convallaria majalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Convolvulus arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Convolvulus auricomus (A. RICH.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Convolvulus gemellus BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Convolvulus grandiflorus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Convolvulus malabaricus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Convolvulus microphyllus SIEB.EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Convolvulus nil L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Convolvulus paniculatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Convolvulus

pluricaulis CHOIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Convolvulus prostratus FORSSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Convolvulus scammonia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Convolvulus speciosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Convolvulus spinosus BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Convolvulus turpethum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Conyza bonariensis (L.) CRONQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Conyza cinerea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Conyza japonica (THUNB.) LESS. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Conyza stricta WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Copernicia cerifera MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coptis teeta WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corallocarpus epigaea HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corallocarpus epigaeus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corbichonia decumbens EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corchorus acutangulus AUCT. NON FORSK. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corchorus aestuans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corchorus antichorus ROEUSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corchorus capsularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corchorus depressus STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corchorus fascicularis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corchorus olitorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corchorus trilocularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corchorus

urticifolius WIGHT & ARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia dichotoma FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia gharaf (FORSK.) EHRENB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia grandis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia macleodii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia monoica ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia myxa SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia obliqua WILLD. wallichii (G.DON) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia obliqua WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia rothii ROEM.& SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia sebestena L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia vestita HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordia wallichii G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordyceps sinensis (BERK.)SAAC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cordyline fruticosa GOEPPERT NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cordyline terminalis* (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coriandrum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coriaria nepalensis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coronilla picta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coronopus didymus* (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cordia depressa* (DON) NORM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Corydalis adiantifolia* HK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Corydalis*

flabellata EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corydalis govaniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corydalis meifolia WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corydalis ramosa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corydalis rutifolia (SMITH) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corydalis vaginans ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corylus avellana L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corylus columna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corylus jacquemonti DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corymbis veratrifolia RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corymborkis veratrifolia (REINW.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corypha umbraculifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coscinium fenestratum (GAERTN.) COLEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cosmostigma racemosa WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Costus arabicus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Costus speciosus (KOEN. EX RETZ.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cotinus coggygria* SCOP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cotinus racemiflora* (DESF.) C. KOCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cotoneaster bacillaris* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cotoneaster buxifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cotoneaster microphylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cotoneaster microphyllus* WALL. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cotoneaster nummularia* FISCH. & MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cotula*

anthemoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cotula aurea Loeft. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cousinia thomsonii CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crambe cordifolia STEVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crassocephalum crepidioides (BTH.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crataegus laevigata (POIR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crataegus oxyacantha L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crataegus songarica KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crataeva adansonii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crataeva magna (LOUR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crataeva marmelos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crataeva nurvala SENSU KANJ. & DAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crataeva religiosa FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crataeva tapia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cratoxylum cochinchinense (LOUR.) BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cratoxylum neriifolium KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cremanthodium arnicoides* DC. GOOD *trigida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cremanthodium decaisnei* Cl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cremanthodium plantagineum* MAX. *maximowiczii* GOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cremastra appendiculata* (D.DON) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cremastra wallichiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crepidium acuminatum* (D.DON) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crepis flexuosa* (DC) BETH. & HK.F. EX Cl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crepis japonica*

BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crescentia cujete VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cressa cretica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crinum amoenum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crinum asiaticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crinum defixum KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crinum latifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crinum powellii HORT. album HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crinum pratense HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crinum revolutum HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crinum viviparum (LAM.) HEMADRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crocus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crossandra infundobuliformis (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crossandra undulaefolia SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria alata BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria albida HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria anagyroides H.B. & K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria angulosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria benghalensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria bialata SCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria biflora LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria burhia BUCH-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria calycina SHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria juncea

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria laburnifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria linifolia* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria medicaginea* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria mucronata* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria mysorensis* ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria pallida* DRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria paniculata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria prostrata* ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria pulchra* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria quinquefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria ramosissima* ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria saltiana* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria sericea* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria spectabilis* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria striata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria trifoliatum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria verrucosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Croton argyratus BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Croton aromaticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Croton bonplandianum BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Croton caudatus GEISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Croton tiglium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Croton malabaricus BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Croton oblongifolius ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Croton plicatum VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Croton polyandrum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Croton reticulatus HEYNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Croton roxburghii BALAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Croton sebiferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Croton sparsiflorus MORONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Croton tiglium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Croton zeylanicus MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cryptocarya wightiana THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cryptocoryne spiralis FISCH. EX WYDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cryptolepis buchananii ROEMER & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cryptolepis elegans WALL. EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cryptolepis grandiflora WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cryptostegia grandiflora* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ctenitis apiciflora* (WALL. & METT) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ctenolepis cerasiformis* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ctenolepis garcinii* BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cubeba officinalis* RAFIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cucubalus baccifer* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cucumis acutangulus* DESCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cucumis agrestis*

NAUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis anguinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis callosus (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis colocynthis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis hardwickii ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis lagenarius DUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis madraspatanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis melo L. utilisimus DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis melo L. momordica DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis melo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis momordica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis myriocarpus NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis prophetarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis pseudocolocynthis ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis pubescens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cucumis trigonus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cucumis utilis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cucurbita citrullus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cucurbita lagenaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cucurbita maxima* DUCHESNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cucurbita moschata* (LAM.) DUCHESNE EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cucurbita pepo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cudrania*

javanensis TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cullenia exarillata ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cuminum cyminum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cupressus sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Curanga amara JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Curanga fel-terrae MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Curculigo capitulata (LOUR) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Curculigo crassifolia GEARTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curculigo orchioidea* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curculigo prainiana* (DEB.) BENNET & RAIZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curculigo recurvata* DRYAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curcuma amada* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curcuma angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curcuma aromatica* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curcuma caesia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curcuma domestica* (MEDIK) VALH and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curcuma inodora* BLAT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curcuma leucorhiza* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curcuma longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curcuma montana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curcuma pseudomontana* GRAHAM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curcuma rubescens* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curcuma zedoaria* (CHRIST.) ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Curcuma*

zerumbet ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cuscuta capitata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cuscuta chinensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cuscuta europaea BOVE & ENGELM. indica ENGELM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cuscuta hyalina ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cuscuta reflexa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyamopsis psoraloides (LAM). DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyamopsis tetragonoloba (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyamopsis tetragonolobus* (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyanotis axillaris* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyanotis concanensis* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyanotis cristata* (L.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyanotis papilionaceae* (L.) SCHULT. & SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyanotis tuberosa* (ROXB.) SCHULT. AND SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyathea albo-setacea* (BEDD.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyathea gigantea* (WALL. EX HOOK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyathea spinulosa WALL. EX HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyathocline purpurea (DON) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyathostemma micranthum J.SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyathula prostrata BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyathula tomentosa MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyathus limbatus TULSANE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyathus stercoreus (SCHW.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cycas beddomei

DYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cycas circinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cycas revoluta THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cycas rumphii MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyclamen europaeum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyclamen persicum MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyclea arnotii MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyclea bicristata GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyclea burmanni (DC.) HOOK.F. TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyclea fissicalyx DUNN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyclea peltata (LAM.) HOOK. F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyclosorus dentatus (FORSK.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyclosorus gongylodes (SCH.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyclosorus parasiticus (L.) FOREWELL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cydonia oblonga MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cydonia vulgaris PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cylista scariosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbalaria muralis* G.M. SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbidium aloifolium* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbidium aloifolium* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbidium grandiflorum* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbidium hookerianum* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbidium pendulum* (ROXB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cymbopogon*

caesius STAPH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cymbopogon citratus (DC.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cymbopogon coloratus STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cymbopogon flexuosus WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cymbopogon jwarancusa (JONES) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cymbopogon jwarancusa (JONES) SCHULT. olivieri (BOISS.) SOENARKO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cymbopogon martini (ROXB.) WATS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cymbopogon nardus (L.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cymbopogon schoenanthus (L.) SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynanchum arnottianum WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynanchum extensum JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynanchum heydei HOOK.F.CYNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynanchum vincetoxicum (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynanthus lobatus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynara scolymus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynodon dactylon (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynodon linearis WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynoglossum denticulatum A. DC. zeylanicum HORNEM. CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynoglossum glochidiatum WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynoglossum lanceolatum FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynoglossum micranthum DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynoglossum wallichii G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynoglossum zeylanicum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynometra

cauliflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynometra iripa KOSTEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynometra mimosoides WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynometra ramiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynometra ramiflora Linn. bijuga (Span.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynosurus coracanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus alopecuroides ROTTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus amabilis VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus articulatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus brevifolius (ROTTB.) HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus bulbosus VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus compactus RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus compressus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus corymbosus ROTTLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus cyperoides (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus denticulatus SCHRAD EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus diffusus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus distans L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus esculentus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus exaltatus RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus haspan BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus inundatus ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus iria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus

jeminicus HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus juncifolius ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus kyllingia ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus laevigatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus longus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus malaccensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus michelianus (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus nutans VAHL. eleusinoides (KUNTH) HAINES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus pangorei ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus pedunculatus (R.BR.) KERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus pertenus BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus pilosus VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus platyphyllus ROEM. & SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus platystylis R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus rohita and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus rotundus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus scariosus R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus stoloniferus RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus triceps (ROTTB.) ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus tuberosus ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyperus undulatus KUKENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyphostemma setosum (ROXB.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyrtomium caryotideum (WALL.) PRESL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyrtomium

falcatum (L. F.) BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyrtophyllum peregrinum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cythocline purpurea (DON.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cytisus scoparius (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dactylis glomerata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dactyloctenium aegyptium BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dactyloctenium indicum BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dactylorhiza hatagirea (DON.) SOO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Daedalacanthus roseus T. ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Daemia cordata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Daemia extensa R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Daemonorops draco BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dahlia rosea CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia arborea HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia candenatensis (DENNST.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia emarginata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia horrida (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia lanceolaria L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia oogeinensis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia paniculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia pinnata PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia sissooides GRAHAM EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia sissoo

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia spinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia stipulacea ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia sympathetica NIMMO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia tamarindifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia volubilis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia spinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalechampia indica WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalhousiea bracteata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Daphne cannabina WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Daphne oleo SCHRAB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Daphne oleoides SCHREB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Daphne papyracea WILLD. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Daphniphyllum himalayense MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Daphniphyllum neilgherrense ROSENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Datisca cannabina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Datura alba NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Datura fastuosa L. alba (NEES) C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Datura fastuosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Datura innoxia MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Datura metel L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Datura metel L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Datura nilhummatu DUN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Datura

stramonium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Datura tatula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Daucus carota L. sativa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Daucus carota L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Davallia tenuifolia WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Davallia trichomanoides BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Debregeasia longifolia (BURM.F.) WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Decalepis hamiltonii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Decaspermum fruticosum* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Deeringia amaranthoides* (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Delima scandens* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Delonix elata* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Delonix regia* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Delphaenium denudatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Delphaenium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Delphinium altissimum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delphinium bruonianum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delphinium caeruleum JACQ. EX CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delphinium cashmirianum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delphinium denudatum WALL. EX HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delphinium elatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delphinium glaciale HOOK.F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delphinium kashmirianum ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delphinium

kohatense (BRUHL.) MUNZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delphinium paciflorum ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delphinium roylei MUNZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delphinium saniculifolium AUCT NON BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delphinium semibarbatum BLENNERT EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delphinium speciosum JANKA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delphinium vestitum WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delphinium viscosum HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delphinium zalil AITCH & HEMSL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium aduncum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium aggregatum - JENKINSII K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium amoenum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium chrysanthum LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium coerulescens LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium crumenatum SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium crumentum SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium densiflorum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium jenkinsii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium macraei AUCTION. NON LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium moschatum (BUCH.-HAM.) SW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium nobile LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium ovatum (L.) KRAENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrobium paxtonii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrocalamus

hamiltonii NEES EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrocalamus strictus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrocnide sinuata (BL.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrophthoe elastica (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrophthoe falcata (L.F) ETTING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dendrophthoe pentandra (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dentella repens (L.) J.R. & G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Derris elliptica BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Derris ferruginea (ROXB.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Derris indica (LAM.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Derris malaccensis PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Derris robusta BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Derris scandens (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Derris trifoliata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Derris uliginosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Descurainia sophia (L.) WEBB. EX PRANTL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmanthus cinereus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmanthus virgatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmochaeta atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium biarticulatum* (L.) F.V.MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium dichotomum* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium elegans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium gangeticum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium*

gyrans DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium gyroides DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium heterocarpon - strigosum VAN MEEWUEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium heterocarpon (LINN.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium heterophyllum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium lasiocarpum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium latifolium DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium laxiflorum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium microphyllum (THUNB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium motorium (HOUTT.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium oojeinense (ROXB.) OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium polycarpum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium pseudotriquetrum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium pulchellum BENTH.EX. BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium retroflexum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium styracifolium (OSB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium tiliaefolium G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium triangulare (RETZ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium triflorum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium triquetrum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium umbellatum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium velutinum (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmos chinensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmos

cochinchinensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmos dumosa (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmos longiflorus (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmostachya bipinnata STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmotrichum fimbriatum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Deutzia scabra THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dianthus anaticus BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dianthus caryophyllus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dianthus chinensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dicaelospermum ritchiei CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dicentra chrysantha WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dicentra thalictrifolia HF.& T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dichanthium caricosum (L.) A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dichanthium pertusum CLYTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dichopsis ellipticum BENTH & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dichroa febrifuga LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dichrocephala bicolor* (ROTH) SCHLECHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dichrocephala integrifolia* (L.F.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dichrocephala latifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dichrostachys cinerea* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dicliptera bupleuroides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dicliptera cuneata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dicliptera micranthus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dicliptera*

roxburghiana NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dicliptera verticillata (FORSK.) CHRISTENS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dicoma tomentosa CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dicranopteris linearis (BURM.F.) UNDERW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dictamnus albus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Didymocarpus aromaticus WALL. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Didymocarpus pedicellata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dieffenbachia seguine (L.) SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dienia muscifera* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Digera arvensis* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Digera muricata* (L.) MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Digitalis lanata* EHRH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Digitalis purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dillenia aurea* SIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dillenia bracteata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dillenia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dillenia pentagyna* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dimocarpus longan* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dimorphocalyx glabellus* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dinebra arabica* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dinebra retroflexa* (VAHL) PANZER *retroflexa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dinorchloa Kalammanica* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dionysia diapiensiaefolia* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea*

aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dioscorea alata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dioscorea belophylla VOIGT EX HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dioscorea bulbifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dioscorea composita HEMSLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dioscorea crispata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dioscorea daemona ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dioscorea deltoidea WALL. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea esculanta* (LOUR.) BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea glabra* AUCT. NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea globosa* ROXB. ET. PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea hamiltonii* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea hirsuta* DENNST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea hispida* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dioscorea pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dioscorea prazeri PRAIN & BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dioscorea puber BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dioscorea purpurea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dioscorea rubella L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dioscorea sativa AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dioscorea tomentosa KOEN. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dioscorea triphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dioscorea

wallichii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros bourdilloni BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros buxifolia (BLUME) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros candolleana WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros chloroxylon ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros cordifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros ebenum KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros embryopteris PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros exsculpta BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros ferrea (WILLD.) BATCH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros glutinosa KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros insignis THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros kaki L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros lancaefolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros lotus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros malabarica (DESR.) KOSTEL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diospyros melanoxylon* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diospyros montana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diospyros oocarpa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diospyros paniculata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diospyros peregrina* (GAERTN.) GURKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diospyros quaesita* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diospyros racemosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diospyros*

sylvatica ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros tomentosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diospyros toposia BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dipcadi erythraeum WEBB & BERTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diplazium esculentum (RETZ.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diplazium stoliczkae BEDD. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diploclisia glaucescens (BL.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diplocyclos palmatus (L.) JAFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diploknema butyraceae* (ROXB.) H.J. LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diplospora singularis* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diplospora sphaerocarpa* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dipsacus fullonum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dipsacus inermis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dipsacus mitis* D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dipteracanthus patulus* (JACQ.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dipteracanthus prostratus* (POIR.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dipteracanthus suffruticosus* (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dipterocarpus alatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dipterocarpus bourdillonii* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dipterocarpus gracilis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dipterocarpus indicus* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dipterocarpus laevis* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dipterocarpus pilosus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dipterocarpus*

tuberculatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dipterocarpus turbinatus GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dischidia rafflesiana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Disporum cantoniense (LOUR.)MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Distemon indicum WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dittelasma raraka (DC.) HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dodonaea angustifolia (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dodonaea burmanniana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dodonaea viscosa (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dodonaea viscosa JACQ. angustifolia (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichandrone arcuata C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichandrone atrovirens (HEYNE EX. ROTH) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichandrone falcata SEEMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichandrone spathacea (L.F.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichandrone stipulata BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichos biflorus SENSU AUCT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichos bulbosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichos catiang L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichos catjang L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichos cylindricus DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichos falcatus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichos gladiatus JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichos lablab L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichos lablab

L. typicus Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichos pruriens (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichos sinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichos trilobus (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichos uniflorus LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolomaea macrocephala DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dombeya cayeuxii HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Donax connaeformis (FORST.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dopatrium junceum HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dopatrium lobelioides BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dopatrium nudicaule HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dorema ammoniacum D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dorema aureum STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Doronicum falconeri HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Doronicum hookeri C.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Doronicum pardalianches L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Doronicum roylei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dorstenia indica* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dosma bracteatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Douepia tortuosa* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Draba muralis* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Draba setosa* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dracaena angustifolia* (MEDIC.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dracaena*

cinnabari BALF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dracaena petiolata HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dracaena terminalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dracaena terniflora ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dracocephalum heterophyllum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dracocephalum moldavica LINN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dracocephalum royleanum ROYLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dracocephalum stamineum KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dracontium polyphyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dregea volubilis* (L.F.) BENTH. EX.HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drimia indica* (ROXB.) J.P. JESSOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drimys winteri* FORST. CHAR. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drosera burmannii* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drosera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drosera lunata* HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drosera peltata* SM.WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drymaria cordata* (L.) WILLD. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drymaria cordata* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drymaria diandra* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drymoglossum carnosum* (WALL.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drynaria quercifolia* (L.) J. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dryobalanops aromatica* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dryopteris barbigera* (MOORE) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dryopteris*

blanfordii (HOPE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dryopteris cochleata (DON) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dryopteris filix-mas (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dryopteris marginata (WALL.) CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dryopteris odontoloma (MOORE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dryopteris schimperiana (HOCHST.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dryopteris sparsa (DON)KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Drypetes confertiflora (HOOK. F.) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drypetes macrophylla* (BLUME) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drypetes roxburghii* (WALL.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drypetes zeylanica* (MUELL.-ARG.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Duboisia myoporoides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Duchesnea indica* (ANDR.) FOCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Duranta repens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Durio zibethinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dyschoriste madurensis* (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dysophylla auricularia* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dysophylla rugosa* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dysophylla stelata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dysophylla stellata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dysoxylum alliarum* (BUCH.-HAM.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dysoxylum binectariferum* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dysoxylum hamiltonii* HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dysoxylum*

malabaricum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dysoxylum procerum HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ebermaiera glutinosa CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ecboium linneanum KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ecboium viride (FORSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ecboium virids (FORSSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Echeveria glauca BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Echinacea angustifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Echinochloa colona LINK. frumentacea BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Echinochloa crusgalli (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Echinochloa frumentacea LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Echinochloa stagnina (RETZ.) BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Echinops cornigerous DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Echinops echinatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Echioglossum williamsonii (RCHB.F.) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Echites dichotoma ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eclipta alba HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eclipta erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eclipta parviflora WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eclipta prostrata (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Edgeworthia gardneri (WALL.) MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Edgeworthia tomentosa NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Edwardsia griffithii (STOCKS) PHILIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ehretia

acuminata BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ehretia aspera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ehretia buxifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ehretia canarensis MIQ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ehretia laevis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ehretia laevis ROXB. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ehretia microphylla LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ehretia obtusifolia HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eichhornia crassipes* SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Codariocalyx motorius* (Houtt.) H. Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria acicularis* Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria agatiflora* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria alata* Buch.-Ham & Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria albida* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria anagyroides* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria angulata* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria barbata Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria berteroana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria bidiei Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria bifaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria bourneae Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria calycina Schrank and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria candicans Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria clarkei

Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria clavata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria conferta* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria digitata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria dubia* Graham ex benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria epunctata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *evolvuloides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *acutifolia* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria formosa* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria fysonii* Dunn var. *fysonii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria fysonii* Dunn var. *glabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria globosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria grahamiana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria hebecarpa* (DC.) Rudd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria heyneana* Grahma ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria hirta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria humifusa Graham ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria juncea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria laburnifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria laevigata Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria beddomeana Thoth. & A. A. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria spectabilis Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria linifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria

longipes Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria lunulata Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria madurensis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria medicaginea Lam. var. medicaginea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria medicaginea Lam. var. neglecta (Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria multiflora Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria mysorensis Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria nana Burn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria notonii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria oblecta* Graham ex Wight & Arn. var. *oblecta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria oblecta* Graham ex Wight & Arn. var. *glabrescens* (Benth.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria orixensis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria ovalifolia* Wall. ex Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria pallida* Dryand. var. *pallida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria pallida* Dryand. var. *obovata* (G.Don) Polhill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria paniculata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria peduncularis* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria priestleyoides* Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria prostrata* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria pulchra* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria pusilla* Neyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria quinquefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria ramosissima* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria retusa*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria rigida* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria salicifolia* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria scabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria scabrella* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria semperflorens* Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria shevaroyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria speciosa* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria subperfoliata Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria tecta Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria trifoliatum Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria triquetra Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria umbellata Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria verrucosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria walkeri Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Crotalaria wightiana Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria willdenowiana* DC. subsp. *willdenowiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crotalaria willdenowiana* DC. subsp. *glabrifoliolata* Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyamopsis tetragonoloba* (L.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cytisus canariensis* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cytisus hirsutus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cytisus monspessulanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cytisus multiflorus* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cytisus*

proliferus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cytisus scoparius (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cytisus supinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia congesta Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia coromandeliana Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia gardneriana Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia horrida (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia lanceolaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia latifolia Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia malabarica Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia melanoxylon Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia paniculata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia pinnata (Lour.) prain var. acaciaefolia (Dalz.) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia pseudo-siso Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia rubiginosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dalbergia sissooides Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dalbergia sissoo* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dalbergia spinosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dalbergia tinneveli* Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dalbergia volubilis* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Derris benthamii* (Thw.) Thw. var. *benthamii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Derris benthamii* (Thw.) Thw. var. *wightii* (Baker) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Derris brevipes* (Benth) Baker var. *brevipes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Derris brevipes*

(Benth) Baker var. coriacea Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Derris canarensis (Dalz.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Derris scandens (Roxb.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Derris thothathrii Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Derris trifoliata Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium alysicarpoides Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium barbatum (L.) Benth. subsp. sauliereri (Schind.) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium dichotomum (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium dolabriforme* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium ferrugineum* Wall ex Thw. subsp. *ferrugineum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium ferrugineum* Wall ex Thw. subsp. *wynaadense* (Bedd. ex Gamble) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium gangeticum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium heterocarpon* (L.) DC. var. *heterocarpon* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium heterocarpon* (L.) DC. var. *strigosum* Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium heterophyllum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium laxiflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium laxum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium microphyllum* (Thunb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium oojainense* (Roxb) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium pryonii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium pulchellum* (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium repandum* (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium styracifolium* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Desmodium*

tortuosum (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium triangulare (Retz.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium triflorum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium triquetrum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium velutinum (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmodium zonatum Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dicerna biarticulatum (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dolichos trilobus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dumasia villosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dunbaria ferruginea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dunbaria heynei* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eleiotis monophylla* (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythrina cristagalli* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythrina stricta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythrina suberosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythrina subumbrans* (Hassk.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythrina variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flemingia grahamiana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flemingia lineata* (L.) Roxb. Ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flemingia macrophylla* (Willd.) Prain ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flemingia nilgheriensis* (Baker) Wight ex Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flemingia semialata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flemingia stricta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flemingia*

strobilifera (L.) R. Br. ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flemingia tuberosa* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flemingia wallichii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flemingia wightiana* Grahams ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Galactia longifolia* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *lucida* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *villosa* (Wight & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Geissaspis cristata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gliricidia sepium* (Jacq.) Kunth ex Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glycine max* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hardenbergia comptoniana* (Link) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera aspalathoides* Vahl ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera astragalina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera caerulea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera*

cassioides Rottl. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera colutea (Buem. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera constricta (Thwaites) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera cordifolia Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera glandulosa Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera hirsuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera hochstetteri Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera karnatakana* Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera karuppiana* Pallithanam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera linifolia* (L.f.) Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera linnaei* Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera longiracemosa* Boiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera mysorensis* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera nummularifolia* (L.) Skina ex Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera oblongifolia* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera parviflora* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera pedicellata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera prostrata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera spicata* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera stachyodes* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera tinctoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera tirunelvelica* Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera*

trifoliata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera trita L.f. var. trita and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera trita L. f. var. maffei (Chiov.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera trita L. f. var. marginulata Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera uniflora Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera vicioides Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera wightii Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera zollingeriana Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lablab purpureus (L.) Sweet var. purpureus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lablab purpureus (L.) Sweet var. lignosus (Prain) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Laburnum anagyroides (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lathyrus aphaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lathyrus latifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lathyrus odoratus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lathyrus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lens culinaris Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leptodesmia congesta* (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lespedeza cuneata* (Dum. Cours.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lonchocarpus violaceus* Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lupinus angustifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lupinus luteus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lupinus pilosus* Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Macroptilium atropurpureum* (DC.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Macroptilium*

lathyroides (L) Urban var. semierectum (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macrotyloma ciliatum (Willd.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macrotyloma uniflorum (Lam.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Medicago sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melilotus alba Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Millettia racemosa (Wight & Arn.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Millettia rubiginosa Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Millettia splendens Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mucuna atropurpurea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mucuna gigantea (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mucuna monosperma DC. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mucuna pruriens (L.) DC. var. pruriens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mucuna pruriens (L.) DC. var. hirsuta (Wight & Arn.) Wilmot - Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mundulea sericea (Willd.) A. Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Neonotonia wightii (Graham ex Wight & Arn.) Lackey var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Neonotonia wightii (Wight & Arn.) Lackey var. coimbatorensis (Ajita Sen) Karthik. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ormocarpum cochinchinense* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ormosia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ougeinia oojeinensis* (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Paracalyx scariosa* (Roxb.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Parochetus communis* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phaseolus coccineus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phaseolus lunatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phaseolus*

vulgarisL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllodium pulchellum (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pisum sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pongamia pinnata (L.) Pierre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pseudarthria viscida (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psophocarpus tetragonolobus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psoralea corylifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psoralea pinnata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pterocarpus marsupium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pterocarpus santalinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pueraria triloba* (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pueraria tuberosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pycnospora lutescens* (Poir.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhynchosia albiflora* (Sims) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhynchosia aurea* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhynchosia cana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchosia capitata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchosia densiflora (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchosia filipes Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchosia heynei Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchosia jacobii Chandrabose & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchosia minima (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchosia nummularia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchosia

rothii Benth ex Aitch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchosia rufescens (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchosia suaveolens (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchosia velutina Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchosia viscosa (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Robinia pseudo-acacia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rothia indica (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesbania bispinosa (Jacq.) W. F. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sesbania grandiflora* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sesbania procumbens* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sesbania sesban* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sesbania speciosa* Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Shutteria involucrata* (Wall.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Smithia bigemina* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Smithia blKalam* Wall. ex Wight & Arn. var. *blKalam* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Smithia blKalam* Wall. ex Wight & Arn. var. *racemosa* (Heyne ex Wight & Arn.) Baker and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Smithia capitata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Smithia conferta* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Smithia gracilis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Smithia hirsuta* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Smithia sensitiva* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Smithia setulosa* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sophora glauca* Lesh.ex DC. Ann. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sophora*

interrupta Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sophora wightii Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spartium junceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stylosanthes fruticosa (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stylosanthes sunaica Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tephrosia barberi Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tephrosia calophylla Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tephrosia candida DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tephrosia canarensis* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tephrosia fusca* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tephrosia hookeriana* Wight & Arn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tephrosia maxima* Pres. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tephrosia pulcherrima* (Wight ex Baker) Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tephrosia pumila* (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tephrosia purpurea* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tephrosia spinosa* (L.f.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tephrosia strigosa* (Dalz.) Sant. & Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tephrosia tinctoria* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tephrosia vegellii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tephrosia villosa* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Teramnus labialis* (L.F.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Teramnus mollis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trifolium alexandrium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trifolium*

cernuum Brot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trifolium dubium Sibth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trifolium incarnatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trifolium pratense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trifolium repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trifolium subterraneum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trigonella foenum-graecum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ulex europaeus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Uraria alopecuroides* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Uraria lagopodioides* (L.) Desv. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Uraria rufescens* (DC.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vicia faba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vicia hirsuta* (L.) S. F. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vicia sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vicia villosa* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vigna aconitifolia* (Jacq.) Marechal and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vigna adenantha* (G. F. W. Meyer) Marechal, Mascherpa & Stainier and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vigna bourneae* Ganble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vigna dalzelliana* (Kuntze) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vigna grahamiana* (Wight & Arn.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vigna hosei* (Craib) Backer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vigna khKalamensis* (Sant.) Ragh. & Wadhwa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vigna mungo* (L.) Hepper and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vigna radiata*

(L.) Wilczek var. radiata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna radiata (L.) Wilczek var. sublobata (Roxb.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna subramaniana (Raizada) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna trilobata (L.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna umbellata (Thunb.) Ohwi & Ohahsi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna unguiculata (L.) Walp. subsp. cylindrica (L.) Eselt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna vexillata (L.) A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna wightii Benth. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Virgilia oroboides (Berg.) Salter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wisteria sinensis (Sims) Sweet. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zornia diphylla (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zornia gibbosa Span. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acrocarpus fraxinifolius Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Amherstia nobilis Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia acuminata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Bauhinia malabarica Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bauhinia phenicea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bauhinia purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bauhinia racemosa* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bauhinia tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bauhinia vahlii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bauhinia variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brownea grandiceps* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Brownea*

macrophylla Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia bonduc (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia coriaria (Jacq.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia cucullata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia decapetala (Roth) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia mimosoides Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia pulcherrima (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Caesalpinia sappan L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassia grandis* L. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassia javanica* L. var. *javanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassia javanica* L. var. *nodosa* Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassia javanica* L. var. *renigera* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassia montana* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassia siamea* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassia spectabilis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ceratonia siliqua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chamaecrista absus* (L.) H. Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chamaecrista auricoma* (Graham ex Benth.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chamaecrista kleinii* (Wight & Arn.) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chamaecrista lechenaultiana* (DC.) O. Deg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chamaecrista mimosoides* (L.) Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chamaecrista*

nigricans (Vahl) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chamaecrista pumilla (Lam.) K. Larsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynometra cauliflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cynometra travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delonix elata (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delonix regia (Boj. ex Hook) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hardwickia binata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Humboldtia bourdillonii Prian and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Humboldtia brunonis Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Humboldtia decurrense Bedd. ex Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Humboldtia unijuga Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Humboldtia vahliana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kingiodendron pinnatum (Roxb. ex DC.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parkinsonia aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peltophorum africanum Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peltophorum pterocarpum (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pterolobium hexapetalum* (Roth.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saraca asoca* (Roxb.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saraca thaipingensis* Cantley ex. Prain. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schizolobium parahybum* (Vell.) S. F. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Senna alata* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Senna alexandrina* Gars. ex Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Senna auriculata* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Senna*

didymobotrya (Fresn.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senna hirsuta (L.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senna intermedia (Sharma et al.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senna italica Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senna multiglandulosa (Jacq.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senna occidentalis (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senna pallida (Wall) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senna septumtrionalis (Viv.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senna sophera (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senna surattensis (Burm.f) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senna timoriensis (DC.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senna tora (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tamarindus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia armata R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia auriculiformis A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia baileyana F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia caesia (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia catechu (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia chundra (Roxb. ex Rottl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia confusa Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia cultriformis A. Cunn. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia concurrens Pedley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia dealbata Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia decora

Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia decurrens* (Wendl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia eburnea* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia elata* Cunn. Ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia farnesiana* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia ferruginea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia grahamii* Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia hohenackeri* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia homalophylla* A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia holosericea* A.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia horrida* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia leucophloea* (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia longifolia* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia maidenii* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia mearnsii* Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia melanoxylon* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia myrtifolia* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia neriifolia* A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia nilotica* (L.) Willd. ex Del. subsp. *indica* (Benth) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia pennata* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia planifrons* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia podalyriifolia* A. Cunn ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia polyacantha* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acacia*

pruinescens Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia pruinosa A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia pulchella R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia pycnantha Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia retinodes Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia saligna (Labill.) H. L. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia sinuata (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia tomentosa Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia torta (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia verticillata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acacia wightii Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adenantha pavonina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Albizia amara (Roxb.) Boivin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Albizia chinensis (Osbeck.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Albizia lathamii Hole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Albizia lebbeck (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Albizia odoratissima* (L.f.) Benth. var. *odoratissima* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Albizia odoratissima* (L.f.) Benth var. *mollis* Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Albizia procera* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Albizia Kalamn* (Jacq.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Albizia thompsonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Archidendron clypearia* (Jack) Nilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Archidendron monadelphum* (Roxb.)Nielsen var. *monadelphum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Archidendron*

monadelphum (Roxb.)Nielson var. gracile (Bedd.) Sanj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calliandra brevipes Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calliandra calothyrsus Meisn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calliandra haematocephala Hassk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calliandra inmeris (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cathormion umbellatum (Wall) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmanthus virgatus Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dichrostachys cinerea (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dichrostachys muelleri Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dichrostachys santapau Sebastian & Raman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Entada pursaetha DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Enterolobium cyclocarpum Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Haematoxylum campechianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucaena leucocephala (L.) Gills and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa intsia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa hamata Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mimosa pudica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neptunia prostrata* (Lam.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neptunia plena* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neptunia triquetra* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Paraserianthes falcataria* (L.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Paraserianthes lophantha* (Willd.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Parkia biglandulosa* Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pithecellobium*

dulce (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prosopis cineraria (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prosopis juliflora (Sw.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alchemilla indica Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chaenomeles speciosa (Sweet) Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cotoneaster bacillaris Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cotoneaster buxifolia Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cotoneaster microphyllus Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cotoneaster transens* G. Klotz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eriobotrya japonica* (Thunb.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fragaria chiloensis* (L.) Duchesne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fragaria nilgerrensis* Schlecht. ex Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fragaria vesca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kerria japonica* (L.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Malus baccata* (L.) Borkh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Malus sylvestris* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Photinia integrifolia* Lindl. var. *sublanceolata* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Photinia serratifolia* (Desf.) Kalkman var. *serratifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Photinia serratifolia* (Desf.) Kalkman var. *tomentosa* (Gamble) Vivek. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Potentilla indica* (Andr.) Wolf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Potentilla leschenaultiana* Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Potentilla sundaica* (Blume) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Prinsepia utilis* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Prunus*

armeniaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus avium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus cerasoides D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus ceylanica (Wight) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus domestica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus laurocerasus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus persica (L.) Batsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus salicina Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus serrulata Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pyrus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Quillaja saponaria Molina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa banksiae Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa brunonii Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa x centifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa x damascena Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa gigantea Collett ex Crop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa laevigata Michx. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa leschenaultiana Red. & Thory ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa multiflora Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus ellipticus Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus fairholmianus Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus glomeratus Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus idaeus L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus indicus Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus micropetalus Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus niveus Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus racemosus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus rugosus Smith var. rugosus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus rugosus Smith var. thwaitesii Focke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spiraea canescens D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spiraea cantoniensis* Lour. var. *cantoniensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spiraea cantoniensis* Lour var. *florepleno* Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spiraea japonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spiraea nipponica* Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Atuna indica* (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Atuna travancorica* (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrysobalanus icaco* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saxifraga stolonifera* Meerb. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vahlia dichotoma (Murr.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vahlia digyna (Retz.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parnassia mysorensis Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parnassia wightiana Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Deutzia scabra Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydrangea macrophylla (Thunb.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Philadelphus coronarius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Escallonia rubra

(Ruiz & Pav.) Pers. var. *macrantha* Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Escallonia montevidensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aeonium arboreum* (L.) Webb & Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bryophyllum fedtschenkoi* (Raym.-Hamet & H.Perrier) C.Y.Cheng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crassula multicava* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crassula quadrifida* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kalanchoe bhidei* Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kalanchoe grandiflora* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kalanchoe lanceolata* (Forsk.) Pers. var. *lanceolata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kalanchoe lanceolata* (Forsk.) Pers. var. *glabra* (Clarke) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kalanchoe lanceolata* (Forsk.) Pers. var. *glandulosa* (Hochst. ex A. Rich.) Cufod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kalanchoe olivacea* Dalz. & Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kalanchoe pinnata* (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kalanchoe schweinfurthii* Penzig and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kalanchoe tubiflora* Hamet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rochea coccinea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sedum mexicanum* Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tillaea pentandra* Royle ex Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drosera burmannii* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drosera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drosera peltata* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Exbucklandia populnea* (R.Br. Ex Griffith) R. W. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Liquidambar styraciflua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Laurembergia*

coccinea (Blume) Kan. var. coccinea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Laurembergia coccinea* (Blume) Kan. var. *zeylanica* (Arn. ex Clarke) Meyden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myriophyllum oliganthum* (Wight & Arn.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Callitriche stagnalis* Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bruguiera cylindrica* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bruguiera gymnorrhiza* (L.) Savigny and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carallia brachiata* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassipourea ceylanica* (Gard.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceriops decandra (Griff.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceriops tagal (Perr.) Robins and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kandelia candel (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhizophora x annamalayana Kathir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhizophora apiculata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhizophora mucronata Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anogeissus acuminata (Roxb. ex DC.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anogeissus latifolia (Roxb. Ex DC.) Wall ex Guill. & Perr. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calycopteris floribunda* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Combretum albidum* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Combretum coccineum* (Sonner.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Combretum nanum* Willd. Buch. - Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lumnitzera racemosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Quisqualis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Quisqualis malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Terminalia*

bellirica (Gaertn.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia catappa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia chebula Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia cuneata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia elliptica Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia gella Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia pallida Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia paniculata Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Terminalia travancorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acca sellowiana* (Berg) Burret and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Agonis flexuosa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Angophora costata* (Gaertn.) Britt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Angophora intermedia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Angophora lanceolata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Angophora subvelutina* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Baeckea virgata* (Forst.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Callistemon brachyandrus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Callistemon citrinus* (Curtis) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Callistemon polandii* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Callistemon rigidus* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Callistemon salignus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Callistemon viminalis* (Gaertn.) Don ex Loudon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus alpina* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus*

amygdalina Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus blakelyi Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus bosistoana F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus botryoides Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus bridgesiana R. T. Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus calophylla R. Br. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus camaldulensis Dehnh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus cephalocarpa Blakely and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus citriodora* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus cladocalyx* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus crebra* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus cypellocarpa* L.A.S. Johnson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus elata* Dehnh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus diversicolor* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus eugenioides* Sieb. ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus ficifolia* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus globulus* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus grandis* W.Hill ex Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus hemiphloia* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus leucadendron* Reinz. ex DeVriese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus leucoxylon* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus longifolia* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus macarthurii* Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus*

maculata Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus megacornuta C. A. Gardener and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus microcorys F. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus melliodora A. Cunn ex Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus nitida Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus nova-anglica Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus obliqua L. Her. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus ovata Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus paniculata Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus pauciflora Sieb ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus pipertia Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus polyanthemus Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus ptychocarpa F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus punctata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus radiata Sieb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus regnans F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus resinifera* Sm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus robusta* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus rossii* R. T. Baker & H. G. Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus saligna* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus siderophloia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus sideroxylon* A. Cunn.ex.Woolls and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus staigeriana* F. v. Muell. ex Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eucalyptus*

tereticornis Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus torelliana F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus viminalis Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eugenia bracteata (Willd.) Roxb ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eugenia calcadensis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eugenia continifolia Jacq. subsp. codyensis (Munro ex Wight) Ashton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eugenia discifera Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eugenia floccosa Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia indica* (Wight) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia mabaeoides* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia manickamia* Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia rottleriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia singampattiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia thwaitesii* Duthie and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia uniflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leptospermum flavescens* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leptospermum scoparium* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leptospermum stellatum* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lophostemon confertus* (R.Br.) Peter G. Wilson & J.T. Waterh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melaleuca armillaris* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melaleuca hypericifolia* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melaleuca leucadendron* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melaleuca nesophylla* F.v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melaleuca*

quinquenervia S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melaleuca styphelioides Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Meteoromyrtus wynaadensis (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Myrtus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pimenta dioica (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psidium cattleianum Sabine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psidium guajava L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhodomyrtus tomentosa (Ait.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syncarpia glomerulifera (Sm.) Nied. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syncarpia laurifolia Tenore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium alternifolium (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium aqueum (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium aromaticum (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium beddomei (Duthie) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium benthamianum (Wight ex Duthie) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium bourdillonii (Gamble) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Syzygium calophyllifolium* Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Syzygium caryophyllatum* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Syzygium chandrasekharanii* Chandrabose & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Syzygium courtallense* (Gamble) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Syzygium cumini* (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Syzygium densiflorum* Wall ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Syzygium fergusonii* (Trimen) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Syzygium*

gambleanum Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium gardneri Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium hemisphericum (Wight) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium jambos (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium laetum (Buch. - Ham.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium lanceolatum (Lam.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium malabaricum (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium malaccensis (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium megacarpum (Craib) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium mundagam (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium munronii (Wight) Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium myhendrae (Bedd. ex Brandis) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium rama-varmae (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium revolutum (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium rubicundum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium scoparium Wallich and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium spathulatum Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium sriganesanii Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium tamilnadensis Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium travancoricum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium venosum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium zeylanicum (L.) DC. var. zeylanicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium zeylanicum (L.) DC. var. ellipticum Henry, Chandrabose and Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium

zeylanicum (L.) DC. var. lineare (Duthie) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium zeylanicum (L.) DC. var. megamalayanum K. Ravik. & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Couroupita guianensis Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gustavia superba Berg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barringtonia acutangula (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barringtonia asiatica (L.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barringtonia racemosa (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Careya arborea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kendrickia walkeri* (Wight) Hook. f. ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Medinilla beddomei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Medinilla fuchsioides* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Medinilla malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melastoma malabathricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Memecylon angustifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Memecylon bremeri* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Memecylon depressum* Benth ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon edule Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon flavescens Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon gracile Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon gracillimum Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon grande Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon heyneanum Benth ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon kollimalayana Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon

lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon leucanthemum Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon lushingtonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon manickamii C. Murugan V. Sundaresan & G.J. Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon molestum (Clarke) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon mundanthuraianum Viswanathan & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon randerianum S.M. & M.R. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon rivulare Bremer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon rostratum Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon sisparens Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon subcordatum Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon subramanii Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon talbotianum Brandis & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon tirunelvelicum Murugan Manickam & Sundaresan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon umbellatum Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon varians Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia aspera* (L.) Blume var. *aspera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia aspera* (L.) Blume var. *travancorica* (Bedd. ex gamble) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia aspera* (L.) Blume var. *wightiana* (Benth ex Wight & Arn.) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia brachystemon* Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia buxifolia* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia gracilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia leschenaultiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia muralis*

Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia reticulata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia rubicunda* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia parvifolia* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *hispidissima* (Wight) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *rostrata* (D. Don) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia tirunelvelica* Manickam & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia virgata* D. Don ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia wynaadensis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia zeylanica* L f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila brunonis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila clarkei* Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila devicolamensis* Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila elegans* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila grandiflora* R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila inaequalis* Murugan et Manickam and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila kanyakumariana* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila longipetiolata* Josephine Manickam Murugan Sundaresan & Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila parameswaranii* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila pulneyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila rotundifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila sadasivanii* Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila speciosa*

Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila Royle* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila tinneveli* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila versicolor* Wight var. *versicolor* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila versicolor* Wight var. *axillaris* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila wallichii* Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonerila zeylanica* Wifht & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tibouchina urvilleana* (DC.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ammania baccifera* L. subsp *baccifera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ammania baccifera* L. subsp.*aegyptiaca* (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ammania multiflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ammania octandra* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cuphea hyssopifolia* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cuphea ignea* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cuphea platycentra* Lemaire and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lagerstroemia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lagerstroemia microcarpa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lagerstroemia parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lagerstroemia reginae* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lawsonia inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nesaea brevipes* Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nesaea prostrata* (Ham. ex Dillwyn) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pemphis acidula*

Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rotala densiflora* (Roth ex Roem. & Schultes) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rotala fimbriata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rotala illecebroides* (Arn. ex Clarke) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rotala indica* (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rotala macrKalam* Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rotala rosea* (Roiret.) C. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rotala rotundifolia* (Buch. Ham. Ex D. Don) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rotala verticillaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sonneratia apetala* Buch. -Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Punica granatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Circaea alpina* L. subsp. *imaicola* (Asch. & Magn.) Kitamura and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fuchsia arborescens* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fuchsia boliviana* Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fuchsia magellanica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ludwigia adscendens* (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ludwigia hyssopifolia* (G. Don) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ludwigia octovalvis* (Jacq.) Raven subsp. *sessiliflora* (Mich.) Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ludwigia perennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ludwigia peruviana* (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ludwigia prostrata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oenothera biennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oenothera glazioviana* Mich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oenothera*

nocturna Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oenothera odorata Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oenothera rosea Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oenothera stricta Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oenothera tetraptera Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trapa natans L. var. bispinosa (Roxb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Turnera subulata Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Turnera ulmifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adenia hondala (Gaertn.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adenia wightiana (Wall. ex Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Passiflora alba Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Passiflora antioquiensis Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Passiflora caerulea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Passiflora edulis Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Passiflora foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Passiflora holoserica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Passiflora laurifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Passiflora leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Passiflora ligularis* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Passiflora mollissima* (H. B. K.) Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Passiflora quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Passiflora suberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Passiflora subpeltata* Ortega and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carica papaya* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Benincasa hispida* (Thunb.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Citrullus colocynthis* (L.) Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Citrullus lanatus* (Thunb.) Matsumura & Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coccinia grandis* (L.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Corallocarpus epigaeus* (Rottl. & Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ctenolepis garcinii* (Burm.f.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cucumis melo* L. var. *melo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis melo L. var. utilissimus (Roxb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis prophetarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucumis trigonus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucurbita maxima Duchesne ex Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucurbita moschata (Duchesne ex Lam.) Duchesne ex Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cucurbita pepo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Diplocyclos palmatus (L.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gymnopetalum wightii* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gynostemma pentaphyllum* (Thunb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kedrostis courtallensis* (Arn.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kedrostis foetidissima* (Jacq.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lagenaria siceraria* (Molina) Standley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Luffa acutangula* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Luffa cylindrica* (L.) M.Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Momordica*

charantia L. var. charantia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Momordica charantia L. var. muricata (Willd.) Chakravarty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Momordica cymbalaria Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Momordica dioica Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Momordica subangulata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mukia leiosperma (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mukia maderaspatana (L.) M. Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sechium edule (Jacq.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solena amplexicaulis* (Lam.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Solena angulata* (Chakravarty) Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichosanthes anaimalaiensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichosanthes cucumerina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichosanthes lobata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichosanthes nervifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichosanthes tricuspidata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Zehneria maysorensis* (Wight & Arn.) Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Zehneria scabra* (L.f.) Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Zehneria thwaitesii* (Schweinf.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Begonia albo-coccinea* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Begonia aliciae* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Begonia anamalayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Begonia cordifolia* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Begonia floccifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Begonia*

integrifolia Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Begonia malabarica Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Begonia subpeltata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tetrameles nudiflora R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cereus pterogonus Lem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyindropuntia ramosissima (Engler) Knuth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Epiphyllum oxypetalum (DC.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hylocereus undatus (Haw.) Britton & Rosc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nopalea cochenillifera* (L.) Salm-Dyck and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Opuntia elatior* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Opuntia ficus - indica* (L.) Miller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Opuntia stricta* (Haw.) Haw. var. *dillenii* (Ker Gawl.) L. D. Benson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Opuntia vulgaris* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pereskia aculeata* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lampranthus spectabilis* (Haw.) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sesuvium portulacastrum* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trianthema portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trianthema triquetra* Rottl. var. *triquetra* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trianthema salsoloides* Oliv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Zaleya decandra* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Corbichonia decumbens* (Forsk.) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gisekia pharnaceoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glinus lotoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glinus*

oppositifolius (L.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mollugo cerviana (L.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mollugo disticha Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mollugo nudicaulis Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mollugo pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mollugo stricta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anethum graveolens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Apium graveolens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bupleurum distichophyllum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bupleurum plantaginifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bupleurum wightii* Mukh. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bupleurum wightii* Mukh. var. *ramosissimum* (Wight & Arn.) Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Carum nothum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Centella asiatica* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coriandrum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cuminum cyminum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Daucus carota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Foeniculum vulgare* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heracleum aquilegifolium* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heracleum candolleianum* (Wight & Arn.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heracleum ceylanicum* Gard. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heracleum courtallense* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heracleum hookerianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heracleum rigens*

Wall ex DC. var. rigens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heracleum rigens Wall ex. DC. var. elongatum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heracleum rigens Wall ex DC. var. multiradiatum Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heracleum sprengeianum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydrocotyle conferta Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydrocotyle javanica Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydrocotyle sibthorpioides Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pastinaca sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Petroselinum crispum* (Mill.) Nyman ex auct.non. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Peucedanum anamallayense* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pimpinella candolleana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pimpinella heyneana* (Wall ex DC.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pimpinella leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pimpinella pulneyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pimpinella wallichiana* (Miq.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sanicula elata* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trachyspermum ammi* (L.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trachyspermum roxburghianum* (DC.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vanasushava pedata* (Wight) Mukh. & Constance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aralia malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedera australiana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedera helix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polyscias acuminata* (Wight) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polyscias*

fruticosa (L.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pentapanax leschenaultii* (DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schefflera capitata* (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schefflera clarkiana* Craib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schefflera maduraiensis* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schefflera racemosa* (Wight) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schefflera rostrata* (Wight) Harms var. *rostrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schefflera rostrata* (Wight) Harms var. *micrantha* (Clarke) Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schefflera roxburghii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schefflera stellata* (Gaertn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schefflera venulosa* (Wgith & Arn.) Harms var. *venulosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schefflera venulosa* (Wgith & Arn.) Harms var. *obliquinervia* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schefflera wallichiana* (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tetrapanax papyrifer* (Hook.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cornus capitata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mastixia arborea* (Wight) Bedd. subsp. *arborea* and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mastixia arborea* (Wight) Bedd. subsp. *meziana* (Wang.) Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alangium salvifolium* (L.f.) Wang. subsp. *salvifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alangium salvifolium* (L.f.) Wang. subsp. *hexapetalum* (Lam.) Wang and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diervilla florida* Sieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lonicera caprifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lonicera etrusca* Santi. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lonicera japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lonicera*

leschenaultii Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lonicera ligustrina Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lonicera periclymenum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lonicera sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viburnum cylindricum Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viburnum erubescens Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viburnum hebanthum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viburnum punctatum Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sambucus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acranthera anamallica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acranthera grandiflora Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aidia gardneri (Thw.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agrostemma courtallense Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Agrostemma verticillatum Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Benkara malabarica (Lam.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Byrsophyllum tetrandrum (Bedd.) Hook.f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canthium angustifolium Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canthium ficiforme Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canthium neilgherrense Wight var. neilgherrense and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canthium neilgherrense Wight var. chartacea (Gamble) Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canthium coromandelicum (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canthium rheedii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Canthium travancoricum (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Catesbaea

spinosa Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Catunaregam spinosa (Thunb.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ceriscoides turgida (Roxb.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chassalia curviflora (Wall. ex Kurz) Thw. var. ophioxylodes (Wall.) Deb & Krishna and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinchona calisaya Wedd. var. calisaya and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinchona calisaya Wedd. var. ledgeriana How. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinchona officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cinchona succirubra Pav. ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coffea arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coffea canephora* Pierre ex A. Froehner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coffea liberica* Bull. ex Hiern var. *dewevrei* (De Wild. & T. Durand) Leburn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Coffea travancorensis* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Deccania pubescens* (Roth) Tirvengadam var. *pubescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Deccania pubescens* (Roth) Tirvengadam var. *candolleana* (Wight & Arn.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dentella repens* (L.) Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dentella serpyllifolia* Wall. ex Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fergusonia tetracocca* (Thw.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Galium asperifolium* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Galium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gardenia angusta* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gardenia gummifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gardenia latifolia* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gardenia resinifera* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Geophila repens*

(L.) I.M. Johnston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Guettarda speciosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Haldina cordifolia* (Roxb.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hamelia patens* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis affinis* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis albournervia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis anamalayana* (Gamble) R. Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *articularis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis articularis R.Br. ex Wight & Arn. subsp. santapau (Shetty & Vivek.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis aspera Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis auricularia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis barberi (Gamble) Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis beddomei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis biflora (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis brachiata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis buxifolia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis caerulea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis corymbosa* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis devicolamensis* Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis diffusa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis erecta* Manilal & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis eualata* (Gamble) Henry & Subram. var. *eualata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis eualata* (Gamble) Henry & Subram. var. *agastyamalayana* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis gamblei*

Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis gracilis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis graminifolia* L.f. var. *graminifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis graminifolia* L.f. var. *shuteri* (Hook. f.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis herbacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis hirsutissima* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis lessertiana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis nitida* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis ovatifolia* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis pruinosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis pterita* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis puberula* (G.Don) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis pumila* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis purpurascens* Hook.f. var. *purpurascens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis purpurascens* Hook.f. var. *pallida* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis ramarowii* (Gamble) R.Rao & Hemadri var. *ramarowii* and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis ramarowii (Gamble) R. Rao & Hemadri var. kannikattica Sundaresan, Manickam ,G.J. Jothi & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis shettyi Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis sisparensis Gage and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis leschenaultiana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis swertioides Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis villosostipulata (Gamble) R.Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedyotis viscida* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hydrophylax maritima* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hymenodictyon obovatum* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hymenodictyon orixense* (Roxb.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ixora brachiata* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ixora coccinea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ixora cuneifolia* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ixora elongata* Heyne ex G.Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora finlaysoniana Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora johnsoni Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora leucantha Heyne ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora malabarica (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora monticola Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora nigricans R.Br. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora notoniana Wall. ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora pavetta

Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *sumatrensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *glaberrima* Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *hookeriana* Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *linearis* (Gamble) Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Knoxia wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lasianthus acuminatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lasianthus blumeanus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lasianthus capitulatus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lasianthus ciliatus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lasianthus cinereus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lasianthus dichotomous Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lasianthus jackianus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lasianthus oblongifolius Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lasianthus parvifolius Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lasianthus rostratus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lasianthus strigillosus* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lasianthus truncatus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lasianthus venulosus* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Luculia grandifolia* Ghose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Luculia gratissima* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Luculia pinceana* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mitracarpus villosus* (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mitragyna*

parvifolia (Roxb.) Korth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mitragyna tubulosa (Arn.) Hav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morinda citrifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morinda pubescens J.E. Smith var. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morinda pubescens J.E. Smith var. tomentosa Rathna Kumari & Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morinda pubescens J.E. Smith var. stenophylla (Spreng.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morinda reticulata Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morinda umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mussaenda belilla* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mussaenda frondosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mussaenda glabrata* (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mussaenda hirsutissima* (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mussaenda tomentosa* Wight ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mycetia acuminata* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neanotis decipiens* (Hook.f.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neanotis hutchinsonii* Deb & R. Dutta and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neanotis indica* (DC.) W.H. Lewis var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neanotis indica* (DC.) W.H. Lewis var. *affinis* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neanotis indica* (DC.) W.H. Lewis var. *deltoidea* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *monosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *tirunelvelica* Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neanotis nummularia* (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neanotis rheedei* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neanotis richardiana* (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neanotis tubulosa* (G.Don) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neanotis wightiana* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neolamarckia cadamba* (Roxb.) Bosser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neonauclea purpurea* (Roxb.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neurocalyx calycinus* (R.Br. ex Benn.) Robins. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nostolachma crassifolia* (Gamble) Deb & Lahiri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ochreinauclea missionis* (Wall. ex G.Don) Ridsdale and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Octotropis travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiorrhiza barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiorrhiza brunonis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiorrhiza eriantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiorrhiza grandiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiorrhiza hirsutula* Wight ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiorrhiza incarnata* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiorrhiza*

mungos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiorrhiza pectinata* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiorrhiza pykarensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiorrhiza roxburghiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiorrhiza rugosa* Wall. var. *argentea* (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiorrhiza rugosa* Wall. var. *merguensis* (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiorrhiza rugosa* Wall. var. *prostrata* (D.Don.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiorrhiza tirunelvelica* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oxyceros rugulosus* (Thw.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavetta blKalam Bremek.* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavetta breviflora* DC. var. *breviflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavetta breviflora* DC. var. *ciliolata* Gamble ex Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavetta breviflora* DC. var. *glaberrima* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavetta breviflora* DC. var. *pubescens* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavetta breviflora* DC. var. *subcoriacea* Gamble. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavetta brunonis* Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavetta calophylla* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavetta hispidula* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavetta hohenackeri* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavetta indica* L. var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavetta indica* L. var. *minor* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavetta indica* L. var. *montana* Thw. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavetta laeta* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavetta*

oblanceolata Bremek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pavetta praeterita Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pavetta thomsonii Bremek. var. puberula Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pavetta tomentosa Roxb. ex J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pavetta wightii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pavetta zeylanica (Hook.f.) Gamble var. zeylanica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pavetta zeylanica (Hook.f.) Gamble var. puberula Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pentas lanceolata (Forssk.) Deflers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pentas zanzibarica* (Klotzsch) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pleiocraterium verticillare* (Wight & Arn.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Portlandia grandiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pseudaidea speciosa* (Bedd.) Tirv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psilanthus wightianus* (Wight & Arn.) J. Leroy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psychotria anamallayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psychotria barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psychotria beddomei* Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria bisulcata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria connata Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria flavida Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria fosbergii Sohmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria globicephala Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria johnsonii Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria macrocarpa Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria nigra

(Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria nilgiriensis Deb & Gang. var. nilgiriensis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria nilgiriensis Deb & Gang. var. astephana (Hook.f.) Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria nudiflora Wight & Arn. var. nudiflora and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria nudiflora Wight & Arn. var. latifolia Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria octosulcata Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria sarmentosa Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria subintegra (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psychotria truncata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psydrax dicoccos* Gaertn. var. *dicoccos* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psydrax dicoccos* Gaertn. var. *lanceolatus* (Arn.) Ridsd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psydrax ficiformis* (Hook.f.) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psydrax umbellata* (Wight) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Richardia brasiliensis* Gomes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Richardia scabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rubia cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saprosma corymbosum* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saprosma foetens* (Wight) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saprosma fragrans* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saprosma glomeratum* (Gard.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spermacoce articularis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spermacoce assurgens* Ruiz et Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spermacoce hispida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spermacoce*

latifolia Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spermacoce mauritiana Osea Gideon ex Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spermacoce pusilla Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spermacoce ramanii Sivarajan & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spermacoce ocymoides Burm.f. var. ocymoides and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spermacoce ocymoides Burm.f. var. thekkumalensis (Sivarajan & Joseph) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tamilnadia ulginosa (Retz.) Tirvengadam & Sastre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tarenna alpestris (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica forma rigida* (Wight) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *montana* (Thw.) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tarenna canarica* (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tarenna monosperma* (Wight & Arn.) Raju. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tarenna nilagirica* (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tricalysia apiocarpa* (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tricalysia sphaerocarpa* (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Urophyllum ceylanicum* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wendlandia angustifolia* Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wendlandia thyrsoides* (Schultes) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Valeriana arnottiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Valeriana hookeriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Valeriana leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Valeriana moonii* Arn.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dipsacus*

leschenaultii Coult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scabiosa atropurpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acanthospermum hispidum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Achillea millefolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acroclonium roseum Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adenon indicum Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adenostemma lavenia (L.) Kuntze var. lavenia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Adenostemma lavenia (L.) Kuntze var. madurense (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adenostemma lavenia* (L.) Kuntze var. *reticulatum* (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adenostemma lavenia* (L.) Kuntze var. *rugosum* (DC.) Ram Lal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ageratina adenophora* (Spreng.) R.King & H. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ageratum conyzoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ageratum houstonianum* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Amberboa ramosa* (Roxb.) Jafri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anaphalis aristata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anaphalis beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis bournei Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis brevifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis busua (Buch.-Ham.ex D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis elliptica DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis lawii (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis leptophylla (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis marcescens (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis

meeboldii W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis neelgerryana (Sch. - Bip. ex DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis notoniana (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis subdecurrens (DC.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis travancorica W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anaphalis wightiana (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arctotis venusta Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argyranthemum frutescens Sch. Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia nilagirica* (Clarke) Pamp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia pallens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Artemisia sieversiana* Ehrh. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aster indamellus* Grierson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aster laevis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aster cordifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aster rotundifolius* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bidens biternata* (Lour.) Merr. & Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bidens pilosa* L. var. *pilosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bidens pilosa* L. var. *minor* (Blume) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bidens triplinervia* H.B.K. var. *macrantha* (Wedd.) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blainvillea acmella* (L.) Philipson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blepharispermum petiolare* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blepharispermum subsessile* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea alata*

(D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumea aurita (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumea barbata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumea Nripatingeriana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumea bifoliata (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumea clarkei Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumea eriantha DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Blumea fistulosa (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *hieracifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *flexuosa* (Clarke) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *hamiltonii* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *macrostachya* (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea lacera* (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea lanceolaria* (Roxb.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea malcolmii* (Clarke) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea membranacea* Wall. ex DC. var. *membranacea* and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea membranacea* Wall. ex DC. var. *jacquemontii* (Hook.f.) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea mollis* (D.Don) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea obliqua* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea oxyodonta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea virens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Blumea flava* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bracteantha bracteata* (Vent.) Andr. & Haegi var. *bracteata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bracteantha*

bracteata (Vent.) Andr. var. albidum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calendula officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Callistephus chinensis (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carpesium cernuum L. var. nilagiricum Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Carthamus tinctorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Centaurea cyanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Centrantherum punctatum Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Centipeda minima (L.) A. Braun & Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chromolaena odorata* (L.) King & Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrysanthemum anethifolium* Brouss. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chrysanthemum coronarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elaeagnus angustifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elaeagnus caudata* SCHLECHT. EX MOMIYAMA caudata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elaeagnus conferta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elaeagnus hortensis* M. BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elaeagnus indica* SERV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeagnus kologa SCHLECHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeagnus latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeagnus parvifolia WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeagnus pyriformis HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeagnus umbellata THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeocarpus floribundus BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeocarpus ganitrus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeocarpus

lanceolatus BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeocarpus munronii (WIGHT.) MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeocarpus oblongus GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeocarpus serratus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeocarpus sphaericus (GAERTN.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeocarpus tuberculatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeodendron glaucum PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeodendron roxburghii W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elatostema lineolatum WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elatostema platyphyllum WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elatostema sessile FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eleocharis dulcis (BURM.F.) TRIN. EX HENSCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elephantopus scaber L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eleetaria cardamomum MATON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eleetaria cardamomum MATON major THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eleetaria cardamomum MATON minor and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elettaria cardamomum* MATON *miniscula* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elettaria repens* BAILOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eleusine aegyptiaca* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eleusine coracana* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eleusine indica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eleutherococcus senticosus* (RUPR. & MAXIM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elsholtzia bIKalam* (BTH.) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Elsholtzia ciliata*

(THUNB.) HYLAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elsholtzia densa BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elsholtzia pilosa BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elsholtzia polystachya BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elsholtzia strobilifera BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elytraria acaulis (L.F.) LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elytrophorus spicatus (WILLD.) CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Embelia acutipetalum (LAM.EX HASSK.) S.M.& M.R. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Embelia ribes BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Embelia robusta C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Embelia subcoriacea (CL.) MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Embelia tsjeriam-cottam A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Emblica officinalis GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Embryopteris glutinifera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Emilia javanica (BURM. F.) C. B. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Emilia sonchifolia (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Engelhardia polystachya RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Engelhardtia roxburghiana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Engelhardtia spicata LESCHEN EX. BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Enhydra fluctuans LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Enhydra fluctuans LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eniada scandens AUCT. NON BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Enicostemma axillare (LAM.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Enicostemma

hyssopifolium (WILLD.) VERDOORN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Enicostemma littorale BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Enicostemma verticillatum (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Entada phaseoloides MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Entada pursaetha DC. pursaetha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Entada rheedii SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Entada scandens BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Enteropogon dolichostachyus (LAGAS.) KENG EX LAZAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Epilobium divaricatum* (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ephedra equisetina* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ephedra gerardiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ephedra intermedia* SCHR. & MEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ephedra major* HOST NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ephedra nevadensis* WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ephedra peduncularis* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ephedra saxatilis* STAPF sikkimensis STAPF. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ephedra sinica* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ephedra vulgaris* HOOK.F. NON A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ephemerantha macraei* (LINDL.) HUNT & SUMMERH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Epidendrum retusum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Epidendrum tenuifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Epilobium angustifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Epilobium hirsutum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Epilobium*

roseum SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Epilobium royleanum HOUSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Epimedium elatum MORR. & DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Epipactis latifolia ALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Equisetum arvense L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Equisetum debile ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Equisetum diffusum DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Equisetum ramosissimum DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eragrostis amabilis (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eragrostis ciliata NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eragrostis cynosuroides BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eragrostis gangetica (ROXB.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eragrostis nutans (RETZ.) NEES EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eragrostis tremula HOCHST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eragrostis viscosa TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eranthemum bicolor SCHRANK. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eranthemum nervosum (VAHL) R. BR. EX ROEM & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eranthemum purpurascens NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eranthemum roseum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erechites valerianaefolia (WOLF.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eremostachys acanthocalyx BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eremostachys lasiofolia BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eremostachys superba ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eremostachys

vicaryi BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eremurus himalaicus Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eria calamifolia HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eria pannea LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erianthus arundinaceus (RETZ.) JESWEIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erianthus munja JESW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erigeron alpinus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erigeron asteroides ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erigeron bellidioides (DON) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erigeron bonariensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erigeron canadensis TENORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erigeron floribundus (H.B. & K.) SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erigeron multiradiatus (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erigeron sublyratus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriglossum rubiginosum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriobotrya japonica LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eriobotrya latifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eriocaulon setaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eriocaulon sexangulare* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eriocaulon sieboldianum* S. & Z. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eriodendron anfractuosum* BC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erioglossum rubiginosum* (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eriolaena hookeriana* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eriolaena*

quinquelocularis WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriosema chinense VOG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriosema himalaicum OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eritrichium canum (BTH.) KITAMURA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erodium cicutarium (L.) L'HERT EX AIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erodium moschatum L'HERIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erophila verna (L.) C.E. MEY. EX GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eruca sativa GARS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eruca vesicaria* (LINN.) CAV. sativa (mill.)thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ervatamia coronaria* (JACQ.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ervatamia dichotoma* (ROXB.) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ervatamia heyneana* T.COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ervatamia orientalis* (R.BR.) TURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ervatamia divaricata* (LINN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erycibe paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erygium caeruleum* BEIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eryngium coeruleum BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eryngium biebersteinianum NEVSKI EX BABROV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eryngium billardieri DELAR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eryngium caeruleum BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eryngium foetidum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erysimum altaicum C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erysimum repandum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erysimum

sisymbrioides C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erythraea roxburghii G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erythrina arborescens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erythrina corallodendron L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erythrina fusca LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erythrina indica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erythrina resupinata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erythrina stricta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythrina suberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythrina variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythrina variegata* L. *orientalis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythronium indicum* ROTTL. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythralum scandens* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythroxylium coca* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythroxylium areolatum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythroxylium lucidum* MOON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erythroxyllum monogyneum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erythroxyllum monogynum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erythroxyllum monogynum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erythroxyllum moonii HOCHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erythroxyllum retusum BAUER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Erythroxyllum retusum BAUER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ethulia conyzoides L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus

camaldulensis DENST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus citriodora HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus globulus LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucalyptus resinifera HORT. ARG. EX MAIDEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euchresta horsfieldii (LESCH.) BENNETT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euchretia buxifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eucomis undulata AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eugenia aromatica KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia bracteata* (WILD.) ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia caryophyllaea* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia hemispherica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia jambolana* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia jambos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia malaccensis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia munroii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia occidentalis* BOURD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia operculata* SENSU DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia spicata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eugenia uniflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eulaliopsis binata* (RETZ.) C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eulophia Kalammanensis* REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eulophia campestris* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eulophia cullenii*

(WIGHT) BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eulophia dabia (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eulophia epidendrea (KOENIG) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eulophia explanata LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eulophia herbacea LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eulophia nuda LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eulophia pratensis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eulophia ramentacea WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eulophia spectabilis (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euodia lanu-ankenda (GAERTN.)MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euonymus atropurpureus JACQ.B.P. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euonymus crenulatus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euonymus hamiltonianus WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euonymus indicus HEYNE EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euonymus javanicus BL.BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euonymus pendulus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euonymus serratifolius* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euonymus theophrasti* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euonymus tingens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eupatorium adenophorum* SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eupatorium ayapana* VENT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eupatorium birmanicum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eupatorium cannabinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eupatorium*

glandulosum SCH. BIP. EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eupatorium odoratum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eupatorium perfoliatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eupatorium triplinerve VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia acaulis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia antiquorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia atoto G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia barnhartii CROIZAT, EUPHORB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia bombaiensis SANT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia caducifolia HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia chamaesyce L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia cognata BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia dracunculoides LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia fusiformis BUCHY.-HAM. EX D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia granulata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia helioscopia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia hirta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia hispida BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia hypericifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia inaequilatera SOND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia laeta HEVNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia lathyris LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia ligularia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia

longan STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia longifolia D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia microphylla HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia milii DESMOUL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia neriifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia nivulia BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia onicrophylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia orbiculata H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia pilosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia pilulifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia prostrata AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia pulcherrima WILLD. EX KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia resinifera BERQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia rosea RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia rothiana SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia royleana BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia sanguinea* HOCHST. & STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia splendens* BOI EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia stracheyi* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia thomsoniana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia thymifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia tibetica* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia tirucalli* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euphorbia tortilis*

ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia trigona HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia turcomanica BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia uniflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia wallichii HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia longana LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia himalaica WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphorbia odontites LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphrasia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euphrasia platyphylla PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eurya acuminata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eurya japonica AUCT. NON THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eurya nitida KOTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euryale ferox SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euryangium sumbul KAUFFMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eurycoma longifolia JACK. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Evodia fraxinifolia HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Evodia lunu-ankenda MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Evodia meliaefolia BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Evodia roxburghiana BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Evodia rutaecarpa HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Evodia trichotoma (LOUR.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Evolvulus alsinoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Evolvulus

emarginatus BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Evolvulus nummularius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Exacum bicolor ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Exacum lawii C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Exacum pedunculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Exacum tetragonum ROXB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Excoecaria acerifolia F. DIDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Excoecaria agallocha L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Excoecaria crenulata WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Exogonium purga LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fabiana imbricata RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fagonia arabica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fagonia bruguieri DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fagonia cretica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fagonia indica L. schweinfurthii HADIDI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fagopyrum cymosum MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fagopyrum dibotrys* (DON) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fagopyrum esculentum* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fagopyrum tataricum* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fagraea ceilanica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fagraea imperialis* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fagraea obovata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fagraea racemosa* JACK, ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Farsetia*

aegyptiaca TURRA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Farsetia edgeworthii HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Farsetia hamiltonii ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Farsetia jacquemontii HOOK. F. & TH. jacquemontii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Farsetia jacquemontii HOOK.F. TH. edgeworthii (HOOK. F. & TH.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Feronia elephantum CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Feronia limonia (L.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ferula alliacea BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ferula assa-foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ferula foetida* REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ferula galbaniflua* BOISS. & BUHSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ferula jaeschkeana* VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ferula narthex* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ferula orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ferula persica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ferula suaveolens* AITCH. & HEMSEL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ferula sumbul HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ferula thomsoni C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Festuca indica RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fibraurea chloroleuca Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fibraurea tinctoria LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus altissima BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus amplissima SMITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus arnottiana

(MIQ.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus asperrima ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus auriculata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus bengalensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus benjamina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus callosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus carica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus cunia HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus dalhousiae MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus drupacea THUNB. pubescens (ROTH) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus elastica ROXB. EX. HORNEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus exasperata VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus fistulosa REINW. EX BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus fulva REINW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus gibbosa BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus glabella BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus glomerata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus heterophylla L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus hirta VAHL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus hispida L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus infectoria SENSU ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus lacor BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus lacor

BUCH.- HAM. infectoria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus lacor BUCH.- HAM. lambertiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus lacor BUCH.- HAM. wightiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus lucescens BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus microcarpa L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus mollis VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus oppositifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus palmata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus racemosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus religiosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus retusa AUCTION. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus ribes REINW. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus rumphii BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus scandens ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus semicordata BUCH. EX J. E. SMITH conglomerata (ROXB.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus talboti G.KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus tinctoria FORST. F. parasitica parasitica (WILLD.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus tinctoria FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus tomentosa ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus tsiela ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus tsjakela BURM .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus virens AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ficus wightiana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Filago arvensis

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Filicium decipiens (WIGHT & ARN.) THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis annua (ALL.) ROOM & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis argentea (ROTTB.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis bisumbellata (FORSK.) BUB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis diphylla VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis falcata (VAHL) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fimbristylis junciformis KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis miliacea* L. & VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis ovata* (BURM.F.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis polytrichoides* (RELZ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fimbristylis sietiniana* KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fioria vitifolia* (L.) MATTEI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Firmiana colorata* (ROXB.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fissendocarpa linifolia* (VAHL) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fissistigma polyanthum* MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flacourtia cataphracta ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flacourtia indica (BURM.F.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flacourtia jangomas (LOUR.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flacourtia ramontchi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flacourtia sapida WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flacourtia sepiaria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flagellaria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flaveria

australasica HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flemingia bracteata (ROXB.) WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flemingia chappar BUCH.-HAM. EX BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flemingia congesta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flemingia grahamiana WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flemingia macrophylla (WILLD.) O.KTZE. EX MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flemingia nana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flemingia paniculata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flemingia procumbens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flemingia semialata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flemingia stricta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flemingia strobilifera* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flemingia tuberosa* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flemingia wightiana* GRAHAM EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fleurya interrupta* (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flickingeria fugax* (RCHB.F.)SEODEMF. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flickingeria macraei* (LINDL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flickingeria nodosa* (DALZ.) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Floscopa scandens* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fluegea leucopyrus* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flueggea leucopyrus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flueggea microcarpa* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Flueggea virosa* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Foeniculum*

capillaceum GILB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Foeniculum vulgare GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Foeniculum vulgare GAERTN dulce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fomes officinalis (VIL EX. FR.) LLOYD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fortunella japonica (THUNB.) SWINGLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fragaria indica ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fragaria nilgherrensis SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Francoeria crispa CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Frankenia pulverulenta L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fraxinus excelsior L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fraxinus floribunda WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fraxinus hookeri WENZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fraxinus ornus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fritillaria cirrhosa D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fritillaria imperialis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fritillaria roylei HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fucus distichus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fucus nodosus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fucus vesiculosus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fumaria indica* PUGSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fumaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fumaria parviflora* AUCTION. NON. LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fumaria vaillantii* LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Furcraea foetida*

(L.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fynura bicolour (WILLD.)DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gaillonia aucheri JAUB. & SPACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Galega purpurea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Galega spinosa L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Galeopsis tetrahit L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Galidium cartilagineum (L.) GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Galinsoga parviflora CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Galium acutum EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Galium aparine L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Galium asperifolium WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Galium elegans BLOCKI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Galium mullugo L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Galium rotundifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Galium triflorum MICHX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Galium verum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ganophyllum falcatum BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia atroviridis GRIFF. EX T. ANDER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia cambogia GAERTN. DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia cornea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia cowa ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia dulcis KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia echinocarpa THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia gummi-

gutta (L.) ROBS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia hanburyi HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia heterandra WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia indica (DUP.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia kydia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia mangostana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia morella (GAERTN.) DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia pedunculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia pictoria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia purpurea G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia rubro-echinata KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia spicata (WIGHT & ARN.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia talbotii RAIZADA EX SANTAPAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia tinctoria (DC.) W.F. WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia travancorica BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia wightii T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia xanthochymus HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gardenia augusta (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gardenia campanulata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gardenia dumetorum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gardenia floribunda ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gardenia florida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gardenia gummiifera L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gardenia incida

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gardenia jasminoides ELLIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gardenia latifolia AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gardenia lucida ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gardenia nummularioides DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gardenia resinifera ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gardenia turgida ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garuga pinnata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gastrochilus longiflora WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gastrochilus pandurata RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gaultheria fragrantissima WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gaultheria nummularioides D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gaultheria procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gaultheria trichiphylla ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gelidium cartilagineum GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gelonium bifarium Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gelsemium elegans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gelsemium sempervirens* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gemphostemma ovatum* WALL. EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gendarussa vulgaris* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Geniosporum gracilo* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Geniosporum prostratum* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Geniosporum tenuiflorum* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gentiana algida*

PALLAS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentiana argentea ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentiana borealis GRISEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentiana carinata GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentiana chirayta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentiana decumbens L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentiana desonasa (ROTTB.) G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentiana kurroo ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentiana lutea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentiana moorcroftiana WALL. EX. G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentiana olivieri GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentiana quadrifaria Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentiana renella FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentiana stipitata EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentiana tenella FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentiana thianschanica RUPR. EX KUSN. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentianella moorcroftiana (WALL. EX GRISEB.) AIRY-SH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentianella pedunculata (ROYLE) H. SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentianella tenella (ROTTB.) BORNER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gentianopsis detonsa (ROTTB.) MA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geodorum densiflorum (LAM.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geodorum dilatatum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geophila herbacea KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geophila

reniformis D. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geophila repens (L.) I.M.JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geranium himalayense KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geranium lucidum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geranium mascatense BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geranium molle L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geranium nepalense SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geranium ocellatum CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geranium pratense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geranium pusillum BURM.F.SPEC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geranium rivulare VILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geranium robertianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geranium rotundifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geranium sibiricum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geranium wallichianum DON EX SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gerbera gossypina (ROYLE) BEAUV. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gerbera lanuginosa BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gerbera piloselloides (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geum alatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geum elatum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geum roylei WALL. EX BOLLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Geum urbanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Giesekia pharnacoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ginkgo biloba L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Girardinia diversifolia* (LINK) FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Girardinia heterophylla* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Girardinia leschenaultiana* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Girardinia zeylanica* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Girardinia cuspidata* (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Girardinia reticulata* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gisekia pharnaceoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Givotia rottleriformis* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gleditsia sinensis* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gleditsia triacanthos* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gleichenia longissima* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glinus dictamnoides* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glinus lotoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glinus oppositifolius* (L.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gliricidia maculata* (H.B. & K.) STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Globba clarkeii* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Globba marantina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Globba multiflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Globba orixensis* ROXB. ASIAT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Globba pauciflora* KING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glochidion calocarpem* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glochidion calocarpum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glochidion*

ellipticum WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glochidion heyneanum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glochidion hohenackeri BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glochidion lanceolarium VOIGT. NON DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glochidion multiloculare MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glochidion oblatum HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glochidion sumatrana MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glochidion tomentosum DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glochidion zeylanicum A. JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gloriosa superba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glossocardia bosvallea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glossocardia linearifolia CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glossogyne bidens (RETZ.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glossogyne pinnatifida DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glossonema varians BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gluta travancorica BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glycine labialis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glycine max (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glycine pentaphylla DLAZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glycine soja SIEB. & ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glycosmis arborea (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glycosmis cochinchinensis PIERRE EX ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glycosmis macrocarpa WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glycosmis

mauritiana (LAMK.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glycosmis mauritiana (LAMK.) TANAKA Kalammanensis (NARAY.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glycosmis pentaphylla (RETZ.) DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glycyrrhiza glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glycyrrhiza glabra L. violace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glycyrrhiza radix L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Glycyrrhiza uralensis FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gmelina arborea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gmelina asiatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gmelina elliptica SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gmelina parviflora PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gmelina philippensis CHAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gnaphalium indicum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gnaphalium luteo-album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gnaphalium polycaulon PER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gnetum edule (WILLD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gnetum gnemon L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gnetum montanum MARKGRAF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gnetum scandens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gnetum ula BRONGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gnidia glauca STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Goldfussia thomsonii (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gomphia angustifolia VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gomphia serrata

(GAERTN.) KANIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gomphostemma crinitum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gomphostemma parviflora WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gomphostemma wallichii PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gomphrena celosioides MART. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gomphrena globosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gonatanthus pumilus (DON) E. & KRAUSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Goniothalamus sequipedalis HK.F.& TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Goniothalamus waynaadensis BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Goniothalamus wightii HOOK.F. & THOMAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gonostegia hirta (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gonystylus macrophyllus (MIQ.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Goodyera repens (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Goodyera schlechtKalamliana RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Goodyera secundiflora (GRIFF.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gordonia obtusa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gossypium acuminatum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gossypium arboreum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gossypium barbadense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gossypium herbaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gossypium hirsutum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gossypium indicum* TOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gossypium obtusifolium* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gossypium*

purpurascens POIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gossypium religiosum WATT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gossypium stocksii MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gouania leptostachya DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gouania microcarpa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gouania tiliaefolia LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Govania leptostachya DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gracilaria lichenoides GERV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grangea maderaspatana POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Graptophyllum hortense NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Graptophyllum pictum (L.) GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gratiola monniera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grevillea robusta A. CUNN. EX R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia abutilifolia VENT. EX JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia asiatica L. vestita MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia asiatica MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia carpinifolia JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia elastica ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia helicterifolia WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia heterotricha MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia hirsuta VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia microcos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia obtusa WALL. EX GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia

oppositifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia optiva DRUMMOND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia orbiculata ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia paniculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia polygama MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia populifolia VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia rhamnifolia HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia rothii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia salvifolia* HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia sapida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia scabrophylla* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia sclerophylla* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia subinaequalis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia tenax* (FORSK.) FIORI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia tiliaefolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia umbellata* AUCT. NON ROXB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia villosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Guaiacum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Guazuma tomentosa* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Guazuma ulmifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Guettarda speciosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Guilandina bonducella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Guizotia abyssinica* CASS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gymnadenia*

himalayica SCHLTR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnadenia orchidis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnema aurantiaca WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnema balsamicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnema hirsutum WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnema khKalamlense SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnema lactiferum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnema latifolium WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnema montanum (ROXB.) HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnema spartium WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnema sylvestre R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnocladus assamicus Kanjilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnopetalum cochinchinensis (LOUR.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnopetalum wightii WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnosporia montana (ROTH.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gymnosporia royleana M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gymnosporia spinosa* MERILL & ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gymnostachyum febrifugum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gynandropsis gynandra* BRIQUET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gynandropsis pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gynocardia odorata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gynostemma pentaphyllum* (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gynura angulosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gynura cusimbua*

(D.DON) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gynura hispidula THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gynura pseudo-china DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gyrocarpus americanus JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria commelinifolia (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria crinifera LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria diphylla DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria edgeworthii HOOK. F. EX COLLETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria grandiflora LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria intermedia DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria longicorniculata GRAH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria orchidis (LINDL.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria ovalifolia WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria plantaginea LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria rariflora A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Habenaria rotundifolia LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Habenaria roxburghii* (PERS.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hackelochloa granularis* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Haemanthus multiflorus* MARTYN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Haematoxylon campechianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hagenia abyssynica* GMEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Haldina cordifolia* (ROXB.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Halophila ovalis* (R.BR.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Haloxylon*

multiflorum (MOQ.) BUNGE EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Haloxylon recurvum BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Haloxylon salicornicum BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hamamelis virginiana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hamelia patens JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hamiltonia suaveolens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Haplanthodes verticillata (ROXB.) MAJUMDAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Haplanthus tentaculatus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Haplanthus verticillata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hardwickia binata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hardwickia pinnata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Harpagophytum procumbens DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Harpullia arborea (BLANCO) RADLK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hebanthe paniculata MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedeoma pulegioides (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedera helix C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedera nepalensis C. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedgsonia macrocarpa (Bl.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedychium acuminatum Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedychium coccineum Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedychium coronarium Koenig and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedychium ellipticum Hamilt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedychium gardnerianum Sheppard ex Ker-Gawler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedychium

glaucum ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedychium gracile ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedychium marginatum C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedychium spicatum BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedychium wardii C.E.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis articularis R.BR. EX WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis auricularia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis auriculata (LINN.). AURICULARIA ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis biflora (L.) LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis brachypoda (DC.) SIVAR. ET AL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis capitellata WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis corymbosa (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis costata (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis diffusa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis glabra R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis gracilis WALL. O.GR. (WALL.) HK.F. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis herbacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis hispida (BENTH.) RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis lineata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis pinifolia WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis pruinosa WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis puberula R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis pumila L.F. O.PU(L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis

scandens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis tenelliflora BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis umbellata (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis uncinella HK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis verticillata (L.) LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedyotis vestita R.BR. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedysarium sennoides WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hedysarum alhagi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedysarum gangeticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedysarum purpureum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedysarum sennoides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedysarum triflorum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hedysarum tuberosum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helianthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helianthus tuberosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helicanthes elastica* (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helicia excelsa* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helicia robusta* (ROXB.) R. BR. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helicteres isora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helicteres isora* L. *glabrescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helicteres isora* L. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heliophyllum indicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heliotropium bacciferum* FORSK. *tuberosum* (BOISS.) KAZMI *bacciferum* NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heliotropium*

brevifolium WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heliotropium curassavicum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heliotropium eichwaldi STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heliotropium ellipticum LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heliotropium indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heliotropium keralense SIV. & MANL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heliotropium ophioglossum BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heliotropium ovalifolium FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heliotropium peruvianum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heliotropium rariflorum STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heliotropium strigosum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heliotropium subulatum HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heliotropium supinum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heliotropium tuberosum BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heliotropium undulatum VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heliotropium zeylanicum HEYNE. EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helixanthera wallichiana* (SCHULT.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helleborus niger* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helleborus viridis* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helminthostachys zeylanicus* (L.) HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heltropium ophioglossum* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hemarthria compressa* (L.F.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hemerocallis fulva* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hemidesmus*

indicus (L.) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hemidictyum ceterach L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hemigraphis latebrosa NESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hemionitis arifolia (BURM.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heracleum cachemiricum C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heracleum candicans WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heracleum candolleum (WT. & ARN.) GAMBLE . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heracleum canescens WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heracleum lanatum MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heracleum nepalense D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heracleum pinda DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heracleum pinnatum C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heracleum rigens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heracleum wallichii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heritiera littoralis AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heritiera minor LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heritiera papilio BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hermodactylus tuberosus (L.) MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hernandia ovigera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hernandia peltata MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Herniaria glabra L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Herniaria hirsuta L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Herniaria intermedia (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Herpestis

monniera (L.) H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hesperethusa alata (W. & A.) ALST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hesperethusa crenulata (ROXB.) M. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hetaeria obliqua Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heterophragma quadriloculare K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heterophragma roxburghii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heteropogon contortus (L.) BEAUV. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Heterostemma piperifolium KING & GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heterostemma tanjorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hevea brasiliensis* (WILLD. EX. JUSS.) MUELL. - HRG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hewittia malabarica* (L.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heylandia latebrosa* D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heynea sumatrana* MIG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heynea trijuga* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus abelmoschus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus aculeatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus cancellatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus canescens HEYNE EX. WIGHT & ARNOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus cannabinus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus esculentus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus ficulneus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus furcatus ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus hirtus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus

hispidissimus GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus lampas CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus lunariifolius WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus manihot L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus micranthus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus mutabilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus obtusifolius WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus ovalifolius (FORSK.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus platanifolius* (WILLD.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus populneus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus rosa-sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus sabdariffa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus surattensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus syriacus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus tiliaceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus trionum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus vitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus vitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hieracium umbellatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hieracium virosum* PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hieracium vulgatum* (FR.) ALMQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hippocratea indica* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hippophae rhamnoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hippophae*

rhamnoides L. satcifolia (D.DON) SARVETTAZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hippophae salicifolia DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hippophae tibetana SCHLECT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hiptage benghalensis (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hiptage madablota GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hitchenia caulina BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hodgsonia macrocarpa (BI.) COGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Holarrhena antidysenterica (ROTH.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holarrhena mitis* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holarrhena pubescens* (BUCH.-HAM.) WALLICH EX DO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holboellia latifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holigarna arnottiana* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holigarna ferruginea* MARCHAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holigarna grahamii* (WGT.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holigarna longifolia* BUCH.-HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holigarna nigra* BOURD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holmskioldia sanguinea* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holoptelea integrifolia* (ROXB.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holostemma adakodien* SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holostemma annulare* (ROXB.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holostemma rheedianum* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holostemma rheedii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holosteam umbellatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Homalomena*

aromatica SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Homalomena rubescens KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Homonoia retusa (GRAH. EX WT.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Homonoia riparia LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hopea glabra WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hopea odorata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hopea parviflora BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hopea ponga (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hopea wightiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hoppea dichotoma* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hordeum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hornstedtia costata* (ROXB.) K. SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Horsfieldia glabra* (BL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Horsfieldia irya* (GAERTN.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Horsfieldia kingii* (HK.F.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Houttuynia cordata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hovenia acerba LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hoya carnosia R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hoya globulosa HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hoya multiflora BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hoya ovalifolia WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hoya pendula WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hoya viridiflora R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hoya wightii

HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hugonia mystax L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Humboldtia unijuga BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Humboldtia vahliana WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Humulus lupulus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hunteria corymbosa ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hunteria legocii SKINA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hunteria zeylanica (RETZ.) GARDNER EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Huperzia phlegmaria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hura crepitans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hybanthus enneaspermus (L.F.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hyderangea macrophylla (THUNB.) SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydnocarpus alpina WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydnocarpus anthelminthica PIERRE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydnocarpus castanea HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydnocarpus inebrians VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydnocarpus kurzii (KING) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydnocarpus laurifolia (DENNST.) STEUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydnocarpus macrocarpa (BEDD.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydnocarpus octandra THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydnocarpus pentandra (BUCH.-HAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydnocarpus venenata GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydnocarpus wightiana BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydnophytum

Kalammanense BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydnophytum formicarium JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydrangea arborescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydrangea aspera BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydrangea macrophylla (THUNB.) SER. stylosa (HK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydrangea paniculata SIEB. grandiflora SIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydrastis canandensis POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydrilla verticillata (L.F.) ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hydrocharis dubia* (BL.) BACKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hydrocotyle asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hydrocotyle javanica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hydrocotyle javanica* THUNB. *PODUNTHA MOLKENBOER* EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hydrocotyle rotundifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hydrocotyle sibthorpiodes* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hydrolea zeylanica* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hygrophila auriculata* (SCHUMACH.) HEINE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hygrophila erecta* (Burm.f.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hygrophila heinei* SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hygrophila phlomoides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hygrophila polysperma* (ROXB.) AND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hygrophila quadrivalvis* (BUCH.-HAM.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hygrophila ringens* (L.) R.BR. EX STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hygrophila salicifolia* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hygrophila*

schulli (HAM.) M.R. & S.M. ALMEIDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hygrophila spinosa T. ANDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hygrophila aristata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hymenaea courbaril L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hymenaea hornemannianum (HAYNE) D. DIETR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hymenocrater sessilifolius BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hymenodictyon excelsum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hymenodictyon obovatum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hymenodictyon orixense (ROXB.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hyoscyamus albus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hyoscyamus muticus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hyoscyamus niger L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hyoscyamus pusillus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hyoscyamus reticulatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hyoscyamus squarrosus GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypecoum leptocarpum HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypecoum pendulum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypecoum procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hyperanthera moringa VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum cernuum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum chinense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum elodeoides CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum humifusum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum

japonicum THUNB. EX MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum laxum (BL.) KOIDZUMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum monanthemum HK. F. & TH. EX DYER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum monogynum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum mysurense HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum oblongifolium CHOISY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum patulum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum perforatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum sampsoni HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum uralum BACH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypobathrum microcarpum (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypochaeris glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypodematium crenatum (FORSK.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypolepis punctata (THUNB.) METT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypolytrum nemorum (VAHL) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypoxis aurea LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hypoxis orchoides* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hyptis brevipes* POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hyptis capitata* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hyptis pectinata* POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hyptis suaveolens* POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hyssopus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hyssopus parviflora* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ichnocarpus*

frutescens R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ilex denticulata WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ilex godajam COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ilex paraguariensis A.ST.HIL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ilex wightiana WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Illecebrum lanatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Illicium anisatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Illicium griffithii HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Illicium religiosum S. & L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Illicium verum HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Illigera appendiculata BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Illigera villosa CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ilysanthes oppositifolia (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ilysanthes reptans (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens balsamina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens brachycentra KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens gigantea EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens glandulifera ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens minor (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens roylei WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens scabrida DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens tilo

(DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens tripetala ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Imperata arundinacea CYR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Imperata cylindrica (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Incarvillea emodi (LINDL.) CHATTERJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera angustifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera anil L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera argentea BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera articulata* GONAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera aspalathoides* VAHL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera astragalina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera caerulea* ROXB. caerulea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera cassioides* ROTTL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera ennaephylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera galeoides* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera gerardiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera glandulosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera hebepetala BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera heterantha WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera hirsuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera linifolia RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera linnaei ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera nil L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera nummulariifolia* (L.) SKINA EX ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera oblongifolia* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera paucifolia* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera pulchella* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera suffruticosa* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera sumatrana* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Indigofera tinctoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera trifoliata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera trita L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indigofera uniflora HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indoneesiella echicides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indoneesiella echioides (L.) SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Indoneesiella intermedia SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Intsia bijuga (Colebr.) O. Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Inula cappa DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Inula cuspidata* C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Inula grandiflora* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Inula grantioides* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Inula graveolens* DESF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Inula helenium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Inula obtusifolia* KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Inula racemosa* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Inula royleana*

DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ionidium enneaspermum* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ionidium suffruticosum* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Iphigenia indica* (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea aquatica* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea asarifolia* (DESR.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea batatas* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea biloba FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea bonanox HEYNE EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea burmanni CHOISY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea cairica (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea campanulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea candicans SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea carnea (MART. EX CHOISY) AUSTIN. fistulosa (MART. E CHOISY) AUSTIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea carnea JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea coccinea* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea coptica* (L.) ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea cymosa* ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea dasysperma* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea dissecta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea eriocarpa* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ipomoea*

fastigiata (ROXB.) SWEET NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea fistulosa MART EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea glaberrima BOJ. EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea grandiflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea hederacea AUCT. NON JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea hederifolia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea hispida ROEM. & SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea illustris (CLARKE) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea involucre BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea marginata (DESR.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea mauritiana JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea maxima G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea muricata (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea nil (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea obscura KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea paniculata (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea pes-caprae (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea pes-tigridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea petaloidea CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea purga (WEND.) HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea purpurea (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea quamoclit L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea reniformis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea reptans

(L.) POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea sepiaria ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea indica STAPF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea staphylinia R, BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea tridentata (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea turbinata LAG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea turpethum (L.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea uniflora ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea violacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ipomoea vitifolia SWEET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Iris decora WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Iris ensata THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Iris florentina KUNZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Iris foetidissima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Iris germanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Iris kashmiriana BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Iris kemaonesis D.DON EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Iris nepalensis D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Iris songarica SCHRENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Iris versicolor THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Isachne globosa KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ischaemum muticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ischaemum

pilosum HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ischaemum rugosum SALISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Isopyrum acuminata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Isopyrum anemonoides KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Isopyrum thalictroides L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Itea chinensis HOOK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora acuminata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora arborea ROXB. EX J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora brunnescens KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora coccinea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora cuneifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora grandiflora Zoll. & Mor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora nigricans BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora notoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora parviflora VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora pavetta ANDR. BOT. REPOS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora polyantha WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora sub-sessilis WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ixora undulata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jacar Kalam acutifolia HUMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jacobinia tinctoria HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jaeschkea gentianoides KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jaeschkea

oligosperma (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Janakia arayalpathra JOSEPH & CHANDRASHEKARAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum amplexicaule BUCH.-HAM. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum anastomozans WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum angustifolium VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum arborescens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum auriculatum VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum azoricum L. azoricum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum bignoniaceum* WALL. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum calophyllum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum chrysanthemum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum cuspidatum* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum diversifolium* KOBUSKI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum flexile* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum grandiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Jasminum humile* SENSU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum malabaricum WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum multiflorum (BURM.F.) ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum nervosum LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum pubescens (RETZ.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum ritchiei CLARKE IN HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum rottlerianum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum

sambac (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum sambac AIT. heyneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum scandens VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum subhumila W.W. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum trichotomum HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jasminum undulatum KER-GAWLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jateorhiza palmata (LAM.) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jatropha curcas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jatropha glandulifera ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jatropha glandulosa VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jatropha glauca VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jatropha gossypifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jatropha montana WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jatropha multifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jatropha nana DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jatropha panduraefolia ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Joannesia princeps VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Juglans regia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Juglans regia L. kumaonia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Juncellus inundatus CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Juncus inflexus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Juncus lampocarpus EHRH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Juncus prismatocarpus R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Juniperus

communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Juniperus excelsa BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Juniperus indica BERTOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Juniperus macropoda BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Juniperus polycarpus C. KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Juniperus recurva BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Juniperus wallichiana HOOK.F. EX PARL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jurinea dolomiaea BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jurinea himalaica STEWART NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jurinea macrocephala (ROYLE) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jurinea macrophylla BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jussiaea repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jussiaea suffruticosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Jussiaea tenella BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia acaulis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia adhatoda L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia beddomei (CL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia betonica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia bicalyculata VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia bilvalvis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia ecbolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia gendarussa BURM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia madurensis BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia nasuta L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia paniculata (VAHL) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia picta ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia prostrata (CL.) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia quinqueangularis KOEN. EX. ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia repens DELESS. EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Justicia simplex DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Justicia tranquebariensis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Justicia vasculosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kaempferia angustifolia* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kaempferia galanga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kaempferia rotunda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kalanchoe integra* (MEDIK.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kalanchoe laciniata* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kalanchoe pinnata* (LAM.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kalanchoe rosea* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kalanchoe spathulata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kallstroemia pubescens* (DON) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kametia caryophyllata* (ROXB.) NICOL. & SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kandelia candel* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kandelia rheedii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kandelia rheedii* W.&A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kedrostis*

foetidissima (JACQ.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kedrostis rostrata (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kickxia ramosissima (WALL.) JANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kigelia africana (LAMK.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kigelia pinnata (JACQ.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kingiodendron pinnatum (ROXB. EX DC.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kirganelia reticulata BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kleinhovia hospita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kleinia grandiflora (WALL. EX DC.) RANI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Knema angustifolia (ROXB.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Knema attenuata (WALL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Knema erratica (HOOK.F. & TH.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Knema linifolia (ROXB.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Knema brachycarpa R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Knema corymbosa WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Knema roxburghii (SPRENG.) M.A. RAU and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Knoxia sumatrensis (RETZ.) DC. hookeriana BHATTACHARJEE & DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kochia indica WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kochia scoparia (L.) SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kochia sedoides SCHRAD NEUES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Koelpinia linearis PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kokona zeylanica THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kopsia flavida BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kopsia fruticosa

A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kurrimia bipartita* M.LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kydia calycina* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kyllinga brevifolia* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kyllinga monocephala* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kyllinga nemoralis* HUTCH. & DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kyllinga squamulata* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kyllinga triceps* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lablab purpureus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lactuca dissecta* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lactuca gracilis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lactuca heyneana* D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lactuca indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lactuca orientalis* (BOISS.) BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lactuca remotiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lactuca runcinata* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lactuca sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lactuca scariola L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lactuca serriola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lactuca tatarica C.A.REY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lactuca virosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lagascea mollis CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lagascea spinosissima COV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lagenandra

ovata (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lagenandra toxicaria (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lagenaria leucantha RUSBY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lagenaria siceraria (MOLINA) STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lagenaria vulgaris SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lagerstroemia flos-reginae RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lagerstroemia hirsuta (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lagerstroemia indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lagerstroemia lanceolata WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lagerstroemia microcarpa W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lagerstroemia parir-flosh ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lagerstroemia parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lagerstroemia reginae PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lagerstroemia speciosa (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lagergera alata (D.DON) SCH.-BIP. EX OLIVE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lagergera aurita (WILD.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Laggera crispata* (VAHL) HEP. & WD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Laggera flava* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Laggera pterodonta* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lagotis cashmeriana* (ROYLE) RUPR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lagotis glauca* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lallemantia royleana* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lamarkia aurea* MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Laminaria*

saccharina LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lamium album DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lamium amplexicaule L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lamprachaenium microcephalum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lancea tibetica HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Lannea coromandelica (HOUTT.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lannea grandis (DENNST.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lansium domesticum JACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lantana aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lantana camara L. aculeata (L.) MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lantana camara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lantana indica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Laportea crenulata GANDICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Laportea interrupta (L.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Larrea tridentata (SESSE & MOC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lasia aculeata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lasia heterophylla SCHOTT MELET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lasia spinosa THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lasianthus Kalammanicus HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lasiosiphon eriocephalus (MEISNER) DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lasiurus hirsutus (FORSK.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lastrea filix-mas L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lathraea squamaria L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lathyrus altaicus

LED. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lathyrus aphaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lathyrus inconspicuus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lathyrus luteus BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lathyrus odoratus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lathyrus pratensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lathyrus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lathyrus sphaericus RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Launaea acaulis (ROXB.) BABCOCK EX KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Launaea aspleniifolia HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Launaea capitata (SPRENG.) DANDY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Launaea chondrilloides HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Launaea fallax (JAUB. & SPACH.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Launaea glomerata HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Launaea nudicaulis HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Launaea pinnatifida CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Launaea procumbens (ROXB.) RAMAYYA & RAJAGOPA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Launaea remotiflora (DC.) STEBBINS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Launaea resedifolia (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Launaea sarmentosa (WILLD.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Launea acaulis (ROXB.) KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Launea procumbens (ROXB.) RAM. & RAJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Launea sarmentosa ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens

chandrasekharanii Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens clavicornu Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens cordata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens crenata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens cuspidata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens dasysperma Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens debilis Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens denisonii Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens disotis Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens diversifolia Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens elegans Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens floribunda Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens fruticosa Lesch. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens gardneriana Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens goughii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens grandis Heyne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens hensloviana Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens herbicola Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens hookeriana Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens inconspicua Benth ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens jerdoniae Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens laticornis Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens

latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens lawsonii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens lenta Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens leptura Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens leschenaultii (DC.) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens levingei Gamble ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens ligulata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens maculata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens minor (DC.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens modesta Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens munronii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens neobarnesii Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens nilgirica Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens oppositifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens orchoides Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens parasitica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens parvifolia Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens phoenicea Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens rufescens Benth. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens scabriuscula Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens scapiflora Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens tangachee Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens tenella Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens

tomentosa Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens trichocarpa Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens umbellata Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens uncinata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens verticillata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens viridiflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens viscida Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens viscosa Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens wightiana Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Acronychia pedunculata (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aegle marmelos (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Atalantia monophylla (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Atalantia racemosa Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Atalantia wightii Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Boenninghausenia albiflora (Hook.) Reichb. ex Meisner and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Chloroxylon swietenia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Choisya ternata Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus aurantifolia (Christm.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus aurantium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus limon (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus maxima (Burm.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus medica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus nobilis

Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus reticulata Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Citrus sinensis (L.) Osbeck. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clausena austro-indica B. C. Stone and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clausena dentata (Willd.) M. Roem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clausena indica (Dalz.) Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Clausena lansium (Lour.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euodia fraxinifolia (D. Don.) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euodia lunu-ankenda* (Gaertn.) Merr. var. *lunu-ankenda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euodia lunu-ankenda* (Gaertn.) Merr. var. *tirunelvelica* Henry & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Fortunalla japonica* (Thunb.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glycosmis angustifolia* Lindl.ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glycosmis cyanocarpa* (Blume) Spreng. var. *cymosa* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glycosmis macrocarpa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glycosmis mauritiana* (Lam.) Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glycosmis pentaphylla* (Retz.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glycosmis tirunelveli*ensis Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Limonia acidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Luvunga eleutherandra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melicope indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melicope lunu-ankenda* (Gaertn.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murraya koenigii* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murraya paniculata* (L.) Jack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Naringi crenulata*

(Roxb.) Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pamburus missionis (Wight) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paramignya beddomei Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paramignya monophylla Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pleiospermium alatum (Wall ex. Wight & Arn.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ruta chalepensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tetradium fraxinifolia (Hook.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Toddalia asiatica (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Triphasia trifolia* (Burm. f.) P. Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vepris bilocularis* (Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Zanthoxylum armatum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Zanthoxylum ovalifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Zanthoxylum rhetsa* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Zanthoxylum limonellia* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ailanthus excelsa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ailanthus triphysa* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Quassia amara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Suriana maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gomphia serrata* (Gaertn.) Kanis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ochna integerrima* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ochna jabotapita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ochna lanceolata* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ochna obtusata* DC. var. *obtusata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ochna gamblei*

King ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Boswellia serrata* Roxb. ex Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bursera penicillata* (Sesse & Moc. ex DC.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canarium strictum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canarium vulgare* Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commiphora berryi* (Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commiphora caudata* (Wight & Arn.) Engler var. *caudata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Commiphora caudata* (Wight & Arn.) Engler var. *pubescens* (Wight & Arn.) K.M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garuga floribunda Decne var. gamblei (King ex W. W. Sm.) Kalkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garuga pinnata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aglaia apiocarpa (Thw.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aglaia barberi Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aglaia bourdillonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aglaia domestica (Correa) Pellegrin Lecomte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aglaia elaeagnoidea (Juss.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aglaia edulis (Roxb.) Wall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aglaia lawii* (Wight) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aglaia tomentosa* Teijsm. & Binn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aglaia odorata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aglaia simplicifolia* (Bedd.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aphanamixis polystachya* (Wall.) Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Azadirachta indica* A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chukrasia tabularis* A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cipadessa*

baccifera (Roth) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dysoxylum binectariferum (Roxb.) Hook. f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dysoxylum ficiforme (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dysoxylum malabaricum Bedd. ex Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melia azedarach L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Naregamia alata Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Reinwardtiadendron anamallayanum (Bedd.) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sandoricum koetjape (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Soymida febrifuga* (Roxb.) A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swietenia macrophylla* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swietenia mahagoni* (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Toona ciliata* M. Roem. var. *ciliata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Toona ciliata* M. Roem. var. *pilistila* (C. DC.) Nair & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichilia connaroides* (Wight & Arn.) Bentvelzen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Turraea villosa* Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Walsura trifolia* (A. Juss.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Xylocarpus granatum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dichapetalum gelonioides* (Roxb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anacolosa densiflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oxalis scandens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oxalis imbricata* Roxb. var. *imbricata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oxalis imbricata* Roxb. var. *nigrescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Strombosia ceylanica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ximenia*

americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cansjera rheedii Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Opilia amentacea Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Apodytes dimidiata E. Meyer ex Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gomphandra coriacea Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Gomphandra tetrandra (Wall ex. Roxb.) Sleumer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Miquelia dentata Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nothapodytes nimmoniana (Graham) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pyrenacantha volubilis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sarcostigma kleinii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythralium populifolium* (Arn.) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ilex aquifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ilex denticulata* Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ilex gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ilex malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ilex opaca* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ilex walkeri* Wight & Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ilex wightiana* Wall ex. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bhesa indica* (Bedd.) Ding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassine glauca* (Rottb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cassine paniculata* (Wight & Arn.) Loobr.-Callen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Celastrus paniculatus* Willd. var. *paniculatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Celastrus paniculatus* Willd. subsp. *dependens* (Wall.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Celastrus*

paniculatus Willd. subsp. aggregatus K.T.Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euonymus angulatus Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euonymus barberi C. Murugan & V. S. Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euonymus crenulatus Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euonymus dichotomous Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euonymus indicus Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euonymus japonicus Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Euonymus kanyakumariensis Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euonymus paniculatus* Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Euonymus serratifolius* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glyptopetalum grandiflorum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glyptopetalum lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Glyptopetalum zeylanicum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Loeseneriella bourdillonii* (Gamble) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Loeseneriella obtusifolia* (Roxb.) A. C. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lophopetalum wightianum* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Maytenus emarginata* (Willd.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Maytenus heyneana* (Roth) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Maytenus ovatus* (Wall ex Wight & Arn.) Loes. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Maytenus rufa* (Wall.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Maytenus wallichiana* (Wight & Arn.) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Microtropis microcarpa* Wight var. *microcarpa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Microtropis microcarpa* Wight var. *densiflora* Merr. & Freem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Microtropis*

latifolia Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microtropis ovalifolia Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microtropis ramiflora Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microtropis stocksii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microtropis wallichiana Wight ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pleurostyliia opposita (Wall.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Reissantia grahamii (Wight) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Reissantia indica (Willd.) Halle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salacia beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salacia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salacia fruticosa* Heyne ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salacia macrosperma* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salacia oblonga* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alphitonia excelsa* Reiss ex Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Colletia cruciata* Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Colletia ferox* Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Colubrina asiatica* (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gouania microcarpa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hovenia acerba* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Maesopsis eminii* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Noltea africana* (L.) Reichb. ex Harv. & Sond.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pomaderris apetala* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pomaderris lanigera* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhamnus cathartica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhamnus dahuricus* Pall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhamnus virgatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhamnus wightii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sageretia hamosa* Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sageretia parviflora* (Klein) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scutia myrtina* (Burm. f.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ventilago denticulata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ventilago*

gamblei Suesseng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ventilago goughii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ventilago madraspatana Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus glabrata Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus horrida Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus incurva Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus mauritiana Lam. var. mauritiana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus mauritiana Lam. var. fruticosa (Haines) Sebastine & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ziziphus nummularia* (Burm.f.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ziziphus oenoplia* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ziziphus rugosa* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ziziphus xylopyrus* (Retz.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ampelocissus araneosa* (Dalz. & Gibs.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ampelocissus divaricata* (Wall ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ampelocissus indica* (L.) Planch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ampelocissus latifolia* (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ampelocissus tomentosa* (Heyne ex Roth) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ampelocissus wightiana* Shetty & Singhand 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cayratia anemonifolia* (Zipp. Ex Miq.) Suesseng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cayratia auriculata* (Roxb.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cayratia japonica* (Thunb.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cayratia mollissima* (Wall.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *pedata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cayratia pedata*

(Lam.) Juss. ex Gagnep. var. *glabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cayratia roxburghii* (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cayratia tenuifolia* (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cayratia trifolia* (L.) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cissus arnottiana* B.V.Shetty & P.Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cissus adnata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cissus discolor* Blume. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cissus latifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cissus glyptocarpa* (Thw.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cissus heyneana* (Wall. ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cissus quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cissus repKalam* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cissus repens* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cissus vitiginea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cyphostemma setosum* (Roxb.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Parthenocissus neilgherriensis* (Wight) Planch. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Parthenocissus semicordata* (Wall.) Planchon var. *roylei* (King) Raizada & Saxina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tetrastigma gamblei* Shetty & Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tetrastigma leucostaphylum* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tetrastigma nilagiricum* (Miq.) Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tetrastigma sulcatum* (Lawson) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vitis vinifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leea asiatica* (L.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leea guineensis*

G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leea indica* (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leea macrophylla* Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Allophylus cobbe* (L.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cardiospermum canescens* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cardiospermum halicacabum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dimocarpus longan* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dodonaea viscosa* (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Filicium decipiens* (Wight & Arn.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Harpullia arborea* (Blanco) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lepisanthes erecta* (Thw.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lepisanthes senegalensis* (Juss. ex Poir.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lepisanthes tetraphylla* (Vahl.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Litchi chinensis* Sonner. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Otonephelium stipulaceum* (Bedd.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sapindus emarginatus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sapindus trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schleichera oleosa* (Lour.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aesculus indica* (Cambess.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acer caesium* Wall. ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acer oblongum* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acer pseudo-platanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melanthus major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Turpinia*

malabarica Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Turpinia cochinchinensis (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Meliosma pinnata (Roxb.) Maxim. subsp. barbulata (Cufod.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Meliosma simplicifolia (Roxb.) Walp. subsp. simplicifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Meliosma simplicifolia (Roxb.) Walp. subsp. pungens (Wall ex Wight & Arn.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sabia limoniacea Wall. ex Hook. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Anacardium occidentale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Buchanania axillaris (Desr.) Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Buchanania lanzan* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gluta travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holigarna arnottiana* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holigarna beddomei* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holigarna ferruginea* Marchand and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holigarna grahamii* (Wight) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Holigarna nigra* Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Lannea coromandelica* (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mangifera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nothopegia aureo-fulva* Bedd. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nothopegia beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nothopegia colebrookeana* (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nothopegia heyneana* (Hook. f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nothopegia racemosa* (Dalz.) Ramam. var. *racemosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nothopegia racemosa* (Dalz.) Ramam. var. *angustifolia* (Gamble) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nothopegia*

travancorica Bedd ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nothopegia vajravelui Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhus mysorensis G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhus paniculata Wall. ex Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhus tomentosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schinus molle L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schinus terebinthifolius Raddi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Semecarpus anacardium L. var. anacardium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Semecarpus anacardium* L. var. *cuneifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Semecarpus auriculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Semecarpus travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spondias indica* (Wight & Arn.) Airy Shaw & Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spondias pinnata* (L.f.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Corynocarpus laevigata* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Moringa concanensis* Nimmo ex Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Moringa pterygosperma* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Connarus monocarpus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Connarus sclerocarpus (Wight & Arn.) Schellenb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Connarus wightii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ellipanthus tomentosus Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rourea minor (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abrus fruticulosus Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abrus precatorius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abrus pulchellus

Wall ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aeschynomene americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aeschynomene aspera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Aeschynomene indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alysicarpus beddomei Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alysicarpus bupleurifolius (L.) DC. var. bupleurifolius and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alysicarpus bupleurifolius (L.) Dc. var. gracilis (Edgew.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alysicarpus bupleurifolius (L.) Dc. var. hybridus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alysicarpus heterophyllus* (Benth. ex Baker) Jefri & Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alysicarpus longifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alysicarpus monilifer* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alysicarpus ovalifolius* (Schumac) J. Leon. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alysicarpus racemosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alysicarpus roxburghianus* Thoth. & Pramanik and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alysicarpus glumaceus* (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alysicarpus scariosus* Rottler. ex. Spring) Grah. ex Thw. var. *scariosus* and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alysicarpus scariosus* (Rottler. ex. Spring) Grah. ex Thw. var. *pilifer* (Prain) Pramanik & Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alysicarpus vaginalis* (L.) DC. var. *vaginalis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alysicarpus vaginalis* (L.) DC. var. *stocksii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Arachis hypogaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Butea acuminata* (Benth.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Butea monosperma* (Lam.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Butea parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Butea purpurea (Benth. ex Baker) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cajanus albicans (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cajanus goensis Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cajanus lineata (Wight & Arn) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cajanus cajan (L.) Millsp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cajanus rugosus (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cajanus scarabaeoides (L.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cajanus trinervius (DC.) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calopogonium mucunoides* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Calpurnia aurea* (Ait.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canavalia cathartica* Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canavalia gladiata* (Jacq.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canavalia maritima* (Aubl.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canavalia mollis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Canavalia virosus* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Castanospermum*

australe A. Cunn. & Fraser ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Centrosema pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chorizema ilicifolium* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Christia obcordata* (Poir.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Christia vespertilionis* (L.f.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cicer arietinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clanthus puniceus* Soland ex. Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clitoria ternatea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Laurentia longiflora (L.) PETERMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Laurus cassia BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Laurus cinnamomum (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Laurus nobilis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lavandula bipinnata KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lavandula burmanni BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lavandula carnosia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lavandula stoechas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lavandula vera* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lavatera kashmiriana* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lawsonia alba* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lawsonia inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lawsonia spinosa* L., and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lechea verticillata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leea aequata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leea alata*

EDGEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leea arguata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leea asiatica (L.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leea aspera EDGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leea bracteata CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leea compactiflora KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leea crispa V. ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leea guineensis G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leea hirta ROXB EX HORNEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leea indica MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leea macrophylla ROXB. EX HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leea robusta ROXB. HORT. BENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leea sambucina BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lemanea australis ATKINS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lemnaphyllum carnosum (J. SM.) PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lemna globosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lemna obcordata BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lemna perpusilla TORREY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lens culinaris MEDIC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lens esculenta MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leonotis nepetaefolia R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leontopodium jacotianum BEAUVERD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leonurus cardiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leonurus

hamiltoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leonurus incurva DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leonurus japonicus HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leonurus sibiricus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leonurus stelligera WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepeocercis serrata TRIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepianthes umbellata (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidagathis cristata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidagathis hamiltoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidagathis incurva DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidagathis pungens NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidagathis scariosa NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidagathis trinervia WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidagathis trinervis NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidium apetalum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidium capitatum HOOK. F. & THOMS NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidium cartilagineum (J. MAY.) THELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidium draba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidium iberis L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidium iberis POLL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidium latifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidium perfoliatum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidium ruderae L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidium

sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepidium virginicum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepionorus sylvestris BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepionurus sylvestris BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepisanthes Kalammanica KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepisanthes rubiginosa (ROXB.) LEENH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lepisanthes tetraphylla (VAHL) RADLK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leptadenia pyrotechnica DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leptadenia reticulata* (RETZ.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leptadenia spartium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leptochilus decurrens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leptochloa malabarica* (L.) VELDKAMP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leptodermis lanceolatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leptonychia heteroclita* (ROXB.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lespedeza sericea* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lettsomia aggregata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lettsomia atropurpurea* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lettsomia elliptica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lettsomia mysorensis* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lettsomia nervosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lettsomia setosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucaena glauca* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas aspera* (WILLD.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas capitata*

DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas cephalotes (ROTH.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas ciliata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas flaccida R.BR. scaberula (HOOK.F.) SRINIVASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas indica (L.) R.BR. EX VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas lanata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas lavandulifolia J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Leucas linifolia SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas martinicensis* (JACQ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas mollissima* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas plukenetii* (ROTH) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas stelligera* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas stricta* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas urticaefolia* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucas zeylanica* (L.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leuconotis eugenifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucosceptrum canum* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucostegia immersa* (HK.) PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leucostegia nodosa* BEDD.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leueas rosmarnifolia* CIRUTUMPAI benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Levisticum officinale* W.D.J. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Licuala spinosa* WURMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ligularia amplexicaule* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ligularia*

jacquemontiana (DECNE) RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ligusticum elatum C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ligustrum indicum (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ligustrum lucidum (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ligustrum nium (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ligustrum perrottetii A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ligustrum robustum BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lilium candidum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lilium giganteum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lilium martagon L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lilium neilgherrense LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lilium polyphyllum DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lilium wallichianum SCHULT. & SCHULT. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Limnanthemum cristatum GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Limnanthemum indicum GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Limnanthemum nymphaeoides LINK FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Limnophila aromatica* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Limnophila gratioloides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Limnophila gratiissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Limnophila indica* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Limnophila polystachya* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Limnophila racemosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Limnophila roxburghii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Limnophila*

rugosa (ROTH) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Limnophila sessiliflora (VAHL) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Limnophyton obtusifolium (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Limodrum spatulatum WLLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Limonia acidissima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Limonia alata W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Limonia crenulata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Limonium cabulicum (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Linaria cirrhosa H.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Linaria minor DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Linaria ramosissima WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindelofia longiflora (BENTH.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindenbergia indica (L.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindenbergia muraria (ROXB.) P.BRUCHE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindenbergia urticaefolia LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindera caudata BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindera neesiana BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindera pulcherrima BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia anagallis (BURM.F.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia antipoda (L.) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia caespitosa (BL.) PANIGRAHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia ciliata (COLESM.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia cordifolia (COLSM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia

crustacea (L.) F. V. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia hyssopioides (L.) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia oppositifolia (RETZ.) MUKH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia procumbens (KROCK.) BORBAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia pyxidaria ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia rotundifolia (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindernia ruellioides (COLSM) PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lindsaea cultrata (WILLD.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Linociera malabarica WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Linociera ramiflora (ROXB.) WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Linum perenne L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Linum strictum LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Linum usitatissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Liparis nervosa (THUNB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Liparis parviflora LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lippia alba N.E. BR. EX BRITTON & WILS NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lippia geminata* H.B.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lippia javanica* (BURM.F.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lippia nodiflora* MICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Liquidambar orientalis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Liquidambar styraciflua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Liqustrum indicum* (LOUR.) NERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Liriodendron tulipifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Litchi chinensis*

SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lithocarpus pachyphyllus (KURZ) REHDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lithospermum arvense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lithospermum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea chinensis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea citrata BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea coriacea (HEYNE EX. MEISNER) HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea cubeba (LOUR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea glutimosa (LOUR.) C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea glutinosa (LOUR.) ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea lancifolia HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea monopetala (ROXB.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea polyantha JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea quinqueflora (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea sebifera PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea stocksii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea umbrosa NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Litsea zeylanica C. & T. NESS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lobelia alsinoides LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lobelia chinensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lobelia cordigera CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lobelia excelsa LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lobelia inflata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lobelia

leschenaultiana (PRESL) SKOTTSB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lobelia nicotianaefolia ROTH. EX. R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lobelia pyramidalis WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lobularia maritima DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lochnera pusilla K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lochnera rosea REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lodoicea maldivica (POIR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lodoicea seychellarum LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Loeseneriella obtusifolia* (ROXB.) A.C.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lomatogonium carinthiacum* (WULF.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lonicera glauca* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lonicera japonica* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lonicera leschenaultii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lonicera macrantha* (D.DON) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lonicera semenovii* REGEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lonicera spinosa* (JACQUEM. EX DECNE) WALP. NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lonicera webbia* WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lophopetalum wallichii* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Loranthus coriaceus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Loranthus elasticus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Loranthus falcatus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Loranthus longiflorus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Loranthus pentandrus* HEYNE. EX SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lotus*

corniculatus LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Loxococcus rupicola WENDL.& DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ludwigia adscendens (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ludwigia clavelliana GOMEZ DE LA MAZA & MONLINET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ludwigia hyssopifolia (DON) EXCELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ludwigia octovalvis (JACQ.) RAVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ludwigia octovalvis (JACQ.) RAVEN sessiliflora (MICHELI) RAVEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ludwigia parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ludwigia perennis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ludwigia peruviana (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ludwigia prostrata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Luffa acutangula (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Luffa acutangula ROXB. amara (ROXB.) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Luffa aegyptiaca MILL. EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Luffa amara ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Luffa cylindrica (L.) M.J. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Luffa echinata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Luffa graveolens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Luffa graveolens ROXB. longystyla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Luffa pentandra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Luffa tuberosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Luffa umbellata (KLEIN) ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Luisia tenuifolia BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lumnitzeria

racemosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lupinus albus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lupinus angustifolius L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lupinus digitatus FORSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lupinus luteus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Luvunga eleutherandra Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Luvunga scandens (BLUME) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Luzula campestris (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lychnis apetala L. SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lychnis coronaria LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lycianthes laevis (DUN.) BITTER SUBTRUNCATA (WALL. EX DUN.) DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lycianthes laevis (DUNAL) BITTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lycium barbarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lycium europaeum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lycium ruthenicum MURR. EX DUNAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lycoperdon gemmatum BATSCH. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lycoperdon pusillum PER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lycopersicon esculentum MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lycopersicon lycopersicum (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lycopersicum esculentum MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lycopodium cernuum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lycopodium clavatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lycopodium phlegmaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lycopus

europaeus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lycoris radiata (L'HERIT.) HERBERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lygodium circinatum (BURM) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lygodium flexuosum (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lygodium japonicum (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lygodium microphyllum (CAV.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lygodium pinnatifidum SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lygodium scandens (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Lyonia ovalifolia (WALL.) DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Maba bauxifolia PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Maba buxifolia PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macadamia ternifolia F. MUELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macaranga denticulata (BL.) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macaranga indica W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macaranga nicobarica BALAKR. & CHAKRAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macaranga peltata (ROXB.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macaranga roxburghi WRIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macaranga tanarius (L.) M. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macaranga tetracoccus (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Machilus bombycina KING EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Machilus macrantha NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Machilus villosa HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Maclura pomifera (RAFIN.) C.K. SCHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macropanax

dispermus (BI.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macrosolen cochinchinensis (LOUR.) TIEGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macrosolen parasiticus (L.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macrotomia benthamii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macrotomia perennis BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macrotomia speciosa AITCHET HEMST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Macrotyloma uniflorum (LAM.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Madhuca butyracea (ROXB.) MACBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Madhuca diplostemon (CLARKE) ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Madhuca indica GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Madhuca insignis (RADLK) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Madhuca longifolia (KOEN.) MACLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Madhuca malabarica (BEDD.) R.N.PARKAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Madhuca neriifolia (MOON) LAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Maerua apetala (ROTH) JACOBS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Maerua arenaria HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Maerua oblongifolia* (FORSK.) A.RICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Maesa chisia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Maesa indica* (ROXB.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Maesa montana* DC, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Maesa ramentacea* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Maharanga emodi* (WALL.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mahonia acanthifolia* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mahonia borealis*

TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mahonia leschenaultii (WALL. EX. WIGHT & ARN.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mahonia manipurensis TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mahonia nepaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mahonia pycnophylla (FEDDE) TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mahonia sikkimensis TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mahonia simonsii TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Majorana hortensis MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Malachra capitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Malaxis acuminata D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Malaxis biloba (LINDL.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Malaxis mackinnonii (DUTHIE) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Malaxis muscifera (LINDLEY) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Malaxis rheedei SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Malaxis saprophyta (KING & PRANTL) TANG & WAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mallotus ferrugineus (ROXB.) MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mallotus peltatus* (GEIS.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mallotus philippensis* (LAM.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mallotus repandus* (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mallotus rhamnifolius* (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mallotus tetracoccus* (ROXB.) KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Malpighia glabra* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Malpighia punicifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Malus pumila*

MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Malus sylvestris MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Malva neglecta WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Malva parviflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Malva rotundifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Malva sylvestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Malva verticillata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Malvastrum americanum (L.) TORR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Malvastrum coromandelianum* GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mammea americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mammea longifolia* PLANCH. & TRIANA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mammea suriga* (BUCH.-HAM. EX ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mandragora autumnalis* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mandragora officinalis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mangifera caesia* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mangifera domestica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mangifera indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mangifera sylvatica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Manihot esculenta CRANTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Manihot utilissima POHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Manilkara hexandra (ROXB.) DUBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Manilkara kauki (L.) DUBJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Manilkara zapota (L.) VAN ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Manisuris

granularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Maoutia puya WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mappia foetida MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Maranta arundinaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Maranta arundinacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Marchantia palmata - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Marchantia polymorpha - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mariscus concinnus SCHRADER EX NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mariscus javanicus (HOUTT.) MERR. & METCALF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Marlea tomentosa ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Marrubium vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Marsdenia brunoniana WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Marsdenia hamiltonii W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Marsdenia lucida EDGEW. EX MADDEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Marsdenia roylei WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Marsdenia tenacissima (ROXB.) MOON and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Marsdenia tinctoria* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Marsdenia volubilis* (L.F.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Marsilea dentata* KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Marsilea grandifolia* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Marsilea minuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Marsilea quadrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Martnia diandra* GLOX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Martynia annua*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Martynia diandra GLOX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mastersia assamica BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mastixia arborea CB. CLARK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mathiola incana R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Matricaria aurea (Loefl.)Sch. Bip. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Matricaria chamomilla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Matricaria lasiocarpa BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Matricaria recutita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Matthiola flavida BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Matthiola incana R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Matthiola tristis R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mattiastrium thomsonii (CL.) KAZMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Maytenus emarginata (WILLD.) DING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Maytenus heyneana (ROTHY) RAJU & BABU NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Maytenus senegalensis (LAM.) EXELL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mazus japonicus* (THUNB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mazus pumilus* (BURM.F.) VAN STEENIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Meconopsis aculeata* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Meconopsis nepaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Meconopsis paniculata* (D.DON) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Meconopsis robusta* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Meconopsis simplicifolia* (G.DON) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Meconopsis*

wallichii HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mecoropsis napaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Medicago lupulina L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Medicago minima L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Medicago polymorpha L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Medicago sativa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Megacarpaea polyandra BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melaleuca alternifolia (MAIDEN & BETCHE) CHEEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melaleuca cajaputi ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melaleuca leucadendron L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melanorrhoea curtisii OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melanorrhoea usitata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melanorrhoea wallichii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melanthesa rhamnoides (RETZ.) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melanthesa turbinata (ROXB.) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melanthium indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melasma thompsonii (HK.F.) WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melastoma affine D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melastoma asperum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melastoma decemfidum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melastoma malabathricum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melia azadirachta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melia azedarach L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melia composita

WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melia dubia HIERN, NON CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melianthus major LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melica ciliata DUTHIE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melica jacquemontii DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melilotus indica (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melilotus officinalis (L.) PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Melilotus parviflora BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Meliosma arnottiana* WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Meliosma simplicifolia* (ROXB.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melissa axillaris* (BENTH.) BAKH. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melissa officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melissa parviflora* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melocalamus compactiflorus* BENTH. F. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melocanna bambusoides* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melocanna bambusoides* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melochia corchorifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melodinus monogynus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melothria heterophylla* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melothria indica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melothria maderaspatana* (L.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melothria perpusilla* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melothria scabra* (LINN. F.) PANIGR. ET S.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Memecylon*

amplexicaule ROXB. malabarica CLARKE IN HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon angustifolium WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon edule ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon gracile BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon heyneanum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon malabaricum (CLARKE) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon sessile BENTH. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon talbotianum BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Memecylon umbellatum BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Menanthes sumatrana (MIQ.) BREMEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Menispermum cocculus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Menispermum columba ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Menispermum cordifolium WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Menispermum glabrum BRUM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha aquatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha cordifolia OPHIZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha crispa GARSAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha dumetorium SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha longifolia (L.) HUDS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha mulleriana SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha niliaca JACQ. alopecuroides NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha piperita STOKES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha pulegium

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha rotundifolia (L.) HUDS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha sativa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha spicata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha sylvestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha verticillata D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mentha viridis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Meriandra benghalensis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Meriandra strobilifera BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia dissecta (JACQ.) HALLIER F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia emarginata (BURM.F.) HALL.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia gangetica (L.) CUFO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia hastata (DESR.) HALLIER. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia hederacea (N.BURM.) H.HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia mammosa (LOUR.) HALL. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia peltata (Linn.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia tridentata (L.) HAILLIER tridentata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia tridentata (L.) HALL. F. hastata (DESR.) OOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia tridentata (L.) H. HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia tuberosa (LINN.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia turpethum RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia umbellata (L.) HALLIER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Merremia vitifolia (BURM. F.) HALL. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched),

Mesembryanthemum crystallinum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mesua ferrea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mesua nagassarium* (BURM.F.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Metathelypteris gracilescens* (BL.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Meyna laxiflora* ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Meyna spinosa* ROXB. EX LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mezoneuron cucullatum* (ROXB.) WT. AND ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mezoneuron sumatranum* W.A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Michelia champaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Michelia doltsopa BUCH.- HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Michelia montana BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Michelia nilagirica ZENK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Micranthus oppositifolius WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microcos paniculata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microglossa pyrifolia (LAM.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microglossa volubilis DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microlepis puberula VAVR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microlepis speluncae (L.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Micromelum hirsutum OSKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Micromelum integerrimum (Buch-Ham) Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Micromelum minutum (FORST. F.) WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Micromelum pubescens BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Micromeria biflora (DON) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Micromeria

capitellata BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Micrometum integerrimum (BUCH.-HAM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Micropus xanthopus (FR.) KUNT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microrhynchus nudicaulis LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microsorium alternifolium COPEL.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microsorium punctatum (L.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microsorium scolopendria (BURM.F.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microstegium ciliatum A.CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microstylis muscifera RIDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microstylis saprophyta KING & PANTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microstylis versicolor (LINDL.) ABEYW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microstylis wallichii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microtoena insuavis (HANCE) PRAIN EX DUNN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Microroula tibetica BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mikania cordata (BURM. F.) R.L. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mikania micrantha H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Milium ramosum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Milium roxburghiana* (GRIFF.) HK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Milium tomentosum* (ROXB.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Milium velutinum* HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Millettia auriculata* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Millettia caudata* (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Millettia extensa* (BENTH.) BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Millettia*

pachycarpa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Millettia piscidia WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Millettia racemosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Millingtonia hortensis L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa abstergens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa amara ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa cineraria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa cinerea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa ferruginea ROTTLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa flexuosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa hamata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa intsia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa invisa MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa lucida ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa paniculata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa pudica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa pudica L. hispida BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa pudica L. tetrandra (WILLD.)DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa pudica L. unijuga (DUCHASS. & WALP.)GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa rubicaulis AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa rubicaulis LAMK. himalayana (GAMBLE) DHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa spinisilqua KLEIN. EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimosa suma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimulus

moschatus DOUGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimulus strictus BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimulus elengi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimulus hexandra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimulus indica A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mimulus kauki L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mirabilis jalapa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mischocarpus sundaicus Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mitracarpus villosus* (SW.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mitragyna parvifolia* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mitragyna parvifolia* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mitragyna rotundifolia* KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mnesithea laevis* (RETZ.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Modecca palmata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Modecca trilobata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Modecca wightiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Moghania bracteata HIU-LIN-LI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Moghania chappar KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Moghania macrophylla KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Moghania nana MUKHSJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Moghania phursia O.KTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Moghania semialata (ROXB.) MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Moghania stricta (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Moghania

strobilifera J. ST. HILAIRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Moghania tuberosa KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Molineria crassifolia BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Molinia coerulea MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mollugo cerviana SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mollugo hirta THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mollugo lotoides (L.) O. KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mollugo nedicaulis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mollugo nudicaulis LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mollugo oppositifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mollugo pentaphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mollugo spargula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mollugo stricta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Momordica balsamina WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Momordica charantia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Momordica charantia L. charantia and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Momordica charantia L. muricata (WILLD.) CHAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Momordica cochinchinensis SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Momordica cymbalaria HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Momordica dioica ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Momordica exserta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Momordica muricata VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Momordica tuberosa COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Momordica

umbellata ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Monetia barlerioides L HERIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Moniera cuneate and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Moniera cuneifolia MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Monochoria hastaefolia PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Monochoria hastata SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Monochoria vaginalis PRESL.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Monotropa uniflora L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morchella esculenta PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morina coulteriana ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morina longifolia WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morina persica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morinda angustifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morinda citrifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morinda coreia BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morinda pubescens J.E.SMITH IN REES pubescens VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morinda

pubescens SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morinda tinctoria ROXB. tomentosa (ROTH) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morinda tomentosa HEYNE EX ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morinda umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Moringa concanensis NIMMO EX DALZ. & GIBSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Moringa conconensis NIMMO. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Moringa oleifera LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Moringa pterygosperma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morus acedosa GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morus alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morus australis POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morus laevigata WALL. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Morus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Moschosma polystachyum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Moullava spicata (DALZ.) NICOLS. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mucuna atropurpurea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mucuna bracteata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mucuna capitata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mucuna cochinchinensis Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mucuna gigantea (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mucuna hirsuta WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mucuna monosperma DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mucuna

nigricans (LOUR.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mucuna pruriens (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mucuna prurita HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mucuna utilis Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mukia maderaspatana (L.) M.ROEMER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mukia scabrella (L.F.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mundulea sericea (WILLD.) A. CHEVAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mundulea suberosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Munronia pinnata (WALL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Muntingia calabura L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Murdannia edulis (STOKES) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Murdannia elata (VAHL) BRUECKNER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Murdannia japonica (THUNB) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Murdannia nudiflora (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Murdannia scapiflora (ROXB.) ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Murdannia semiteres (DALZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murdannia vaginata* (L.) BRUECK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Muricia cochinchinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murraya exotica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murraya koenigii* (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Murraya paniculata* (L.) JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Musa balbisiana* COLLA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Musa chinensis* SWEET. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Musa ornata*

ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Musa paradisiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Musa rosacea JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Musa sapientum O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Musa sapientum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Musa superba ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Musa textilis NEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Musa troglodytarum KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Musa velutina WENDL. & DRUDE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mussaenda belilla BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mussaenda erythrophylla SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mussaenda frondosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mussaenda glabra VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mussaenda glabrata VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mussaenda hirsutissima (HOOK. F.) HUTCHINSON EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mussaenda laxa (HOOK. F.) HUTCH EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mussaenda macrophylla* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mussaenda roxburghii* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mutilla occidentalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mylitta lapidescens* HORAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myosoton aquaticum* (L.) MOENCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myrica cerifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myrica esculenta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myrica*

integrifolia ROXY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Myrica nagi THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Myrica pensylvanica LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Myrica sapida WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Myricaria bracteata ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Myricaria coulteriana ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Myricaria elegans ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Myricaria germanica DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myriogyne minuta* LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myrioneuron nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myriophyllum spicatum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myristica argentea* WARB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myristica dactyloides* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myristica fragrans* HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myristica laurifolia* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myristica malabarica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myristica moschata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myristica officinalis* L..F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myropyrum similacifolium* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myrsine africana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myrsine capitellata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myrsine semiserrata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myrsine serrata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Myrtus*

caryophyllata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Myrtus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Myxopyrum serratum A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Myxopyrum smilacifolium BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nannorrhops ritchieana H. WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Naravelia zeylanica DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Narcissus tazetta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nardostachys grandiflora DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nardostachys jatamansi DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Naregamia alata WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Naringi alata (WALL. EX WIGHT & ARN.) EL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Naringi crenulata (ROXB.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nasturtium fontanum ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nasturtium indicum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nasturtium officinale R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nasturtium palustre DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Natsiatum herpeticum* BUCH.-HAM. EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nauclea aculeata* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nauclea cadamba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nauclea missionis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nauclea orientalis* (L.) L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nauclea ovalifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nauclea sessilifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neanotis hirsuta*

(L.F.) LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Neanotis rheedei (WIGHT & ARN.) W.H.LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Neillia thyrsiflora DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Neisosperma oppositifolium (Lamk.) Fosb. & Sach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nelsonia canescens (LAM.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nelumbium speciosum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nelumbo nucifera GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Neodissochaeta celebica (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neolamarckia cadamba* (ROXB.) BOSSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neolitsea cassia* (L.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neolitsea chinensis* (LAM.) CHUN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neolitsea scrobiculata* (MEISSNER) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neolitsea umbrosa* (NEES) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neolitsea zeylancia* (NEES) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Neonauclea sessilifolia* (ROXB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nepenthes distillatoria* AUCT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepenthes khasiana KH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta cataria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta ciliaris BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta coerulascens MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta connata ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta discolor ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta elliptica ROYLE EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta

eristachya BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta floccosa BTH. LAB. GEN. & SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta glomerulosa BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta glutinosa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta hindostana (ROTH) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta leucophylla BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta longibracteata (BENTH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta malabarica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta podostachys BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta royleana STEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta ruderalis HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nepeta spicata BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nephelium lappaceum LINN. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nephelium litchi (LOUR.) GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nephelium longana CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nephelium stipulaceum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nephrolepis biserrata SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nephrolepis cordifolia (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nephrolepis multiflora (ROXB.) JARRETT EX MORTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Neptunia natans (L. F.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Neptunia oleracea LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Neptunia prostrata (LAM.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Neptunia triquetra BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nerium

antidysentericum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nerium coronarium JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nerium indicum MILLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nerium odorum SOLANED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nerium oleander L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nerium tomentosum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nervilia aragoana GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nervilia plicata SCHLTR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nervilia prainiana (KING & PANTL) SCIDEN.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nesaea lanceolata (WT. & ARN.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nesaea prostrata (DILLWYN) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Neuracanthus sphaerostachyus DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Neuracanthus trinervis WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nicandra physalodes (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nicotiana macrophylla SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nicotiana plumbaginifolia VIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nicotiana rustica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nicotiana tabacum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Niebuhria linearis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nigella damascena* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nigella sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nilgiranthus ciliatus* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nilgiranthus heyneanus* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nipa fruticans*

WURMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nomocharis nana (KLOTZ.)WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nopalea cochenillifera (L.) LYONS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nothapodytes nimmoniana (GRAH.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Notholaena eckloniana KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nothopanax fruticosum MIQ. FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nothopegia castaneifolia (Roth)Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nothopegia colebrookiana BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nothosaerva brachiata WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Notonia grandiflora DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nyctanthes arbor-tristis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphaea alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphaea caerulea SAVIGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphaea cyanea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphaea edulis D.C and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphaea lotus HOOK. F.(NON L). and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphaea nouchali BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphaea odorata AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphaea pubescens WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphaea rubra ROXB. EX ANDREWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphaea stellata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphaea stellata WILLD. cyanea H.F. & T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphaea tetragona GEORGI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphoides

cristata (ROXB.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphoides hydrophylla (LOUR.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphoides indica (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphoides indicum (L.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphoides macrospermum VASUDEVAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nymphoides peltata (GMEL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Nypa fruticans Wurb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ochlandra brandisii GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ochlandra rheedii BENTH. & HOOK. F. EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ochlandra scriptoria (DENNST.) C.E.FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ochlandra travancorica GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ochna gamblei KING(SONARI) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ochna jabotapita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ochna lanceolata KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ochna obtusata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ochna pumila HAM. EX D. DON PRODR. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ochra squarrosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ochradeneus baccatus DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ochradenus baccatus DEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ochreinauclea missionis (WALL.EX G.DON) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ochrocarpus longifolius (WIGHT) T.ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ochthochloa coracana EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ocimum adscendens WIGHT EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ocimum album

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ocimum americanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ocimum basilicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ocimum basilicum L. basilicum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ocimum basilicum L. majus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ocimum basilicum L. pilosum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ocimum basilicum L. minimum DAMERT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ocimum canum SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ocimum caryophyllatum* SCHWEIG EX. SCHRAUK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ocimum gratissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ocimum kilimandscharicum* GUERKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ocimum pilosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ocimum polystachyon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ocimum prostratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ocimum sanctum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ocimum tenuiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Odina pinnata KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Odina woder ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oenanthe javanica (BL.)DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oenothera biennis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Olax acuminata WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Olax imbricata Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Olax nana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Olax scandens

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oldenlandia auricularia K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oldenlandia biflora LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oldenlandia corymbosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oldenlandia dichotoma HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oldenlandia diffusa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oldenlandia fruticosa (L.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oldenlandia glandulifera WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oldenlandia herbacea (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oldenlandia heynii BR. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oldenlandia umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Olea cuspidata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Olea dioica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Olea europea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Olea ferruginea ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Olea glandulifera WALL. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Olea polygama* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oleandra neriiformis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oleandra pistillaris* (SW.) C.CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oleandra wallichii* PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oligochaeta ramosa* (ROXB.) WAGEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oligomeris linifolia* (VAHL) MACB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Onosma bracteatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Onosma*

echioides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Onosma hispidum WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Onosma hookeri CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Onychium contiguum (WALL.) HOPE.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Onychium japonicum O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Onychium siliculosum (DESV.) C. CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Operculina petaloidea (CHOISY) OOSTSTROOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Operculina turpethum (L.) S. MANSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophelia angustifolia* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophelia chiraita* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophelia densifolia* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophelia elegans* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophelia multiflora* DATZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophiocephalus striatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophioglossum costatum* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ophioglossum fibrosum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ophioglossum nudicaule L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ophioglossum pendulum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ophioglossum thermale KUMAROV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ophioglossum vulgaatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ophioglossum vulgatum (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ophiopogon intermedius DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ophiopogon japonicum KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ophiopogon

malcolmsonii ROYLE EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ophiopogon wallichianus HOOK.F. PAUCIFLORA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ophiorrhiza mungos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ophiorrhiza nicobarica BALAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ophiorrhiza nutans C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ophiorrhiza ochroleuca HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ophiorrhiza pauciflora HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ophiorrhiza rugosa WALL. ARGUTEA DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ophioxylon serpentinum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ophiuros exaltatus KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ophrestia pentaphylla (DALZ.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Opilia amentacea ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oplismenus burmannii (RETZ.) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Opopanax chironium KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Opuntia cochinellifera MILL. GARD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Opuntia dillenii (KER-GAMIER) HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Opuntia elatior* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Opuntia ferox* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Opuntia ficus-indica* (L.) MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Opuntia monacantha* HAW. SUPPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Opuntia nigricans* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Opuntia stricta* (HAW.) HAW. *dillenii* (KER.GAWL) BENSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Opuntia vulgaris* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Orchis chusua*

D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orchis habenarioides K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orchis latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orchis laxiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orchis mascula L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orchis spathulata L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oreocnide frutescens (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oreocnide integrifolia (GAUD) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Origanum majorana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Origanum vulgare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ormocarpum cochinchinense (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ormocarpum sennoides DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ormosia travancoria BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orobanche aegyptiaca PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orobanche solmsii CLARKE EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orophea katschallica KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oroxylum indicum (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orthosiphon aristatus (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orthosiphon diffuses BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orthosiphon glabratus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orthosiphon grandiflorus BOLDINGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orthosiphon incurvus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orthosiphon pallidus ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orthosiphon

rubicundus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orthosiphon spiralis (LOUR) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orthosiphon stamineus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orthosiphon thymiflorus (ROTH.) SLEASEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Orygia decumbens FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oryza granulata Nees. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oryza meyeriana (Zoll.&Mor.)Baill granulata Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oryza mutica STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oryza rufipogon* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oryza sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia aspera* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia capitata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia crinita* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia cupularis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia nepalensis* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia sexatilis* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia sikkimensis* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia stellata* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osbeckia zeylanica* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osmanthus fragrans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osmunda claytoniana* L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osmunda regalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Osyris arborea*

WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Osyris quadripartita SALZ EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Osyris wightiana WALL. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Othonnopsis intermedia BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Otostegia aucheri BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Otostegia limbata HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ottelia alismoides (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ougeinia dalbergioides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ougeinia oojeinensis* (ROXB.) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ouratea angustifolia* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oxalis acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oxalis corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oxalis corymbosa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oxalis debilis* H.B.K. *corymbosa* (DC.) LOUR. 0. C0. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oxalis latifolia* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oxalis martiana* ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oxalis pubescens H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oxysia digyna (L.) HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oxyspora paniculata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oxystelma esculentum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oxystelma secamone (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oxysanthus nigrociliata MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oxysanthus thwaitesii MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oxystropis

lapponica (WAHL.) GAY. CORRESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oxytropis mollis ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oxytropis tatarica BUNGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pachygone ovata (POIR.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pachygone zeylanica (GAERTN) SANT. & WAGH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pachyrrhizus angulatus RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pachyrrhizus erosus (L.) URBAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pachystoma senile (LINDL.) REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Padus cornuta (WALL. EX ROYLE) CARR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paederia foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paederia scandens (LOUR.) MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paederia tomentosa BLUME BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paeonia emodi WALL. EX. ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pajanelia longifolia (WILLD.) K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Palaquium ellipticum (DOLZ.) BAILLON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Palhinhaea cernua (L.) FRANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pamburus missionis (WIGHT) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panax ginseng MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panax pseudoginseng WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panax quinquefolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panax wangianus Sun and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pancratium triflorum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pancratium zeylanicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), PKalamnus

fascicularis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), PKalamnus foetidus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), PKalamnus furcatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), PKalamnus kaida KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), PKalamnus odoratissimus L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), PKalamnus tectorius AUCT. NON SOLAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), PKalamnus thwaitesii MARTELLI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), PKalamnus unipapillatus DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum antidotale RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum argyptiacum HORT. EX ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum brizoides JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum crus-corvi L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum flavo-marginatum MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum floro-marginatum MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum frumentaceum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum grossarium GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum grossarium GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum incomtum TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum isachne ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum italicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum macimum FACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum maximum JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum miliaceum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum milliare

AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum psilopodium TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum psilopodium TRIN. psilopodium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum repens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum sarmentosum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum stagninum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Panicum sumatrense ROTH EX ROEM. ET SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Papaver argemone L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Papaver dubium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Papaver hybridum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Papaver nudicaule L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Papaver orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Papaver rhoeas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Papaver somniferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paphiopedilum druryi (BEDD.) STEIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched) and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paracalyx scariosa (ROXB.) ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paraleptochilus decurrens (BLUME) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parameria barbata (BI.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parameria polyneura HOOK.R. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paramignya angulata KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paramignya longispina HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paramignya monophylla WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pardanthus

chinensis KER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paris polyphylla SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parkia biglandulosa WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parkia javanica MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parkia roxburghii G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parkia timoriana (A. DC.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parkinsonia aculeata L.SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parmelia cirrhata FR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parmelia kamstchadalis ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parmelia nilgherrensis NYL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parmelia perforata ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parmelia perlata (HUDS.) ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parmignya monophylla WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parnassia laxmannii PALL. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parnassia nubicola HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parnassia palustris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parnassia pusilla HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parochetus communis DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parsonsia alboflavescens (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parsonsia helicandra HOOK. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parsonsia laevigata (Moon) Alston. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parsonsia spiralis WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Parthenium hysterophorus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pasania truncata

(KING) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paspalum conjugatum BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paspalum distichum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paspalum scrobiculatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Paspalum scrobiculatum L. commersonii STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Passiflora assamica CHAKRAVARTY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Passiflora edulis SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Passiflora foetida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Passiflora incarnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Passiflora perpera* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Passiflora quadrangularis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Paullinia cupana* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pausinystalia yohimba* PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavetta crassicaulis* BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavetta indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavetta indica* L. minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pavetta tomentosa ROXB. EX SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pavonia odorata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pavonia procumbens SOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pavonia propinqua GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pavonia repKalam (J.E. SM.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pavonia zeylanica CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Payena lucida A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pecteilis

susannae (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pedalium murex L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pedicularis bicornuta CLOTZ. EX. GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pedicularis cheilanthifolia SCHRENK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pedicularis comosa LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pedicularis longiflora RUDOLPH tubiformis (KLOTZSCH) PENNEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pedicularis pectinata WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pedicularis pycnantha BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pedicularis pyramidata* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pedicularis siphonantha* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pedilanthus tithymaloides* (L.) POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Peganum harmala* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pegia nitida* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pegolettia senegalensis* CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pegonatherum crinitum* KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pelargonium graveolens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pelargonium roseum R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peliosanthes bakeri HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peliosanthes teta ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pellaea colomelanos LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pellaea hastata (THUNB) PRANTL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peltigera canina WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peltophorum dasyrhachis (MIQ.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peltophorum

pterocarpum (DC.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pemphis acidula FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pennisetum alopecuroides (L.) SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pennisetum americanum (L.) LEEKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pennisetum compressum R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pennisetum flaccidum GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pennisetum glaucum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pennisetum spicatum ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pennisetum typhoides (BURM.F.) STAPF ET HUBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pennisetum typhoideum (RICH) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pentanema indicum (L.) LING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pentaneura khasiana KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pentapetes phoenicea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pentaptera tomentosa BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pentatropis capensis (L.F.) BULLOCK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pentatropis cynanchoides R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pentatropis microphylla* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pentatropis nivalis* (GMEL.) FIELD & WOOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pentatropis spiralis* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Peperomia pellucida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Peperomia reflexa* (L.F.) A. DIETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Peperomia tetraphylla* (G.FORST.) HOOK. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Peranama cyatheoides* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pergularia*

aktensa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pergularia daemia (FORSK.) CHOIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pergularia extensa N.E.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pergularia tomentosa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pericampylus glaucus (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pericampylus incanus MIERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Perilepta auriculata (NEES) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Perilla frutescens (L.) BRITT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Periploca aphylla* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Periploca indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Periploca sylvestris* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Peristrophe bicalyculata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Peristrophe bivalvis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Peristrophe paniculata* (FORSK.) BRUMMITT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Peristrophe roxburghiana* (SCHULT.) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Peristylus stocksii* (HK.F.) KRANZ and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Perotis indica (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Perovskia abrotanoides KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Perovskia atriplicifolia BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Persea fructifera KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Persea gamblei (KING EX HK.F.) KOST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Persea macrantha (NEES) KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Petrea volubilis GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Petroselinum

crispum NYM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peucedanum aucheri BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peucedanum dhana BUCH.-HAM.EX CLARKE DALZELII C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peucedanum grande CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peucedanum graveolens BENTH. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Peucedanum nagpurens (CI.) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phaius grandifolius LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phaius tancarvilleae (L. HERIT.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phaius wallichii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phalaenopsis amabilis LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phalaris arundinacea L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phalaris canariensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phallus rubicundus (BOSC.) FRIES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pharbitis nil CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pharnaceum cerviana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pharnaceum mollugo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phaseolus aconitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phaseolus adenanthus* G.F. MEYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phaseolus aureus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phaseolus dalzellii* COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phaseolus lunatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phaseolus mungo* (L) MANT. *radiatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phaseolus mungo* (L) MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phaseolus*

pauciflorus DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phaseolus radiatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phaseolus roxburghii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phaseolus semierectus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phaseolus sublobatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phaseolus trilobus AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phaseolus vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phaulopsis dorsiflora (RETZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phaulopsis imbricata* (FORSK.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phlegmarius phlegmaria* (L.) SEN & SEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phlogacanthus curviflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phlogacanthus guttatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phlogacanthus jenkinsii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phlogacanthus pubinervis* T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phlogacanthus thrysiflorus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phlogacanthus thrysiflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phlogacanthus thyrsoformis (HARD.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phlomis bracteosa ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phoebe lanceolata NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phoebe wightii MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phoenix acaulis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phoenix asperulatus HUTCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phoenix dactylifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phoenix

farinifera ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phoenix humilis ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phoenix loureirii KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phoenix paludosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phoenix pusilla GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phoenix sylvestris ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pholidota chinensis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pholidota imbricata (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phoradendron leucarpum (RAF.) REV. & M.C. JOHNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Photinia notoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Photinia serrulata LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phragmites australis (CAV.) TRIN. EX STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phragmites communis TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phragmites karka TRIN. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phragmites maxima BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phragmites roxburghii* (KUNTH) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phrymium dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyla nodiflora* (L.) GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllagathis rotundifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus acidus* (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus airy-shawii* BRUNEL & ROUX and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus amarus* SCHUM. & THENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus*

clarkei HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus debilis KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus distichus (L.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus emblica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus fraternus WEBSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus gomphocarpus HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus indofischeri BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus maderaspatensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus missionis HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus mukherjeeanus MITRA ET BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus multiflorus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus niruri SENSU HOOK.F. Non Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus polyphyllus DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus reticulatus POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus rhamnoides WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phyllanthus rheedii WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus simplex* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus urinaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllanthus virgatus* G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllocephalum indicum* (LESS.) KIRKMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllochlamys taxoides* KOORDERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phyllostachys bambusoides* SIEB. & ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phymatodes ebenipes* (HOOK.) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Phymatodes*

scolopendria (BURM.) CHING. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Physalis alkekengi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Physalis alkekengi LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Physalis angulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Physalis divaricata D. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Physalis flexuosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Physalis indica LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Physalis minima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Physalis peruviana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Physochlaina praealta (DECNE) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Physostigma venenosum BALF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phytolacca acinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phytolacca americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Phytolacca lathenia (MOQ.) HANS WALTERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Picarasma guassioides and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Picea abies (L.) KARST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Picrasma javanica BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Picrasma nepalensis BENN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Picrasma quassioides BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Picris hieracioides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Picrorhiza kurroa ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Picrorhiza scrophulariiflora PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Picrorrhiza kurroa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pieris ovalifolia

D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pilea microphylla (L.) LIEBM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pilea umbrosa WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piliostigma malabaricum (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pilocarpus jaborandi HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pimenta acris KOSTEL ALLG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pimenta racemosa J. W. MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pimpinella anisum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pimpinella bracteata HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pimpinella diversifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pimpinella heyneana (WALL. EX DC.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pimpinella involucrata MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pimpinella saxifraga L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pimpinella stocksii BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pimpinella tirupatiensis BAL. & SUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pinanga dicksonii (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pinanga manii BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pinus dammara LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pinus deodara ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pinus excelsa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pinus gerardiana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pinus griffithi M. CLELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pinus insularis ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pinus kesiya

GORDON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pinus longifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pinus maritima LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pinus merkussi JUNGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pinus picea PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pinus roxburghii SARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pinus sylvestris LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pinus wallichiana JACKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pinus webbiana WALL. EX. LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper argyrophyllum MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper attenuatum BUCH.-HAM. EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper aurantiacum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper auranticum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper baccatum CAS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper bachystachyum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper bantamense BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper barberi GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper betele LINN. SIRIBOA (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper betle L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper betleoides C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper boehmeriaefolium WALL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper caninum BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper chaba HUNTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper clusii

C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper crassipes KORTH. EX. C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper cubeba L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper dichotomum HORT. PAR. EX KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper diffusum VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper gamblei CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper griffithii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper guineense SCHUM & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper lanceolatum RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper longum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper mullesua D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper officinarum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper pedicellatum C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper pedicellosum WALL.EX CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper peepuloides ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper retrofractum VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper ribesioides WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper sarmentosum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper sylvaticum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper thomsoni Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper thomsonii HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper trichostachyon (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper trioicum

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Piper wallichii (MIQ.) HAND MAZZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pipturus velutinus WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pisonia aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pisonia alba SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pisonia grandis R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pisonia mitis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pisonia morindifolia R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pisonia umbellata* (FORST.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pistacia chinensis* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pistacia chinensis* BUNGE *integerrima* (STEW) RECH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pistacia integerrima* STEW. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pistacia khinjuk* STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pistacia lentiscus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pistacia terebinthus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pistacia vera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pistia stratiotes L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pistia stratiotes LINN. CUNEATA ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pisum arvense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pisum sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pithecellobium angulatum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pithecellobium bigeminum MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pithecellobium clypearia BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pithecellobium

dulce (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pithecellobium fasciculatum BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pithecellobium globosum KOSTERM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pithecellobium lobatum BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pithecellobium monadelphum (ROXB.) KOSTER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pithecolobium dulce BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pithecolobium subcoriaceum THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pithecolobium umbellatum (VAHL.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pittosporum floribundum SENSU HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pittosporum nepaulense (DC.) REHDER & WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pittosporum nilghirensis WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pittosporum tetraspermum WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pityrogramma calomelanos (L.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Planchonella obovata (R.Br.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago amplexicaulis CAV. bauphula (EDGEW.) RECH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago arenaria DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago asiatica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago brachyphylla EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago ciliata DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago depressa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago erosa WALL. IN ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago himalaica PILG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago ispaghula ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago

lagocephala BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago lanceolata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago major L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago media L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago ovata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago psyllium LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago pumila WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plantago stocksii BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Plantago tibetica* HK. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Platanthera susannae* (L.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Platanus orientalis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Platostoma africanum* BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Platostoma africanus* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Platostoma flaccidum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Plecosperrum spinosum* TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Plectranthus ambonicus* (LOUR.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus barbatus ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus coetsa HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus fruticosus WIGHT EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus incanus LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus japonicus (BURM.F) KOIDZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus lophanthoides (DON) GRIER. & LONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus mollis (AITON) SPLRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus

nilgherricus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus rugosus WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus striatus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus ternifolius D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectranthus vettiveroides (JACOB) SINGH & SHARMA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectronia didyma KURZ FOR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plectronia parviflora BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pleione maculata (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pleiospermium alatum (WALL. EX WT. & ARN.) SURINGLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pleopeltis contorta (CHRIST.) PANIGR. & PATAV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pleopeltis lanceolata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pleopeltis macrocarpa (BORRY EX WILLD.) KAULF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pleopeltis nuda HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plesmonium margaretiiferum (ROXB.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pleurospermum angelicoides (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pleurospermum brunonis (DC.) BENTH. EX. CLARKE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pleurospermum candollei (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pleurostyliia opposita (WALL.) ALSTON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pluchea indica LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pluchea lanceolata OSKIN & HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pluchea pinnatifida HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pluchea tomentosa DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pluechea indica LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plumbago

auriculata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plumbago capensis THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plumbago indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plumbago rosea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plumbago zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plumeria acuminata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plumeria acutifolia POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plumeria alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plumeria rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plumieria acutifolia POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plumieria alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Plumieria rubra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Poa cynosuroides RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Poa malabarica KLEIN.EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Podocarpus latifolia BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Podocarpus neriifolius DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Podophyllum emodi* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Podophyllum hexandrum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Podophyllum peltatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Poeciloneuron indicum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Poeciloneuron pauciflorum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogonatherum crinitum* (THUNB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogonia plicata* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon*

auricularis (L.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pogostemon benghalensis (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pogostemon cablin (BLANCO) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pogostemon elsholtzioides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pogostemon heyneanus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pogostemon paniculatus (WILLD.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pogostemon parviflorus BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pogostemon patchouli PELLET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon plectranthoides* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon pubescens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon purpurascens* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon vestitus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pogostemon villosus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Poikilospermum suaveolens* (BL.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Poinciana elata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Poinciana gilbesii* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Poinciana pulcherrima L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polanisia felina DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polanisia icosandra WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polemonium caeruleum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polianthes tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polyalthia cerasoides (ROXB.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polyalthia coffeoides (HOOK.F.&THOMS.) BENTH. & HOOK.F. EX. HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polyalthia fragrans BENTH. & HOOK. F. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polyalthia korinti (DUNAL) BENTH. & J.HOOK. EX J.HOOK. & TH oms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polyalthia longifolia BENTH. & HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polyalthia simiarum BENTH. & HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polyalthia suberosa (ROXB.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polyanthes tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polycarpea corymbosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polycarpon prostratum (FORSK.) ASCH. & SCHWEINF. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala abyssinica* (R.Br.) FRESN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala arillata* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala arvensis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala crotarioides* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala elongata* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala eriopetra* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala*

glomerata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygala irregularis BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygala leptalea DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygala longifolia POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygala persicariaefolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygala senega L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygala sibirica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygala telephioides WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygala vulgaris THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygallata arillata BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonatum cirrhifolium ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonatum multiflorum (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonatum verticillatum (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum affine DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum alatum HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum alpinum ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum amphibium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum amplexicaule DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum auriculatum MEISN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum aviculare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum barbatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum bistorta L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum bistorta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum

capitatum BUCH.-HAM. EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum chinense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum chinense LINN. SUBHASTATA MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum convolvulus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum cymosum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum flaccidum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum glabrum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum hydropiper LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum lapathifolium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum macrophyllum DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum minus HUDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum molle D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum multiflorum THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum nepalense MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum paronychioides MEYER EX HOHEN NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum perfoliatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum persicaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum plebeium R. BR. EFFUSA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum plebeium R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum polystachyum WALL. EX MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum posumbi HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum pulchrum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum

recumbens ROYLE EX BAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum roettleri ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum rumicifolium ROY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum serrulatum LAGASCA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum sphaerostachyum MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum stagninum (BUCH.-HAM. EX MEISSN.) STEWARD stagninum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum stewartianum DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygonum strigosum BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygonum tenellum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygonum tomentosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygonum tortuosum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygonum vacciniifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygonum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygonum viviparum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polypodium irioides* LAMK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polypodium quercifolium* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polypodium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polyporus anthelminticus* BERK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polyporus officinalis* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polyscias fruticosa* (L.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polysolenia wallichii* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polystichum aculeatum* (L.) ROTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polystichum biaristatum* (BLUME) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polystichum*

squarrosu (D.DON) FEE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polytoca barbata STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polytrichum juniperinum WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pometia pinnata Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ponerorchis chusua (D.DON) SOO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pongamia glabra VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pongamia pinnata (L.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pontederia vaginalis BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Populus alba LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Populus caspica BORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Populus ciliata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Populus euphratica OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Populus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Porana paniculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Porphyra umbilicalis (L.) AG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Porphyra vulgaris LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Portulaca grandiflora HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Portulaca quadrifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Portulaca meridiana LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Portulaca oleracea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Portulaca pilosa LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Portulaca quadrifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Portulaca sativa LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Portulaca

tuberosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla anserina LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla arbuscula D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla argyrophylla WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla atosanguinea LODD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla bifurca L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla fragarioides LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla fruticosa L. rigida (LEHM.) WOLF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla fulgens WALL. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla gerardiana LINDL. EX LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla kleiniana WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla lineata TREVIR EX REICH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla mooniana WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calophyllum inophyllum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calophyllum polyanthum Wall.ex Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia cowa Roxb. ex DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Garcinia gummi-gutta* (L.) Robs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Garcinia mangostana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Garcinia morella* (Gaertn.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Garcinia papilla* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Garcinia rubro-echinata* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Garcinia spicata* (Wight & Arn.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Garcinia talbotii* Raiz. ex Sant and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Garcinia*

travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia wightii T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Garcinia xanthochymus Hook. f. ex. T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum androsaemum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum humifusum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum japonicum Thunb. ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum mysurense Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hypericum patulum Thunb ex Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hypericum uralum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hypericum wightianum* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mammea suriga* (Buch. - Ham. ex Roxb.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mesua ferrea* L. subsp. *ferrea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *pulchella* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *coromandeliana* (Wight) Mahesh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Poeciloneuron indicum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Poeciloneuron pauciflorum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Camellia japonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Camellia sinensis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Eurya nitida* Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gordonia obtusa* Wall ex Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schima wallichii* (DC.) Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ternstroemia japonica* (Thunb.) Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saurauia fasciculata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saurauia*

napaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stachyurus himalaicus Hook. f. & Thoms. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dipterocarpus indicus Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hopea erosa (Bedd.) van Sloot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hopea glabra Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hopea parviflora Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hopea ponga (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hopea utilis (Bedd.) Bole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Shorea roxburghii G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vateria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ancistrocladus heyneanus Wall. ex Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abelmoschus angulosus Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abelmoschus esculentus (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abelmoschus ficulneus (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abelmoschus manihot (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Abelmoschus moschatus Medicus subsp. tuberosus (Span.) Borss. Waalk and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Abutilon crispum* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Abutilon hirtum* (Lam.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Abutilon indicum* (L.) Sweet subsp. *indicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Abutilon indicum* (L.) Sweet subsp. *guineense* (Schumach.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Abutilon megapotamicum* (Spreng.) Mill. & Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Abutilon neilgherrense* Munro ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Abutilon pannosum* (Forst. f.) Schlect and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Abutilon*

persicum (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Abutilon ramosum* (Cav.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Abutilon striatum* Dickson ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Abutilon theophrastii* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Alcea rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Decaschistia crotonifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Decaschistia rufa* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gossypium arboreum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gossypium barbadense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gossypium herbaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gossypium hirsutum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus canescens* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus cannabinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus furcatus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus hirtus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus lobatus* (Murr.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus lunariifolius* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus mutabilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus micranthus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus panduriformis* Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus platanifolius* (Willd.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus radiatus* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus rosasinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hibiscus*

sabdariffa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus schizopetalus (Mast.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus surattensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus syriacus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus tiliaceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus trionum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hibiscus vitifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kydia calycina Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Malachra capitata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Malva parviflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Malva sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Malva verticillata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Malvastrum coromandelianum* (L.) Garcke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Malvaviscus arboreus* Cav. var. *arboreus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Malvaviscus arboreus* Dill ex Cav. var. *penduliflorus* (DC.) Schery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Modiola caroliniana* (L.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavonia odorata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavonia procumbens* (Wall ex. Wight & Arn.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pavonia zeylanica* (L.) Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Plagianthus pulchellus* A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sida acuta* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sida cordata* (Burm. f.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sida cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sida*

mysorensis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sida rhombifolia* L. var. *rhombifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sida rhombifolia* L. var. *retusa* (L.) Borss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sida schimperiana* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sida spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thespesia lampas* (Cav.) Dalz. ex Dalz. & Gibbs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thespesia populnea* (L.) Soland ex Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Urena lobata* L. subsp. *lobata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Urena lobata* L. subsp. *sinuata* (L.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Adansonia digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bombax ceiba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bombax ellipticum* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bombax insigne* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ceiba pentandra* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chorisia speciosa* St. Hil. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cullenia exarillata* Robyns and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Durio zibethinus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Byttneria herbacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cola acuminata* (P. Beauv.) Schott & Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dombeya acutangula* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dombeya burgessiae* Gerr. ex Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dombeya mastersii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dombeya mollis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dombeya*

platanifolia Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dombeya spectabilis Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dombeya wallichii (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriolaena hookeriana Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriolaena lushingtonii Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriolaena quinquelocularis (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eriolaena stocksii Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Firmiana colorata (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Guazuma ulmifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Helicteres isora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Heritiera papilio* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hildegardia populnifolia* (Roxb.) Schott & Endl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Kleinhovia hospita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Leptonychia moacurroides* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melhania balakrishnanii* K.Ravik., R.Ganesan & K.Ramamurthy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melhania cannabina* Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melhania hamiltoniana* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melhania incana* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melochia corchorifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melochia nodiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Melochia pyramidata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pentapetes phoenicea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pterospermum acerifolium* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pterospermum*

canescens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterospermum diversifolium Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterospermum obtusifolium Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterospermum reticulatum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterospermum rubiginosum Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterospermum xylocarpum (Gaertn.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterygota alata (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sterculia balanghas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sterculia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sterculia guttata* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sterculia urens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sterculia villosa* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Theobroma cacao* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Waltheria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Berrya cordifolia* (Willd.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Berrya javanica* (Turez.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Corchorus aestuans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Corchorus capsularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Corchorus fascicularis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Corchorus olitorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Corchorus tridens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Corchorus trilobularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Corchorus urticifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia*

abutilifolia Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia abutilifolia Vent. ex Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia barberi Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia bracteata Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia damine Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia flavescens Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia gamblei Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Grewia heterotricha Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia hirsuta* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia lanceaefolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia nervosa* (Lour.) Panigr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia oppositifolia* Buch - Ham ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia orbiculata* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia pKalamica* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia rhamnifolia* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia rothii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia serrulata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia tenax* (Forsk.) Fiori and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia tiliifolia* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia umbellifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Grewia villosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Muntingia calabura* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Triumfetta annua*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triumphetta pentandra A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triumphetta pilosa Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triumphetta rhomboidea Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triumphetta rotundifolia Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeocarpus amoenus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeocarpus blascoi Weibeln and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeocarpus lanceifolius Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeocarpus munronii (Wight) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeocarpus recurvatus Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeocarpus rugosus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeocarpus serratus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeocarpus glandulosus Wall. ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeocarpus tuberculatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elaeocarpus venustus Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hugonia mystax L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Linum mysurense* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Linum usitatissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Reinwardtia indica* Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythroxylum coca* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythroxylum lanceolatum* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythroxylum monogynum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythroxylum moonii* Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erythroxylum*

obtusifolium (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aspidopterys canarensis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aspidopterys indica* (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Galphimia gracilis* Bartl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hiptage benghalensis* (L.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hiptage obtusifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hiptage parvifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Malpighia coccigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Malpighia glabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Malpighia heterantha Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Malpighia puniceifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tristellateia australasiae A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Balanites aegyptiaca (L.) Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fagonia cretica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Guaiacum officinale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tribulus lanuginosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tribulus subramanii* P. Singh, Giri & V. Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Erodium moschatum* (L.) L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Geranium nepalense* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pelargonium capitatum* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pelargonium cucullatum* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pelargonium x domesticum* L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pelargonium graveolens* L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pelargonium*

grossularioides (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pelargonium x hortorum L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pelargonium inquinans (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pelargonium peltatum Soland. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tropaeolum majus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tropaeolum pentaphyllum Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Limnanthes douglasii R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Biophytum insignis Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Biophytum intermedium* Wight var. *pulneyensis* Edgew. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Biophytum longibracteatum* Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Biophytum nudum* (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Biophytum polyphyllum* Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Biophytum proliferum* (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Biophytum reinwardtii* (Zucc.) Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Biophytum sensitivum* (L.) DC. var. *sensitivum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Biophytum sensitivum* (L.) DC var. *candolleianum* (Wight) Edgew. & Hook.f and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Biophytum sensitivum* (L.) DC var. *nervifolium* (Thw.) Edgew. & Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oxalis acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oxalis cernua* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oxalis corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oxalis corymbosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oxalis deppei* Lodd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oxalis latifolia* H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oxalis pubescens*

H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Oxalis variabilis Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Averrhoa bilimbi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Averrhoa carambola L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Hydrocera triflora (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens acaulis Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens auriculata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens balsamina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Impatiens campanulata Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla multifida L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla nepalensis HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla reptans LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla salesoviana STEPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla sericea LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla sibbaldi HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla sundaica (BL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Potentilla supina LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pothomorphe subpeltata (WILLD.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pothos cathcarti SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pothos kunstleri HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pothos officinalis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pothos scandens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pouzolzia bennettiana WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pouzolzia

frondosa (DON) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pouzolzia hirta HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pouzolzia indica GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pouzolzia quinquenervis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pouzolzia sanguinea (BL.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pouzolzia viminea WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pouzolzia zeylanica (L.) BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prangos pabularia LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pratia begonifolia (WALL.) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pratia nummularia KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna barbata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna coriacea CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna corymbosa ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna divaricata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna esculenta ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna flavescens HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna herbacea ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna integrifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna latifolia ROXB. mucronata C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna macrophylla WALL. EX SCHAUER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna mucronata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna obtusifolia R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna

parasitica BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna serratifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna spinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna thyrsoidea WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna tomentosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Premna villosa CLARKE IN HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Primula denticulata HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Primula macrophylla D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Primula reticulata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prinsepia utilis ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prismaomeris tetrandra K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Priva cordifolia (L.F.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Priva leptostachya JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pronephrium nudatum (ROXB. EX GRIFF.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prosopis chilensis (MOLINA) STUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prosopis cineraria (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Prosopis farcta* (SOL EX RUSS) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Prosopis juliflora* (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Prosopis spicigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Protium kataf* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Protium pubescens* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Protium serratum* (COLEBR) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Prunus amygdalus* BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Prunus*

armeniaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus avium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus carmesiana HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus cerasoides D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus cerasus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus ceylanica (WT.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus communis FRITSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus communis HUDS. insitia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus cornuta (ROYLE) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus domestica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus dulcis (MILLER) D.A. WEBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus insititia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus mahaleb L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus malus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus persica BATSCHE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus puddum (WALL.) ROXB. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus salicina LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus triflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Prunus undulata HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Przewalskia tangutica MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psalliotia campestris L FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psammogeton biternatum EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psammogeton canescens (DC.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pseudarthria

viscida WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pseuderanthemum bicolor (SCHRANK.) RADIK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pseuderanthemum platiferum (WALL.) RADLK. EX LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pseudodissochaeta assamica (CL.) NAYAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pseudodrynaria caronas (WALL. EX METT.) CHING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pseudognaphalium luteoalbum (L.) HILL. & BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pseuduvaria prainii (KING) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psidium cattleianum SABINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psidium guajava L. pomiferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psidium guyava L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psidium pomiferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psidium pyrifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psidium quajava L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psilanthus travancorensis (WIGHT & ARN.) LERAY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psilotrichum trichotomum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psilotum nudum BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psophocarpus tetragonolobus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psoralea corylifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psoralea plicata* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psoralea tetragonoloba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psychotria calocarpa* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psychotria curviflora* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psychotria dalzielii* J. HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Psychotria*

glandulosa (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria ipecacuanha LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria montana BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria sarmentosa BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychotria viridiflora REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Psychrogeton andryaloides (DC) NOVOP. EX KRASH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pteridium aquilinum (L.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pteris aquilina BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pteris biaurita L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pteris cretica L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pteris ensiformis BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pteris longipes DON F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pteris multifida POIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pteris vitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pteris wallichiana AGARDH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pternandra coerulescens JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterocarpus dalbergioides ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterocarpus indicus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterocarpus marsupium ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterocarpus santalinus L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterococcus corniculatus (SM.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterocymbium javanicum R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterolobium hexapetalum (ROTH) SANT. & WAGH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pteropyrum

olivierii JAUB. & SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterospermum acerifolium WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterospermum canescens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterospermum diversifolium BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterospermum heyneanum WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterospermum rubiginosum HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterospermum suberifolium (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterospermum xylocarpum (GAERTH.) SAMT. & WAGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pterygota alata R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ptesmonium margaritifera (ROXB.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ptychopetalum olacoides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ptychopetalum uncinatum ANSELMINO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ptychotis ajowan DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pueraria hirsuta (THUNB.) SCHU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pueraria lobata (WILLD.) OHWI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pueraria phaseoloides (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pueraria tuberosa (ROXB. EX. WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pulicaria crispa SCH.-BIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pulicaria dysenterica (L.) GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pulicaria glaucescens JAUB. & SPACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pulicaria wightiana (DC.) BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Puneeria coagulans STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Punica granatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pupalia lappacea

(L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pupalia orbiculata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Putranjiva roxburghii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Putranjiva zeylanica* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pycnocycla aucheriana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pycnocycla glauca* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pycnospora lutescens* (POIR.) SCHINDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pygeum gardneri* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pygeum wightianum BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pygmaeopremna herbacea (ROXB.) MOLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pygmaeopremna pyrifolia - culta NAKAI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pyrethrum indicum DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pyrethrum umbeliferrum BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pyrola rotundifolia LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pyrrosia adnascens (SW.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pyrrosia heterophylla (L.) ORUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pyrrosia lanceolata (L.) FARWELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pyrrosia mannii (GIES.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pyrrosia penangiana (HK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pyrus aucuparia GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pyrus chinensis ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pyrus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pyrus cydonia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pyrus lindleyi

REHD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pyrus malus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pyrus pashia BUCH.-HAM EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pyrus tomentosa ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Quamoclit coccinea MOENCH.METH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Quamoclit phoenicea CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Quamoclit pinnata BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Quamoclit vulgaris CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Quassia indica (GAERTN.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Quercus acutissima CARR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Quercus floribunda LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Quercus ilex L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Quercus incana ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Quercus infectoria OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Quercus lamellosa SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Quercus leucotrichophora A. CAMUS and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Quercus pachyphylla KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Quercus robur PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Quercus truncata KING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Quisqualis indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Radermachera xylocarpa (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Randia cochinchinensis (LOUR.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Randia densiflora BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Randia

dumetorum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Randia fasciculata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Randia longiflora LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Randia longispina DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Randia malabaricum LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Randia rugulosa (THW.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Randia spinosa POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Randia tetrasperma BENTH. & HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Randia tomentosa HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Randia uliginosa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ranunculus aquatilis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ranunculus arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ranunculus cantoniensis DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ranunculus diffusus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ranunculus falcatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ranunculus hirtellus ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ranunculus hyperboreus* ROTLB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ranunculus laetus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ranunculus lingua* L. SP. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ranunculus muricatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ranunculus pensylvanicus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ranunculus sceleratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ranunculus trichophyllus* CHAIX IN VILL. DAUPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ranunculus*

tricuspis MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Raphanus caudatus ALEF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Raphanus sativus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rauvolfia canescens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rauvolfia densiflora (WALL.) BENTH. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rauvolfia micrantha HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rauvolfia reflexa T. & B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rauvolfia serpentina (L.) BENTH. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rauvolfia tetraphylla L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ravenala madagascarensis SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Reaumuria hypericoides WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Reinwardtia indica DUMORT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Reinwardtia trigyna PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Reissantia arborea (ROXB) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Reissantia grahamii (WIGHT) DING.HOU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Reissantia indica (WILLD.) HALLE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Remirea maritima* AUBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Remusatia vivipara* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Reseda odorata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhabdia lycioides* SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhamnus dahuricus* PALL. REISE RUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhamnus nepalensis* WALL. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhamnus prostrata* JACQ. EX PAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhamnus*

purpurea EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhamnus purshiana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhamnus triquetra (WALL.) BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhamnus virgatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhamnus wightii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhaphidophora decursiva SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhaphidophora laciniata (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhaphidophora pertusa SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhazya stricta DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rheum acuminatum HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rheum australe D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rheum emodi WALL. EX MEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rheum moorcroftianum ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rheum nobile HOOK.F. & THOMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rheum officinale BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rheum palmatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rheum rhaponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rheum spiciforme* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rheum spiciforme* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rheum undulatum* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rheum webbianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhinacanthus calcaratus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhinacanthus communis* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rhinacanthus*

nasuta (L.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchoglossum obliquum BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhizophora apiculata BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhizophora mangle Roxb. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhizophora mucronata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhodamnia trinervia BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhodiola heterodonta (Hook. f. & Thoms.) Boriss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhodiola imbricata EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhododendron anthopogon D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhododendron arboreum SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhododendron barbatum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhododendron campanulatum DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhododendron chrysanthum PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhododendron cinnabarinum HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhododendron decipiens LACAITA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhododendron falconeri HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhododendron javanicum BENN. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhododendron lepidotum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhododendron ponticum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhododendron setosum D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhododendron thomsonii HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhodomyrtus parviflora ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhodomyrtus semialata MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhodomyrtus

tomentosa WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhus chinensis MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhus coriaria L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhus hookeri SAHNI & BAHADUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhus insignis HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhus javanica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhus parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhus punjabensis J.L. STEW. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhus semialata MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhus succedanea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhus wallichii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchospora foetida SCHRAD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchosoglossum obliquum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchosia minima (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchosia nummularia (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchospermum verticillatum REIN. NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rhynchosstylis retusa (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ribes alpestre WALL. EX DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ribes emodense REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ribes grossularia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ribes himalense ROYLE EX DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ribes nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ribes orientale DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ribes rubrum L.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Richardia scabra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ricinus communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Riedlea corchorifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rikliella squarrosa (L.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rivea hypocrateriformis CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rivea ornata CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Roccella montagnei BEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rorippa islandica* (OEDER) BORBAS SCHINZ & THELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rorippa dubia* HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rorippa indica* (L.) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rorippa indieca* HIERN. APETALA HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rorippa islandica* (OED.) BORBASS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rorippa montana* SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rorippa nasturtium-aquaticum* (L.) HAYEK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rosa alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa banksiae AIT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa brunonii LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa centifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa chinensis JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa eglandaria MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa foetida HERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa gallica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa indica L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa macrophylla LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa moschata HERRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa multiflora THUNB. EX J. MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa rubra BLACKW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa sericea LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosa webbiana WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Roscoea alpina ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Roscoea procera WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Roscoea purpurea ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosmarinus officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rostellularia procumbens (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rosularia rosulata (EDGEW.) OHBA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rotala baccifera KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rotala densiflora (ROTH) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rotala indica (WILLD.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rotala rotundifolia* KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rothia indica* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rotula aquatica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rourea mimosoides* PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rourea minor* (GAERTN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rourea santaloides* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Roylea cinerea* (DON) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Roylea elegans*

WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubia cordifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubia munjista ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubia sikkimensis KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubia tinctorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus biflorus HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus contennifer KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus ellipticus SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus fruticosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus idaeus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus lasiocarpus SMITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus lucens FOCKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus moluccanus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus niveus THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus paniculata SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus rugosus SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus saxatilis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus strigosus MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rubus ulmifolius SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rudolphia frondosa POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ruellia patula JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ruellia prostrata POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ruellia secunda BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ruellia strepens

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ruellia suffruticosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ruellia tuberosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rumex acetosella L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rumex crispus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rumex dentatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rumex hastatus DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rumex hymenosepalus TORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rumex maritimus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rumex nepalensis* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rumex orientalis* BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rumex paulsenianus* RECH. F. FEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rumex scutatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rumex vesicarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rumphia amboinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rungia parviflora* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rungia pectinata* (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rungia repens* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ruscus aculeatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Russelia equisetiformis* SCHL. & CHAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ruta angustifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ruta chalepensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ruta graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Ruta tuberculata*

FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Rytilix granularis (L.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sabia lanceolata COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sabia robusta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saccharomyces cerevisiae MEYEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saccharum arundinaceum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saccharum bengalense RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saccharum ciliare ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saccharum fuscum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saccharum munja ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saccharum officinarum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saccharum robustum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saccharum sara ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saccharum sinense ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saccharum spontaneum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sacciolepis indica CHASE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sacciolepis interrupta* (WILLD.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saccolabium guttatum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saccolabium papillosum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saccolabium praemorsum* HOOK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sageraea dalzellii* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sageraea laurifolia* (GRAHAM) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sagina saginoides* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sagittaria*

sagittifolia L. sagittifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saguerus rumphii ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salacia chinensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salacia fruticosa HEYNE EX LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salacia grandiflora KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salacia macrophylla BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salacia macrosperma WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salacia oblonga WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salacia reticulata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salicornia brachiata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salicornia indica* DREGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salix acmophylla* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salix acutifolia* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salix alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salix babylonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Salix caprea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salix daphnoides VILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salix elegans WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salix pychnostachya ANDERSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salix tetrasperma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salmalia insignis (WALL.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salmalia malabarica SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salomonium cantoniensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salsola baryosma

(R. & S.) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salsola foetida DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salsola kali LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvadora indica ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvadora oleoides DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvadora persica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvadora persica L. wightiana (PLANCH EX THW.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvadora wightiana PLANCH. EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia aegyptiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia bengalensis KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia cabulica BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia coccinea BUCHOZ EX ETLINGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia glutinosa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia haematodes W. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia hians ROYLE EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia lanata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia macrosiphon BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia moorcroftiana WALL. EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia mukerjeea BENNET & RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia plebeia R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia pumila BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia sclarea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvia spinosa L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Salvinia cucullata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kalamdera indica GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kalamdera lucida WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Kalamnea Kalamn (JACQ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sambucus ebulus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sambucus hookeri REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sambucus javanica REINW. EX BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sambucus nigra L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sambucus wightiana WALL. EX WGT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sandoricum indicum CAV. DISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sandoricum koetjape (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sanguinaria canadensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sanicula europaea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sansevieria cylindrica BOJ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sansevieria ebracteata (CAV.) SURESH and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sansevieria hyacinthoides* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sansevieria lanuginosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sansevieria roxburghiana* SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sansevieria trifasciata* HORT. EX PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sansevieria zeylanica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Santaloides minus* SCHELLENB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Santalum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Santalum flonum*

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Santolina chamaecyparissus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sapindus emarginatus* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sapindus laurifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sapindus mukorossi* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sapindus trifoliatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sapium indicum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sapium insigne* TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sapium sebiferum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saponaria vaccaria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saprosmata ternatum (WALL. EX ROXB.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saraca asoca (ROXB.) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saraca indica AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sarcandra glabra (THUNB.) NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sarcocephalus cordatus MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sarcocephalus missionis HAVILAND REV. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sarcococca saligna (D.DON) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sarcolobus globosus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sarcostemma acidum (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sarcostemma acidum VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sarcostemma brevistigma WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sarcostemma brunonianum WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sarcostemma intermedium DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sarcostemma

secamone (L.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sarcostemma stocksii HK. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sarcostigma kleinii WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sassafras albidum (NUTT.) NESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sassafras officinale NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Satureja hortensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Satureja montana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Satyrium nepalense D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saurauia armata* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saurauia macrotricha* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saurauia napaulensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saurauia nepalensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saurauia robusta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saurauia roxburghii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sauromatum guttatum* (WALL.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sauromatum pedatum* (WILLD.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sauromatum venosum* (AIT.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sauropus androgynus* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sauropus quadrangularis* MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saussurea affinis* SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saussurea albescens* (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saussurea auriculata* (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saussurea bracteata* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saussurea*

candicans CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saussurea ceratocarpa DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saussurea costus (FALC.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saussurea gossypiphora DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saussurea gracilis DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saussurea heteromalla (DON) HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saussurea hypoleuca SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saussurea lappa C.B.CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saussurea obvallata (DC.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saussurea sacra EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saussurea schultzei H.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saussurea simpsoniana (FIELD & GARD.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saussurea taraxacifolia WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saxifraga diversifolia WALL. EX SER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saxifraga imbricata ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Saxifraga ligulata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scabiosa speciosa* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scaevola frutescens* KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scaevola koenigii* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scaevola sericea* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scaevola taccada* (GAERTN.) ROXB. N and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.ULL

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scaphium affine* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scaphium wallichii* SCHOTT & ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scapiflora*

species (ROXB.) ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schefflera elata (BUCH.-HAM. EX D.DON) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schefflera elliptica (BL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schefflera hypoleuca (KURZ) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schefflera shypoleucoids HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schefflera stellata (GAERTN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schefflera venulosa (WIGHT & ARN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schefflera venulosum WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schima wallichii (DC.) KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schinus molle HORT. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schisandra chinensis (TURCZ.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schisandra neglecta SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schizachyrium exile STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schizaea dichotoma (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schizandra neglecta SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Schizophyllum commune FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schleichera oleosa* (LOUR.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schleichera trijuga* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schleichera trijuga* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schrebera swietenoides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schultzia benthami* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schumannianthus virgatus* (ROXB.) ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schweinfurthia papilionacea* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Schweinfurthia*

sphaerocarpa A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scilla coromandeliana ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scilla hohenackeri FISCHET MAY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scilla hyacinthina (ROTH.) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scilla indica BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scindapsus aureus (LINDEN EX ANDRE) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scindapsus officinalis SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scirpus articulatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scirpus barbatus ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scirpus corymbosus HEYNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scirpus grossus L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scirpus inclinatus (DEL.) ASCHERS. & SCHWEINF. EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scirpus kysoor ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scirpus lacustris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scirpus maritimus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scirpus tuberosus DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scleria hebecarpa* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scleria levis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scleria lithosperma* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scleria pergracilis* (NEES) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scleria poaeformis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scleria terrestris* (L.) FASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sclerocarya birrea* HOCHST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scleropyrum*

pentandrum (DENNST.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scleropyrum wallichianum (WIGHT & ARN.) A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scolopia aculeata SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scolopia crenata CLOS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scoparia dulcis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scopolia anomala (LINK & OTTO) AIRY-SHAW NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scopolia lurida DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scopolia stramonifolia (WALL.) SHRESTHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scorzonera virgata DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scrophularia koelzii PENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scrophularia variegata M.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scurrula parasitica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scurrula philippensis (CH. & SCH.) DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scutellaria angulosa BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scutellaria assamica MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scutellaria discolor COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scutellaria galericulata L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scutellaria glandulosa COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scutellaria heydei HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scutellaria indica L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scutia indica BRONG.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scutia myrtina (N.BURM.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Scyphiphora hydrophyllacea GAERTN.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sebastiana

chamaelea MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Secamone emetica R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sechium edule SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Securinega leucopyrus (WILLD.) MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Securinega suffruticosa (PALL.) REHDER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Securinega virosa BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sedum asiaticum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sedum crassipes WALL. EX HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sedum ewersii LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sedum multicaule WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sedum quadrifidum PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sedum tibeticum HOOK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sedum tillacoides DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sedum trifidum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sedum wallichianum HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Selaginella bryopteris (L.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Selaginella chrysocaulos* (HOOK. & GREV.) SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Selaginella ciliaris* (RETZ.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Selaginella involvens* SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Selaginella krausiana* A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Selaginella monosperma* SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Selaginella plumosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Selaginella radicata* (HOOK. & GREV.) SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Selaginella*

repKalam (DESV. EX POIR.) SPRENG NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Selaginella rupestris and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Selaginella willdenowii (POIR.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Selenicereus grandiflorus (LINN.) BRITT. & ROSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Selinum candollei DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Selinum filicifolium EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Selinum striatum BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Selinum tenuifolium WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Selinum vaginatum C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Semecarpus anacardium L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Semecarpus heterophylla BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Semecarpus kurzii ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Semecarpus travancorica BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sempervium sedoides JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senebiera didyma PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio aureus WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio bhutanicus BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio cappa DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio graciliflorus . DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio hohenackeri HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio jacquemontianus BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio kraschennikovii SCHICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio laetus EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio

nudicaulis HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio quinquelobus HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio scandens DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio tenuifolius BURM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senecio vulgaris L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Senna prostrata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Serenoa repens (BARTR.) SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesamum indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesamum laciniatum KLEIN EX. WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesamum orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesamum prostratum RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesbania aculeata PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesbania aculeata PERS. cannabina (RETZ.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesbania aegyptiaca POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesbania bispinosa (JACQ.) W.F. WIGHT bispinosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesbania cannabina RETZ. POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesbania grandiflora (L.) POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesbania paludosa PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesbania sesban (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesbania sesban (L.) MERR. bicolor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesbania sesban (L.) MERR. picta (CON.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesbania sesban (L.) MERR. typica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesbania sesban (L.) MERR. sesban sesban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesbania

speciosa TAUB. EX ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Seseli diffusum (ROXB. EX. SM.) SAMT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Seseli indicum WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Seseli sibiricum BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sesuvium portulacastrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Setaria glauca BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Setaria italica (L.) BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Setaria planifolia STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Setaria plicata (LAM.) COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Setaria verticillata (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Setaria viridis BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Shorea robusta GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Shorea roxburghii G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Shorea tumbaggaia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sida acuminata DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sida acuta BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sida alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sida carpinifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sida cordata (BURM.F.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sida cordifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sida humilis CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sida lanceolata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sida mauritiana JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sida orientalis

CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sida ovata FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sida retusa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sida rhombifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sida rhombifolia L. retusa (L.) BORASSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sida rhombifolia L. retusa (L.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sida rhombifolia L. rhombifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sida rhombifolia L. rhomboidea (DC.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sida rhomboidea* ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sida spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sida veronicaefolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sideroxylon spinosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sideroxylon tomentosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Siegesbeckia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Siegesbeckia orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Silene apetala* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Silene inflata SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Silene laxantha MAJUMDAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Silene moorcroftiana WALL. EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Silene vulgaris (MOENCH) GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Silybum marianum GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Simmondsia chinensis (LINK) C.K. SCHNEID. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sinapis alba L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sinapis chinensis

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sinapis juncea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sinapis ramosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sison ammi HERB. MADR. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sisymbrium altissimum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sisymbrium irio L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sisymbrium loeselii L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sisymbrium orientale L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sisymbrium sophia L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sium latijugam C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Skimmia anquetilia N.P.TAYLOR & AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Skimmia arborescens T.ANDERS EX. GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Skimmia laureola (DC.) ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Smilax aspera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Smilax china L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Smilax glabra ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Smilax glaucophylla KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Smilax lanceifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Smilax macrophylla ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Smilax ocreata A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Smilax ovalifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Smilax parvifolia WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Smilax perfoliata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Smilax prolifera

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Smilax pseudo-china WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Smilax wightii L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Smilax zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Smithia conferta J.E. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Smithia geminiflora ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Smithia sensitiva AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum aculeatissimum JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum albicaule KOTSCHY EX DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum americanum MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum anguivi LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum aviculare FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum capsicoides ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum ciliatum LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum denticulatum BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum dulcamara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum erianthum D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum ferox L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum giganteum JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum gracilipes DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum hirsutum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum incanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum indicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum

insanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum jacquini WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum khasianum C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum kurzii PRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum laciniatum AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum lasiocarpum DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum lycopersicum LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum mauritianum SCORP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum melongena L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum melongena L. incanum KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum myriacanthum DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum nigrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum pseudocapsicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum pubescens HEYNE. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum sarmentosum NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum seforthianum ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum sisymbriifolium LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum spirale ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum surattense BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum torvum SWARTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum trilobatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum tuberosum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum verbascifolium AUCTION L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum viarum

DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum villosum SCHUR. puniceum (KRISCHLEGER) EDMONDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum violaceum ORTEGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum virginianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solanum xanthocarpum SCHRAD & WENDL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solena amplexicaulis (LAM.) GANDHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Solena heterophylla LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sonchus arvensis L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sonchus asper (L.) HILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sonchus brachytus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sonchus maritimus L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sonchus oleraceus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sonchus wightianus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sonerila maculata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sonerila rheedei WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sonerila tenera ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sonneratia acida L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sonneratia apetala BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sonneratia caseolaris (L.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sonneratia griffithii KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sophora glauca LESCH. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sophora griffithii STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sophora mollis (GRAH. EX ROYLE) BAK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sophora

tomentosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sophora wightii BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sopubia delphinifolia G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sorbaria tomentosa (LINDL.) REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sorbus aucuparia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sorbus tianshanica RUPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sorghum bicolor MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sorghum halepense (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sorghum saccharatum PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sorghum vulgare PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Soymida febrifuga (ROXB.) A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sparganium stoloniferum BUCH.- HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spathodea campanulata P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spathoglottis plicata BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spatholobus parviflorus (ROXB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spatholobus roxburghii BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spergula arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spergularia rubra* (L.) J.PRESL & C.PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spermacoce articularis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spermacoce hispida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spermadietyon suaveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sphaeranthus africanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sphaeranthus amaranthoides* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sphaeranthus*

hirtus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sphaeranthus indicus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sphaeranthus microcephalus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sphaeranthus senegalensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sphaerostephanos subtractus (BERG.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sphaerostephanos unitus (L.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sphenoclea zeylanica GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sphenodesme involucrata (PRESL.) paniculata (CL.) MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sphenodesme pentandra* JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sphenomeris chinensis* (L.) MAXON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sphenomeris chusana* COPELAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sphyrnthera lutescens* (KURZ) PAX & HOFFER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spilanthes acmella* MURR. olerace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spilanthes calva* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spilanthes oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Spilanthes paniculata* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spinacia oleracea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spinifex littoreus (N.BURM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spiraea aruncus L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spiraea bella SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spiraea canescens D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spiraea lindleyana WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spondias acuminata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spondias

mangifera WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spondias mombin L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spondias pinnata (L.F.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stachyphrynium spicatum (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stachys floccosa BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stachys officinalis (L.) TREV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stachys palustris L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stachys parviflora BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stachys sylvatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stachys tuberosa* LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stachytarpheta indica* (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stachytarpheta jamaicensis* (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stachytarpheta mutabilis* (JACQ.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stachytarpheta urticaefolia* (SALISB.) SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Statice aegyptica* DELILE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stauroanthera grandifolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stauranthera umbrosa CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stellaria alsine GRIMM. undulata (THUNB.) OHWI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stellaria aquatica SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stellaria media WIGHT EX EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stellaria chamaejasme L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stemodia viscosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stemonia tuberosa LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stenochlaena

palustris (N.BURM.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stenolobium stans SEE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stenoloma chinensis BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stenotaphrum dimidiatum (L.) BRONGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stephania glabra (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stephania glandulifera MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stephania hernandifolia (WILLD.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stephania japonica (THUNB.) MIERS discolour (BLUME.) FORMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stephania japonica* (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stephania japonica* (THUNB.) MIERS. *japonica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stephania rotunda* LOUR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stephania wightii* (A.) DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stephegyne parvifolia* KORTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sterculia alata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sterculia balanghas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sterculia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sterculia guttata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sterculia rubiginosa VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sterculia scaphigera WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sterculia urens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Sterculia villosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stereospermum chelonoides (L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stereospermum colais (DILLWYN) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stereospermum

neuranthrum KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stereospermum personatum (HASSK.) CHATTERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stereospermum suaveolens DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stereospermum tetragonum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stereospermum xylocarpum WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Steudnera virosa (KUNTH) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stichoneuron caudatum RIDLEY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stictocardia campanulata (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stipa capensis* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stipa capillata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stipa sibirica* (L.) LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stipa tortilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stranvaesia glaucescens* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Streblus asper* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Streblus taxoides* (HEYNE EX ROTH) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Striga asiatica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Striga gesnerioides (WILLD.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Striga lutea LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Striga orobanchoides BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes acrocephalus T. AND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes auriculatus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes callosus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes ciliatus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes

consanguineus C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes dalhousianus C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes flaccidifolius NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes heyneanus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes kunthiana T. ANDERS. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes lupulinus NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes nobilis CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes wallichii NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strobilanthes wightianus NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stroemia tetrandra VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strophanthus dichotomus DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strophanthus wallichii A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strophanthus wightianus WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strychnos aenea A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strychnos axillaris COLEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strychnos cinnamomifolia THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strychnos colubrina AUCTION. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strychnos gaultheriana PIER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strychnos ignatia LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strychnos ignatii BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strychnos maingayi CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strychnos minor DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strychnos nux-biKalam A.W.Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strychnos nux-

vomica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strychnos potatorum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strychnos rheedei CL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Strychnos wallichiana STEUD. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stylocoryne lucens GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stylophorum lactucoides (HOOK. F. & THOMS.) BENTH. & HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stylosanthes fruticosa (RETZ.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Styx benzoin DRYAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Styrax hookeri* CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Styrax officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Styrax serrulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Styrax tonkinensis* CRAIB EX. HARTWICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Suaeda fruticosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Suaeda monoica* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Suregada angustifolia* (BAILL. EX MUELL. - ARG.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Suregada multiflora* (JUSS.) BAILL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia affinis* CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia alata* ROYLE EX. D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia angustifolia* BUCH.-HAM. EX D. DON. PULCHELLA BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia angustifolia* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia chirata* (ROXB. EX. FLEM.) KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia chirayita* ROXB. EX (FLEMING) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia ciliata* (G.DON) BURTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia cordata*

CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Swertia corymbosa (GRISEB.) WT. EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Swertia decussata NIMNO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Swertia densiflora (GRISEB.) KASHYAPPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Swertia densifolia (GRISEB.) KASHYAPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Swertia lawii BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Swertia minor (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Swertia paniculata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia perennis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia petiolata* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia pulchella* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia purpurascens* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swertia thomsonii* CL. EX HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swietenia febrifuga* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swietenia macrophylla* KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Swietenia mahagoni* (L.) JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symphorema involucratum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symphorema polyandrum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symphytum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos beddomei* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos caudata* WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos chinensis* (LOUR.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos cochinchinensis* S.MOORE *laurina laurina* (RETZ.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos*

cochinchinensis S.MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Symplocos crataegoides BUCH.-HAM. EX.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Symplocos laurina WALL. EX REHD. & E. H. WILS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Symplocos monantha WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Symplocos paniculata (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Symplocos racemosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Symplocos spicata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Symplocos sumuntia D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Symplocos theaeifolia* BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Synadenium grantii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Synantherias sylvatica* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Synapis dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Synedrella nodiflora* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Synnema uliginosum* (L.F.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Syringa emodi* WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Syringa persica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium alternifolium (WT.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium aromaticum (L.) MERRILL & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium caryophyllaeum AUCT. NON GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium caryophyllatum (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium cerasoides (ROXB.) CHATT. & KANJI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium cerasoideum (ROXB.) RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium cumini (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium

hemisphericum (WIGHT) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium heyneanum WALL. EX DUTHIE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium jambolana DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium jambolanum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium jambos (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium malaccense (L.) MERR. & MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium neyneanum (DUTHIE) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Syzygium operculatum (ROXB.) NIEDENZU obovatum (DUTHIE) GAMBLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Syzygium operculatum* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Syzygium Kalamrangense* (BL.) MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Syzygium travancoricum* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tabernaemontana alternifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tabernaemontana coronaria* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tabernaemontana crispa* ROBT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tabernaemontana dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tabernaemontana divaricata* (L.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tabernaemontana heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tabernaemontana sphaerocarpa* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tabernaemontana wallichiana* STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tacca aspera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tacca integrifolia* KER-GAWL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tacca leontopetaloides* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tacca pinnatifida*

J.R. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tagetes erecta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tagetes minuta L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tagetes patula L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tamarindus indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tamarix aphylla (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tamarix ariculata VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tamarix dioica ROXB. EX. ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tamarix ericoides ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tamarix gallica AUCT. NON.L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tamarix indica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tamarix troupii HOLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tanacetum dolichophyllum KITAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tanacetum fruticosum LEDEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tanacetum gracile HOOK. F. & TH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tanacetum longifolium WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tanacetum parthenium* (L.) SCHULTZ BIP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tanacetum tenuifolium* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tanacetum tibeticum* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tanacetum tomentosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tanacetum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Taraktogenos kurzii* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Taraktogenos macrocarpa* (BEDD.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Taraxacum*

officinale WIGGERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Taraxacum officinale WIGG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tarenna asiatica KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Taverniera cuneifolia (ROTH) ARN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Taverniera nummularia BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Taxillus tomentosus (ROXB.) VAN TIEGHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Taxillus umbellifer (SCHULTES) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Taxus baccata L. wallichiana Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Taxus wallichiana ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tecoma capensis LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tecoma grandiflora LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tecoma radicans JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tecoma stans JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tecoma undulata G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tecomella undulata (SM.)SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tectaria coadunata (WALL.) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tectaria macrodonta* (FEE) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tectaria polymorpha* (WALL. & HOOK.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tectona grandis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Telosma minor* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Telosma pallida* (ROXB.) CRAIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Teona ciliata* ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tephrosia candida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tephrosia*

hamiltonii J.R.DRUMM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tephrosia hirta (BUCH.-HAM.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tephrosia petrosa BLATTER & HALBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tephrosia procumbens BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tephrosia purpurea PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tephrosia purpurea PERS. pumila and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tephrosia rheedei DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tephrosia senticosa PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tephrosia spinosa PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tephrosia tinctoria PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tephrosia uniflora PERS. petrosa (BLATT. & HALLB.) GILLET & ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tephrosia uniflora PERS. petrosa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tephrosia villosa PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Teramnus labialis (L.F.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Teramnus mollis BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia alata HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia arjuna (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia bellerica ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia bellerica ROXB. laurinoide CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia bellirica (GAERTN.) ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia bialata STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia catappa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia chebula RETZ. typica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia

chebula RETZ. & WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia citrina FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia coriacea (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia crenulata ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia manii KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia myriocarpa HEURCK & MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia oSkini BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia pallida BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia paniculata ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia pyrifolia KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia reticulata ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia tomentosa (ROXB.) WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Terminalia travancorensis WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Termitomyces microcarpus (BERK. & BR.) HEIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ternstroemia gymnanthera (WT. & ARN.) BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ternstroemia japonica AUCT. NON THUNB) NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tetracera akara (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tetracera indica (HOUTT. EX CHRISTM. & PAUZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tetracera laevis AUCT. NON VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tetracera scandens (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tetrameles nudiflora R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tetranthera roxburghii NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tetrastigma lanceolarium (ROXB.) PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tetrastigma

leucostaphylum (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tetrastigma serrulata (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Teucrium chamaedrys LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Teucrium polium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Teucrium scordium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Teucrium stocksianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thalictrum alpinum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thalictrum cultratum WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thalictrum dalzellii HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thalictrum foetidum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thalictrum foliolosum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thalictrum javanicum BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thalictrum minus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thalictrum pauciflorum ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thalictrum pedunculatum EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thalictrum reniforme WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thamnia vermicularis* (SWARTZ) ACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thea assamica* J.W.MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thecagonium biflorum* (L.) BABU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thelypteris gracilescens* (Bl.) CHING. glandulosis KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Themeda arguens* (L.) HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Themeda arundinacea* (ROXB.) RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Themeda gigantea* HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Themeda triandra*

FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Theobroma cacao LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Theriophonum infaustum N.E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Theriophonum minutum BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thespesia lampas (CAV.) DALZ. EX DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thespesia populnea (L.) SOL.EX. CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Theum tibeticum MAXIM. EX HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thevetia neriifolia JUSS. EX. STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thevetia peruviana* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thlaspi arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thlaspi kotschyannum* BOISS. & *HOHEN BROIGAR* NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thlaspi tetragona* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thomsonia nepalensis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thonningia axillaris* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thottea siliquosa* (LAM.) DING HOU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thuja orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thunbergia alata BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thunbergia erecta (BENTH.) T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thunbergia fragrans ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thunbergia grandiflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thunbergia hawtayneana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thunbergia laurifolia LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thymus linearis BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thymus

serpyllum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thymus vulgaris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thysanolaena acarifera NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thysanolaena agrostis NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thysanolaena maxima (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Thysanolaena procera MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tiaridium indicum LEHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tiliacora acuminata MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tiliacora racemosa* COLEBR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tinospora cordifolia* (WILLD.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tinospora crispa* (L.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tinospora malabarica* (LAM.) HOOK F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tinospora sinensis* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tinospora tomentosa* (COLEBR.) HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tithonia diversifolia* (HEMSLEY) A. GRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tithonia tagetiflora* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Toddalia aculeata* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Toddalia asiatica* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Toddalia bilocularis* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tonningia axillaris* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Toona ciliata* ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Torenia asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Torenia bicolor* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Torenia*

parviflora BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Torenia polygonoides BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Torenia thouarsii KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Torenia travancorica GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Torenia vagans ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tournefortia candollii C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tournefortia montana LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tovar virginiana (LINN.) RAFIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Toxocarpus villosus DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trachelospermum fragrans HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trachelospermum lucidum (DON) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trachycarpus martianus H.WANDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trachydium lehmanni BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trachyspermum ammi (L.) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trachyspermum khasianum (Cl.) WOLFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trachyspermum roxburghianum (DC.) CRAIB and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tradescantia axillaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tragia bicolor* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tragia cannabina* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tragia cordata* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tragia cordifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tragia involucrata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tragia muelleriana* PAX & HOFFM. unicolor (MUELL. ARG.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tragia plukenetii*

A.RADCLIFFE-SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tragopogon gracilis D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tragopogon porrifolius L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tragopogon pratensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trapa bicornis L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trapa bispinosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trapa natans L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trapa natans L. bispinosa (ROXB.) NAKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trema cannabina LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trema orientalis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trevesia palmata (ROXB.) VIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trewia nudiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trewia polycarpa BTH. & HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trianthema decandra L. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trianthema govinda BUCH.-HAM. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trianthema govindia BUCH.-HAM EX G. DON. NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trianthema monogyna L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trianthema pentandra LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trianthema portulacastrum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trianthema triquetra ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tribulus alatus DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tribulus lanuginosus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tribulus terrestris L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tricalysia

singularis (KORTH.) K. SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tricalysia sphaerocarpa (HOOK.F.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trichilia connaroides (WT. & ARN.) BENTVELZEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trichilia spinosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trichodesma africanum R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trichodesma indicum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trichodesma zeylanicum R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tricholepis angustifolia DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tricholepis glaberrima DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tricholepis montana DLAZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tricholepis procumbens WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trichomanes javanicum BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trichopus zeylanicus GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trichopus zeylanicus GAERTN. travancoricus (BED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trichosanthes anaimalaiensis BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trichosanthes anguina L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichosanthes bracteata* (LAM.) VOIGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichosanthes cordata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichosanthes cucumerina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichosanthes dioica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichosanthes incisa* ROTTL. EX ROSENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichosanthes laciniosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichosanthes lobata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trichosanthes*

nervifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trichosanthes palmata ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trichosanthes tricuspidata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trichosanthes wallichiana (SERINGE) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tridax procumbens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trifolium alexandrinum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trifolium alexandrinum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trifolium fragiferum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trifolium indicum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trifolium officinalis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trifolium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Triglochin maritima* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Triglochin palustris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trigonella corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trigonella emodi* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Trigonella foenum-graecum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trigonella hamosa (L.) WILLD. uncata (BOISS. & BOE) TOWNSEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trigonella incisa BENTHA. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trigonella occulta DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trigonella polycerata L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trigonella uncata BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trigonostemon longifolius BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trillium govanianum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trimufetta

rhomboidea JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triphasia trifolia (BURM. F.) P. WILS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tripleurospermum maritimum (LINN.) W.D.J. KOCH inodorum (LINN.) HYL. EX VAAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triticum aestivum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triticum amyleum SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triticum durum DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triticum pilosum (DALZ. & GIBS) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triticum sativum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triticum spelta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triticum vulgare WILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triumphetta annua L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triumphetta bartramia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triumphetta rhomboidea JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triumphetta rotundifolia LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triumphetta semitriloba L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Triumphetta tomentosa NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tropaeolum minus LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Trophis aspera RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tropidia curculigoides LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tuber cibarium and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tulipa stellata HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Turbina corymbosa (L.) RAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Turnera angustifolia MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Turnera diffusa

WILLD. APHRODISIACA (L.F. WARD)URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Turnera ulmifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Turpinia nepalensis WALL. EX WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Turpinia pomifera (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Turraea villosa BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tussilago farfara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tylophora asthmatica WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tylophora dalzelli HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tylophora fasciculata BUCH.-HAM. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tylophora hirsuta WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tylophora indica (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tylophora tenuis BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tylophora tenuissima (ROXB.) WGT. & ARN. EX WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Tylophora tetrapetala (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Typha angustata BORY & CHAUB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Typha angustifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Typha australis SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Typha elephantina GRAH, NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Typha laxmannii LEPECH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Typhonium divaricatum DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Typhonium flagelliforme (LODD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Typhonium roxburghii SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Typhonium trilobatum (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ulmus

campestris L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ulmus wallichiana PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Uncaria cordata (LOUR.) MERR. ferruginea (BL.) RIDSD. FORMA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Uncaria gambier ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Uncaria sessilifructus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Unona narum DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Uraria alopecuroides WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Uraria crinita DESV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Uraria hamosa* WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Uraria lagopodioides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Uraria picta* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Uraria prunellaefolia* GREH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Uraria rufescens* (DC.) SCHINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Urena lobata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Urena repKalam* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Urena simiata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Urena sinuata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Urginea coromandeliana HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Urginea indica (ROXB) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Urginea maritima (L.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Urginea nagarjunae Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Urtica ardens LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Urtica dioica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Urtica

hyperborea JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Urtica parviflora ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Urtica pilulifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Usnea sikkimensis BISWAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Usnea flexilis STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Usnea florida (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Usnea hirta (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Usnea longissima ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Usnea rubicunda STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Usnea sikkimensis BISPAS. SP. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Usnea venosa MOT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utereria sallicifolia BEDD. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utereria salicifolia BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utricularia bifida L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utricularia gibbosa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utricularia reticulata SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Utricularia stellaris L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Uvaria dulcis DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Uvaria ebracteolata PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Uvaria hookeri KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Uvaria micrantha (A.DC.)Hook.f.Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Uvaria narum (DUNAL) WALL EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Uvaria zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vaccaria

pyramidata MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vaccinium leschenaultii WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vaccinium macrocarpon AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Valeriana brunoniana W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Valeriana dubia BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Valeriana hardwickii WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Valeriana jatamansi JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Valeriana leschenaultii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Valeriana officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Valeriana pyrolaefolia DENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Valeriana wallichii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vallaris heynei SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vallaris pergulanus BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vallaris solanacea (ROTH.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vallisneria spiralis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), VKalam coerulea GRIFF. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), VKalam parviflora LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), VKalam roxburghii R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), VKalam spathulata (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), VKalam teres LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), VKalam tessellata (ROXB.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), VKalam testacea (LINDL.) REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vandellia erecta BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vandellia

pedunculata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vandellia pyxidaria MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vangueria pubescens KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vangueria spinosa SENSU HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vanilla planifolia ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vanilla wightiana LINDL.EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vateria indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vateria macrocarpa B.L.GUPTA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vateria malabarica BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vatica lancaefolia BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ventilago calycina TUL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ventilago calyculata TULASNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ventilago denticulata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ventilago madraspatana GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vepris bilocularis (WIGHT & ARN.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Veratrum album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Veratrum viride AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Verbascum chinense (L.) SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Verbascum coromandelianum (VAHL) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Verbascum thapsus PLENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Verbena nodiflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Verbesina calendulacea L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Verchellia farnesiana WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia

albicans DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia anthelmintica (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia arborea HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia aspera BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia cinerea LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia patula MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia pyramidale (D.DON) MITRA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia revoluta BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia roxburghii LESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia squarrosa (D.DON) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vernonia teres WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Veronica agrestis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Veronica anagallis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Veronica arvensis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Veronica beccabunga L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Veronica biloba L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Veronica hederaefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Veronica serpyllifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vetiveria zizanioides* (L.) NASH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viburnum acuminatum* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viburnum colebrookianum* WALL. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viburnum coriaceum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viburnum corylifolium* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viburnum*

cotinifolium DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viburnum cylindricum BUCH.-HAM.EX D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viburnum foetidum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viburnum hebanthum THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viburnum nervosum D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viburnum obovatum WALT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viburnum punctatum BUCH.- HAM, EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vicatia wolffiana (WOLFF EX FEDDE) NORMAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vicia faba LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vicia hirsuta KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vicia sativa L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vicia auriculata CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vicia indica (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna aconitifolia (JACQ.) MARECHAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna adenantha (MEYER) MARECHAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna angularis (WILLD.) OHWI. & OHASHI and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna catjang ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna cylindrica SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna dalzelliana (O.KTZE) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna grahmiana (WT. & ARN.) VERD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna mungo (L.) HEPPER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna pilosa BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna radiata (L.) R. WILCZEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna radiata

(L.) WILEZ sublobata (ROXB.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna trilobata (L.) VERDCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna umbellata (THUNB.) OHWL & OHOSHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna unguiculata (L.) WALP. cylindrica (L.) ESELT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna unguicula (L.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vigna vexillata (L.) A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vinca major LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vinca minor SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vinca parviflora RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vinca pusilla MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vinca rosea L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vincetoxicum album (MILL.) ASCHERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vincetoxicum hirundinaria MEDIC glaucum (WALL. EX WT.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viola biflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viola caespitosa D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viola canescens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viola cinerea BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viola diffusa GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viola odorata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viola patrinii GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viola pilosa BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viola serpens WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viola suffruticosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viola sylvestris

LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viola tricolor L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viscum album L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viscum articulatum BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viscum monoicum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viscum nepalense SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viscum orientale WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitex agnus-castus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitex altissima L.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitex glabrata F. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitex leucoxydon SCHAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitex negundo L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitex negundo L. incisa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitex negundo L. negundo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitex negundo L. purpurascens SIVARAJAN & MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitex paniculata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitex peduncularis WALL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitex pinnata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitex pubescens VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitex quinata (LOUR.) F.N. WILLIAMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitex trifolia L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis adnata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis araneosus DALZ. & GIBS. EX M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis carnos

(ROXB.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis hastata MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis heyneana ROEM. & SCULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis indica W. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis lanata ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis latifolia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis objecta WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis pallida W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis parvifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis pedata VAHL EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis planicaulis HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis polystachya WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis quadrangularis WALT EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis repens WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis rugosa HOOK.F. & THOMS. EX M. LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis setosa WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis tomentosa HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis trifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis vinifera L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vitis vitifera HAINES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vittaria elongata SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Vittaria zosterifolia WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Viverra zibetha L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Volkameria

inermis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Volutarella divaricata C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wagatea spicata DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wahlenbergia marginata (THUNB.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Waldheimia glabra (DECNE) REGEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Waldheimia stoliczki (CI.) OSTENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Waldheimia tomentosa (DECNE) REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wallichia disticha T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Walsura piscidia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Walsura trifoliata* (A.JUSS) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Waltheria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wattakaka volubilis* (L.F.) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Webera corymbosa* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Webera tetrandra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wedelia biflora* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wedelia calendulacea* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wedelia chinensis MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wedelia wallichii LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wendlandia exerta DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wendlandia heynei (R. & S.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wendlandia notoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wendlandia pendula DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wendlandia tinctoria DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wikstroemia

canescens MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wikstroemia indica (L.) C. A. MEY. viridiflora (MEISSN.) HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wikstroemia ridleyi GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wikstroemia viridiflora MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Willughbeia edulis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Withania coagulans DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Withania somnifera DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wolffia globosa (ROXB.) HARTOG & PLAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wollastonia biflora (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Woodfordia floribunda SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Woodfordia fruticosa (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wrightia antidysenterica GRAH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wrightia arborea (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wrightia coccinea SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wrightia tinctoria R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Wrightia tomentosa R.& S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Wrightia zeylanica* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Xanthium indicum* KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Xanthium strumarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Xanthophyllum arnottianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Xanthophyllum flavescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Xanthoxylum fraxineum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Xantolis tomentosa* (ROXB.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Xeromphis*

spinosa (THUNB.) KEAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xeromphis uliginosa (RETZ.) MAHESH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ximenia aegyptiaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ximenia americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xylaria polymorpha PERS. EX MERAT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xylia dolabriformis BENTH.& HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xylia xylocarpa (ROXB.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xylocarpus granatum KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xylophia parvifolia HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xylosma longifolium CLOS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xyris anceps LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xyris auceps AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xyris complanata R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xyris indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xyris pauciflora WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Youngia japonica (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Yucca aloifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Yucca filamentosa WOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Yucca gloriosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zaleya decandra (L.) BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zaleya govindia (DON) NAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zaleya pentandra (L.) JEFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zalia decandra (L.) BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zannichellia

indica ROTTL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zanonía indica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zantedeschia aethiopica (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zanthoxylum acanthopodium DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zanthoxylum alatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zanthoxylum armatum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zanthoxylum budrunga (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zanthoxylum hamiltonianum WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zanthoxylum hostile WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zanthoxylum limonella (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zanthoxylum nitidum (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zanthoxylum ovalifolium WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zanthoxylum oxphyllum EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zanthoxylum rhetsa (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zanthoxylum tetraspermum WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zanthoxylum triphyllum WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zataria multiflora BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zea mays L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zehneria hookeriana ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zehneria indica (LOUR.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zehneria maysorensis (WT. & ARN.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zehneria scabra (L.F.) SOND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zehneria thwaitesii (SCHWEIN.) JEFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zehneria

umbellata THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zephyranthes ajax SPRENGER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zephyranthes grandiflora LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zephyranthes rosea LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zeuxine longilabris (LINDL.) BENTH. EX HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zeuxine strateumatica (L.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zeuxine sulcata LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber capitatum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber cassumunar ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber cernuum DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber chrysanthum ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber mioga ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber montanum (KOEN.) LINK EX A. DIETRICH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber officinale ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber officinalis ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber purpureum ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber roseum ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber rubens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber squarrosum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zingiber zerumbet ROSC. EX SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zinnia elegans JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zizania caduciflora HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zizania latifolia TURCZ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphora

clinopodioides M.BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphora tenuior L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus glabarata HEYNE, EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus glabrata HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus jujuba LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus mauritiana LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus napeca WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus nummularia WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus oenoplia MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus oxyphylla EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus rugosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus rugosa LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus sativa GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus sororia ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus trinervia ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus trinervius ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anemone hupehensis* Lemoine ex Boynton var. *japonica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anemone rivularis* Buch.- Ham.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aquilegia vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clematis gouriana* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clematis munroiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clematis smilacifolia* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clematis theobromina* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Clematis*

wightiana Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Consolida ambigua (L.) P. W. Ball and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Delphinium elatum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Naravelia zeylanica (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ranunculus diffusus DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ranunculus muricatus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ranunculus reniformis Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ranunculus wallichianus Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thalictrum foliolosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thalictrum javanicum* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thalictrum saniculaeforme* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Chimonanthus praecox* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Acrotrema arnottianum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dillenia bracteata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dillenia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dillenia pentagyna* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dillenia retusa* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dillenia suffruticosa* (Griffith) Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tetracera akara* (Burm. f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Magnolia campbellii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Magnolia grandiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Magnolia liliflora* Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Magnolia x alba* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Michelia*

champaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Michelia nilagirica Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alphonsea lutea (Roxb.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alphonsea sclerocarpa Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Alphonsea zeylanica Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Annona cherimola Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Annona muricata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Annona reticulata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Annona squamosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artabotrys hexapetalus (L. f.) BhKalamri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Artabotrys zeylanicus Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cananga odorata (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyathocalyx zeylanicus Champ. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmos lawii (Hook. f. & Thoms.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Desmos viridiflorus (Bedd.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Goniothalamus cardiopetalus (Dalz.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Goniothalamus rhynchantherus* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Goniothalamus salicina* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Goniothalamus thwaitesii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Goniothalamus wightii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Goniothalamus wynadensis* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Meiogyne pannosa* (Dalz.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Meiogyne ramarowii* (Dunn) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Miliusa eriocarpa*

Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Milium montanum* Gard. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Milium nilagirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Milium tomentosum* (Roxb.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Milium wightianum* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mitrophora heyneana* (Hook. f. & Thoms.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Orophea erythrocarpa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Orophea thomsonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Orophea uniflora* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polyalthia cerasoides* (Roxb.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polyalthia coffeoides* (Hook. f. & Thoms.) Benth. & Hook. f. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polyalthia fragrans* (Diaz.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polyalthia korintii* (Dunal) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polyalthia longifolia* (Sonner.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polyalthia rufescens* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polyalthia suberosa* (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polyalthia tirunelveli* M. B. Viswan. & Manik Kalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Popowia beddomeana* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sageraea dalzellii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Uvaria macropoda* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Uvaria narum* (Dunnal) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Uvaria zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Xylopia parvifolia* (Wight) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Anamirta*

cocculus (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cissampelos pareira L. var. hirsuta (Buch.-Ham. ex DC.) Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cocculus hirsutus (L.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cocculus laurifolius DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cocculus pendulus (Forst.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coscinium fenestratum (Gaertn.) Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyclea arnottii Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cyclea peltata (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Diploclisia glaucescens* (Blume) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pachygone ovata* (Poir.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stephania japonica* (Thunb.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Stephania wightii* (Arn.) Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tiliacora acuminata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tinospora cordifolia* (Willd.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tinospora sinensis* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Berberis lycium* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Berberis nilghiriensis* Ahrendt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Berberis tinctoria* Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Berberis wightiana* Schneid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Mahonia leschenaultii* (Wall. ex Wight & Arn.) Takeda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nelumbo nucifera* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nymphaea nouchali* Burm. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nymphaea pubescens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Nymphaea rubra*

Roxb. ex Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Argemone mexicana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Eschscholzia californica Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Mecanopsis wallichii Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Papaver caucasicum Bait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Papaver fugax Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Papaver rhoeas L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Papaver somniferum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Romneya coulteri Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Corydalis lutea (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Dicentra scandens (D. Don.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fumaria indica (Hassk.) Pugsley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Fumaria officinalis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barbarea intermedia Boreau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barbarea verna (Miller) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Barbarea vulgaris R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica juncea (L.) Czern. & Coss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica nigra (L.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica oleracea L. var. botrytis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica oleracea L. var. capitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica oleracea L. var. gemmifera Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica oleracea L. var. gongylodes L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Brassica rapa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capsella bursa-

pastoris (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cardamine africana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cardamine hirsuta L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cardamine trichocarpa Hochst. ex A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cheiranthus cheiri L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Coronopus didymus (L.) Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Iberis amara L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Iberis umbellata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lepidium ruderae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lepidium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lepidium virginicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lobularia maritima* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Matthiola incana* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Raphanus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rorippa indica* (L.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Rorippa nasturtium - aquaticum* (L.) Hayek and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sisymbrium volgense* Ledeb. ex Shmal. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Thlaspi arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cadaba fruticosa* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cadaba trifoliata* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Capparis brevispina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Capparis decidua* (Forsk.) Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Capparis divaricata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Capparis*

diversifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis fusifera Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis grandiflora Wall ex. Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis grandis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis kollimalayana Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis moonii Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis nilgiriensis Subbha Rao Kumari & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Capparis rheedii DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Capparis rotundifolia* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Capparis roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Capparis sepiaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Capparis shevaroyensis* Sundararaghavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Capparis spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Capparis zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cleome angustifolia* Forsk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cleome aspera* Koen ex. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cleome burmannii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cleome chelidonii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cleome felina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cleome hassleriana* Chod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cleome monophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cleome rutidosperma* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cleome speciosa* Raf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cleome viscosa*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crateva adansonii* DC. subsp. *odora* (Buch. - Ham.) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Crateva magna* (Lour.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gynandropsis gynandra* (L.) Briq and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Maerua apetala* (Roth) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Maerua oblongifolia* (Forsk.) A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Steriphoma clemoides* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Reseda alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Reseda luteola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hybanthus enneaspermus* (L.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hybanthus travancoricus* (Bedd.) Melch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viola arcuata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viola betonicifolia* J. E. Smith subsp. *betonicifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viola canescens* Wall. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viola hamiltoniana* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Viola pilosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bixa orellana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cochlospermum religiosum* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Aphloia theiformis* (Vahl) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Casearia championii* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Casearia graveolens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Casearia ovata* (Lam.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Casearia rubescens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Casearia*

thwaitesii Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Casearia tomentosa Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Casearia wynadensis Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flacourtia indica (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flacourtia jangomas (Lour.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Flacourtia montana Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Homalium jainii A. N. Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Homalium travancoricum Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Homalium ceylanicum* (Gard.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hydnocarpus alpina* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hydnocarpus macrocarpa* (Bedd.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hydnocarpus pentandra* (Buch. - Ham.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Oncoba spinosa* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scolopia crenata* (Wight & Arn.) Clos var. *crenata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scolopia crenata* (Wright & Arn.) Clos var. *brevifolia* Mukherjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Xylosma latifolium* Hoof. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Xylosma longifolia* Clos and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Hymenoporus flavum* (Hook.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pittosporum anamallayense* Nayar & Giri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pittosporum bicolor* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pittosporum ceylanicum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pittosporum crassifolium* Soland.ex Putterl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pittosporum dasycaulon* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Pittosporum*

eugenoides A. Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pittosporum napaulense (DC.) Rehder & Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pittosporum neelgherrense Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pittosporum tetraspermum Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pittosporum tobira (Thunb.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pittosporum umbellatum Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pittosporum undulatum Vent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Pittosporum viridulum Nayar, Giri & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sollya heterophylla* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Muraltia juniperifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala arillata* Buch.-Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala arvensis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala bolbothrix* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala elongata* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala erioptera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala jacobii* Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala javana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala longifolia* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala myrtifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala persicariifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala rosmarinifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala sibirica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polygala*

telephioides Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygala virgata Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Polygala wightiana Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Securidaca bracteata Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xanthophyllum flavescens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Xanthophyllum manickamii Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Arenaria neelgerrensis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Cerastium glomeratum Thuill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Cerastium indicum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Dianthus caryophyllus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drymaria cordata* (L.) Willd. ex Roem. & Schultes subsp. *diandra* (Blume) Duke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Drymaria villosa* Cham. & Schlect. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Gypsophila elegans* M. Bieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Lychnis coronaria* (L.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polycarpha aurea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polycarpha corymbosa* (L.) Lam. var. *corymbosa* and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polycarpaea corymbosa* (L.) Lam. var. *longipetala* Sriniv. & D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polycarpaea diffusa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polycarpaea spicata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polycarpon prostratum* (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Polycarpon tetraphyllum* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Sagina saginoides* (L.) Karsten, Deutsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Saponaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Scleranthus*

annus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Silene armeria L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Silene coeli - rosa (L.) Godron and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Silene gallica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Spergula arvensis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stellaria media (L.) Vill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stellaria monosperma Buch. - Ham. ex D. Don var. paniculata (Edgew) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Stellaria vestita Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Vaccaria pyramidata* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Portulaca oleracea* L. var. *oleracea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Portulaca oleracea* L. var. *linearifolia* Sivarajan & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Portulaca pilosa* L. subsp. *pilosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Portulaca pilosa* L. subsp. *pilosa* var. *tuberosa* (Roxb.) Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Portulaca pilosa* subsp. *grandiflora* (Hook.f.) Geesink and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Portulaca wightiana* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Portulacaria afra* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Talinum portulacifolium* (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Talinum triangulare* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tamarix aphylla* (L.) Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tamarix ericoides* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Tamarix indica* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bergia ammannioides* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of *Schoenorchis gemmata* (Lindl.) J. J. Sm. (Allelopathically enriched), *Bergia capensis*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elatine ambigua Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Elatine triandra Schkuhr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calophyllum apetalum Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Calophyllum austroindicum Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus vulgaris LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Ziziphus xylopyrus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zornia diphylla (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zornia gibbosa SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zosima absinthifolia (VENT.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Renal Cell Carcinoma (RCC) formulations: Impact of Schoenorchis gemmata (Lindl.) J. J. Sm. (Allelopathically enriched), Zosima orientalis HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>,

(Where there are two or three same references of one species then consider the first one as purified through long duration purification method, second as purified through medium duration method and third through short duration purification method.)

For queries write at pankajoudhia@gmail.com